

عمومی و مشترک



	:شماره پیمان
053 - 073	_9184

	PIPELINE MATERIAL SPECIFICATION							
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه	
BK	SSGRL	PEDCO	110	PL	SP	0001	D04	

شماره صفحه: 1 از 10

طرح نگهداشت و افزایش تولید 27 مخزن

PIPELINE MATERIAL SPECIFICATION

نگهداشت و افزایش تولید میدان نفتی بینک

Class: 2		CLIENT Doc Number:	E07 707260			
Rev. Date		Purpose of Issue/Status	Prepared by:	Checked by:	Approved by:	CLIENT Approval
D00	OCT. 2021	IFC	H.Shahrokhi	M.Fakharian	M.Mehrshad	
D01	DEC. 2021	IFA	H.Shahrokhi	M.Fakharian	M.Mehrshad	
D02	MAY. 2022	IFA	F.Mosayebnejad	M.Fakharian	M.Mehrshad	
D03	AUG. 2022	AFD	F.Mosayebnejad	M.Fakharian	M.Mehrshad	
D04	OCT. 2022	AFD	M.Noori	M.Fakharian	M.Mehrshad	

Class: 2 CLIENT Doc. Number: F0Z-707360

Status:

IDC: Inter-Discipline Check
IFC: Issued For Comment
IFA: Issued For Approval
AFD: Approved For Design
AFC: Approved For Construction
AFP: Approved For Purchase
AFQ: Approved For Quotation
IFI: Issued For Information
AB-R: As-Built for CLIENT Review

AB-A: As-Built -Approved



عمومی و مشترک



:شماره پیمان	
053 - 073 - 9184	
000 070 0101	

	PIPELINE MATERIAL SPECIFICATION								
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه		
BK	SSGRL	PEDCO	110	PL	SP	0001	D04		

شماره صفحه: 2 از 10

REVISION RECORD SHEET

	D	Do:	D	Des	F • •
PAGE	D00	D01	D02	D03	D04
1	Х	Х	х	х	
2	х	X	х	x	
3	х			1	
4	Х				
5	X	X	X		
<u>6</u>	X	Х	Х		
<u>7</u>	X				
<u>8</u> 9	X		Х		
10	X X	X X	х	х	
11	x	×	^	^	
12	x	x			
13	X	X			
14		X			
15					
16					
17					
18					
19	1				
20					
21	1				
22	1				
23	1				
24 25	1				
25 26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41 42					
43					
44					
45					
46					
47					
48					
49					
50					
51					
52					
53	1				
54					
<u>55</u>					
56 57					
58					
59					
60					
61					
62					
63					
64		1			

PAGE	D00	D01	D02	D03	D04
66					
67					
68					
69					
70 71					
72					
73					
74					
75					
76					
77					
78					
79					
80					
81					
82			1		
83			1		
84 85			 		
85 86					
87					
88					
89					
90					
91					
92					
93					
94					
95					
96					
97					
98 99					
100					
101					
102					
103					
104					
105					
106					
107					
108					
109					
110 111			 		
111					
113					
114					
115					
116					
117					
118					
119					
120					
121			 		
122					
123			1		
124			1		
125 126					
126					
128			1		
129					



عمومی و مشترک



شماره صفحه: 3 از 10


:شماره پیمان	
053 - 073 - 9184	

	PIPELINE MATERIAL SPECIFICATION							
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه	
BK	SSGRL	PEDCO	110	PL	SP	0001	D04	

CONTENTS

1.0	INTRODUCTION	4
2.0	SCOPE	5
3.0	REFERENCES	5
3.1	LOCAL CODES AND STANDARDS	5
3.2	INTERNATIONAL CODES & STANDARDS	5
3.3	The Project Documents	6
3.4	ENVIRONMENTAL DATA	6
3.5	ORDER OF PRECEDENCE	7
4.0	DESIGN CODES	7
5.0	GENERAL NOTES	7
6.0	LIST OF ABBREVIATIONS	8
7.0	PIPELINE MATERIAL CLASSES	8
7.1	IDENTIFICATION OF PIPELINE CLASSES	8
7.2	SUMMARY OF PIPELINE CLASSES	6







:شماره پیمان
053 - 073 - 9184

	PIPELINE MATERIAL SPECIFICATION							
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه	
BK	SSGRL	PEDCO	110	PL	SP	0001	D04	

شماره صفحه: 4 از 10

1.0 INTRODUCTION

Binak oilfield in Bushehr province is a part of the southern oilfields of Iran, is located 20 km northwest of Genaveh city.

With the aim of increasing production of oil from Binak oilfield, an EPC/EPD Project has been defined by NIOC/NISOC and awarded to Petro Iran Development Company (PEDCO). Also PEDCO (as General Contractor) has assigned the EPC-packages of the Project to "Hirgan Energy - Design and Inspection" JV.

As a part of the Project, construction of well location, access roads, wellhead facilities for 6 new wells (with electric power supply for 2 of them) and required modifications on 4 workover wells (with electric power supply) shall be done. In addition, construction of 6 new flowlines from new wells to Binak B/C unit (with extension of relevant manifold) are in the Project scope of work.

GENERAL DEFINITION

The following terms shall be used in this document.

CLIENT: National Iranian South Oilfields Company (NISOC)

PROJECT: Binak Oilfield Development – Construction of New Well

Locations, Modifications on Workover Wells, Wellhead Facilities. Electrification Facilities. Flowlines and

Extension of Binak B/C Manifold

EPD/EPC CONTRACTOR (GC): Petro Iran Development Company (PEDCO)

EPC CONTRACTOR: Joint Venture of : Hirgan Energy – Design & Inspection

(D&I) Companies

VENDOR: The firm or person who will fabricate the equipment or

material.

EXECUTOR: Executor is the party which carries out all or part of

construction and/or commissioning for the project.

THIRD PARTY INSPECTOR (TPI): The firm appointed by EPD/EPC CONTRACTOR (GC)

and approved by CLIENT (in writing) for the inspection

of goods.

SHALL: Is used where a provision is mandatory.

SHOULD: Is used where a provision is advisory only.

WILL: Is normally used in connection with the action by

CLIENT rather than by an EPC/EPD CONTRACTOR,

supplier or VENDOR.

MAY: Is used where a provision is completely

discretionary.



عمومي و مشترك



:شماره پیمان
053 - 073 - 9184

	ı	PIPELINE MA	ATERIAL	SPECIF	ICATION		
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه
BK	SSGRL	PEDCO	110	PL	SP	0001	D04
	COCINE	. LDGG	110		O.	0001	50

شماره صفحه: 5 از 10

2.0 SCOPE

This specification covers the general requirements to be implemented in the selection materials of pipelines, fittings, flanges, valves and other pipeline components to be used for "Construction of flowlines and wellhead Facilities for BINAK Oil Field" Project.

3.0 REFERENCES

API-600

Throughout this Specification the latest editions of the following standards and codes are referred to:

3.1 LOCAL CODES AND STANDARDS

IPS-E-PI-140 IPS-C-PI-140	Engineering Standard for Onshore Transportation Pipelines Construction Standard for Transportation Pipelines (Onshore)
IPS-E-PI-240 IPS-E-PI-221	Engineering Standard For Plant Piping Systems Engineering Standard For Piping Material Selection (on plot piping)
IPS-G-PI-280	General Standard for Pipe Supports
IPS-M-PI-110	Material and Equipment Standard for Valves
IPS-M-PI-150	Material Standard for Flanges and Fittings
IPS-M-PI-190 (3)	Material and Equipment Standard for Line Pipe
NOSIC-S5L-9002-0010	5000API/3000 API Oil Well Production Wellhead Fittings 6"

3.2 INTERNATIONAL CODES & STANDARDS

ASME B1.20.1	Pipe Threads General Purpose (Inch).
ASME B16.5	Steel Pipe Flanges And Flanged Fittings
ASME B16.9	Factory–Made Wrought Steel Butt welding Fittings
ASME B16.10	Face To Face And End To End Dimension Of Valve
ASME B16.11	Forged Steel Fittings, Socket Welding And Threaded
ASME B16.21	Nonmetallic Flat Gaskets For Pipe Flanges
ASME B16.25	Butt-Welding Ends
ASME B16.34	Steel Valves, Flanged And Butt-welding Ends
ASME B16.48	Steel Line Blanks
ASME B18.2.1	Square And Hex. Bolts And Screws, Inch Series
ASME B18.2.2	Square And Hex. Nuts
ASME B31.3	Process Piping
ASME B31.4	Pipeline Transportation Systems for Liquid Hydrocarbons and Other Liquids
ASME B31.8	Gas Transmission and Distribution Piping Systems
ASME B36.10M	Welded and Seamless Wrought Steel Pipe
ASME B16.20	Metallic Gaskets for Pipe Flanges
API 5L	Specification For Line Pipe
API 6D	Pipeline Valves
API 6A	Specification for Wellhead and Christmas Tree Equipment
API 599	Steel Plug Valves, Flanged Or Butt-welding Ends

Steel Gate Valves, Flanged And Butt-welding Ends



عمومی و مشترک



ره پیمان	مار
053 - 073 - 9184	ļ

	PIPELINE MATERIAL SPECIFICATION نسخه سریال نوع مدر ک رشته تسهیلات صادر کننده بسته کاری پروژه							
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه	
BK	SSGRL	PEDCO	110	PL	SP	0001	D04	

شماره صفحه: 6 از 10

API 601	Metallic Gaskets For Piping, Double-Jacketed, Corrugated And Spiral Wound
API-602	Compact Steel Gate Valves
API 6FA	Specification for Fire Test For Valves
API 608	Metal Ball Valves-Flanged, Threaded, and Welding End
BS-1868	Flanged And Butt-Welding Ends Steel Check Valves For Petroleum And Petrochemical Industries
BS-1873	Flanged And Butt-Welding Ends Steel Globe Valves For Petroleum And Petrochemical Industries
BS EN ISO 17292:2015	Metal ball valves for petroleum, petrochemical and allied industries Steel gate, globe and check valves for sizes DN 100 and smaller, for
BS EN ISO 15761:2002	the petroleum and natural gas industries
BS 6775 (PART 2)	Testing Of Valve Specification For Fire Type Testing Requirement
BS EN 10204	Metallic Products-Type of Inspection Documents
MSS-SP-44	Steel Pipeline Flanges
MSS-SP-45	By pass and drain connection standard
MSS-SP-75	High-Strength, Wrought, Butt Welding Fittings
MSS SP-83	Class 300 and 6000 pipe unions, socket welding and threaded
MSS SP-80	Bronze Gate, globe angle and check valves
MSS SP-95	Swadge Nipples And Ball Plugs
MSS SP-97	Forged Carbon Steel Branch Olet Fittings
MSS SP-120	Ball Valves Threaded, Socket-Welding, Solder Joint, Grooved and Flared Ends
NACE MR0175/ ISO	Petroleum And Natural Gas Industries - Materials For Use In H2S
15156	Containing Environments In Oil And Gas Production
NACE TM-0284	Standard Test Method - Evaluation Of Pipeline And Pressure Vessel Steels For Resistance To Hydrogen-Induced Cracking
NACE TM-0177	Laboratory Testing Of Metals For Resistance To Sulfide Stress Cracking And Stress Corrosion Cracking In H2s Environments

3.3 THE PROJECT DOCUMENTS

BK-GNRAL-PEDCO-000-PL-DC-0001	Pipeline Design Criteria
BK-GNRAL-PEDCO-000-PR-DB-0001	Process Basis of Design
BK- GNRAL-PEDCO-000-PL-SP-0002	Specification for Line Pipe
BK-SSGRL-PEDCO-110-PL-CN-0001	Pipeline Wall Thickness Calculation

3.4 ENVIRONMENTAL DATA

Refer to "Process Basis of Design; Doc. No. BK-GNRAL-PEDCO-000-PR-DB-0001".



عمومی و مشترک



	پيمان	:شماره
053 – 073	- 91	84

	PIPELINE MATERIAL SPECIFICATION						
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه
BK	SSGRL	PEDCO	110	PL	SP	0001	D04

شماره صفحه: 7 از 10

3.5 ORDER OF PRECEDENCE

In case of any conflict between requirements specified herein & the requirements of any other referenced document, this subject shall be reflected to CLIENT and the final decision will be made by CLIENT.

4.0 DESIGN CODES

The design of pipeline systems and production facilities shall conform to ASME B31.4 latest edition.

The design of all process gas and natural gas distribution pipeline systems shall conform to ASME B31.8 latest edition.

All material for sour services shall meet the supplementary requirements of NACE MR-0175/ ISO 15156 latest edition.

5.0 GENERAL NOTES

Notes pertinent to a particular pipeline class appear directly on this relevant class.

- 5.1 All pipes shall be supplied in accordance with IPS-M-PI-190(3) & API.5L.
- 5.2 Pipe wall thickness is calculated in accordance with ASME B31.8 & ASME B31.4.
- 5.3 Butt-weld ends shall be beveled to ASME B 16.25.
- 5.4 Stud-bolts shall be threaded, full length to ASME B 1.1 and supplied with two hexagonal heavy type nuts to ASME B 18.2.2.
- 5.5 The hardness of all material including welds in sour services shall be as per requirements of NACE STD MR-0175/ ISO 15156.
- 5.6 Welded branch connection on steel pipes must meet the requirements of ASME B31.4 & B31.8 respectively.
- 5.7 Deleted.
- 5.8 All flanges and fittings shall be supplied in accordance with IPS-M-PI-150.
- 5.9 All valves shall be supplied in accordance with IPS-M-PI-110 and API 6A.



عمومي و مشترك



	تشماره پیمان
053 – 073 -	- 9184

	ı	PIPELINE M.	ATERIAL	SPECIF	ICATION		
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه
BK	SSGRL	PEDCO	110	PL	SP	0001	D04

شماره صفحه: 8 از 10

6.0 LIST OF ABBREVIATIONS

Bolted Bonnet
Bolted Cover
Bolted Gland
Butt-weld
Corrosion Allowance
Carbon Steel
Flanged End
Outside Screw and Yoke
Raised Face
Ring Type Joint
Seamless
Spiral Wound
Welding Neck

7.0 PIPELINE MATERIAL CLASSES

7.1 IDENTIFICATION OF PIPELINE CLASSES

Each pipeline class is identified from two alphabetical characters which precede a two digit figure. The first alphabetical character indicates pressure rating of flange and the second alphabetical character indicates material as follows:

1st	alphabetical character	2	nd alphabetical character
Α	Class 150	Ν	Carbon Steel
С	Class 300	S	Stainless Steel
F	Class 600	Х	Non Metal Pipe
G	Class 900	Z	Galvanized Carbon Steel
Н	Class 1500		
L	API 3000		
М	API 5000		

The third figure indicates the design code and the forth figure indicates corrosion allowance for metallic as follows:



عمومی و مشترک



:شماره پیمان 9184 – 073 – 053

	PIPELINE MATERIAL SPECIFICATION								
پروژه	نسخه سریال نوع مدر ک رشته تسهیلات صادر کننده بسته کاری پروژه								
BK	SSGRL	PEDCO	110	PL	SP	0001	D04		

شماره صفحه: 9 از 10

	3rd figure	4th figure for metal pipe			
Fig.	Design standard	Fig.	C.A.	NACE 175 Requirement	
•	ASME B 31.3		0 mm	No	
0	(For Inside of Plant)	1	1 mm	No	
4	ASME B 31.4	2	1 mm	Yes	
1	(For Liquid Pipeline)	4	3 mm	No	
2	ASME B 31.8	5	3 mm	Yes	
	(For Gas Pipeline)	6	6 mm	No	
		7	6 mm	Yes	

7.2 SUMMARY OF PIPELINE CLASSES

Class	Rating Face	Base Material	C.A (mm)	Design Code	Design Temp. (°C) Max.	Design Pressure (psig) Max.	Fluid	Symbol	State
	Flow line								
LN15	LN15	CS	3	ASME	85	1035	Crude Oil	CRD	Liquid
LINIS	RTJ	C.S	3	B31.4	65	1033	Crude Oil	CND	Liquiu

Class LN15

CODE	SERVICE	Material C.A. RATING Design		ın					
ASME B31.4	Oil	Carbon Steel (NACE MR-0175/ ISO	3 mm	API 3000	TEMP (C°)	PRESS (psig)			
ITEM	CIZE	15156)	DECO	PDIDTION	-5/85	1035			
ITEM	SIZE		DESC	CRIPTION					
	1/2" To 1 1/2"		API 5L GR.B- SCH 160-NACE-PSL2-SMLS-PE-acc to ASME B36.10M& NACE MR-0175/ ISO 15156.						
Pipe	2"-3"	API 5L X52, NACE, PSL2, SMLS, SCH.40 BE, ACC to API 5L, IPS-M-PI-190 & NACE MR-0175/ ISO 15156.							
	4"-6"	API 5L X52, NACE, PSL2, SMLS, THK 7.9 mm BE, ACC to API 5L, IPS-M PI-190 & NACE MR-0175/ ISO 15156.							
Fittings	1/2" To 1 1/2"	6000#, SW, ASTM A105,NACE, acc to IPS-M-PI-150, ASME B 16.11 & NACE MR-0175/ ISO 15156.							



عمومی و مشترک



:شماره پیمان	
053 - 073 - 9184	

	PIPELINE MATERIAL SPECIFICATION									
سخه سریال نوع مدر ک رشته تسهیلات صادر کننده بسته کاری پروژه										
BK	SSGRL	PEDCO	110	PL	SP	0001	D04			

شماره صفحه: 10 از 10

CODE	SERVICE	Material	C.A. RATING Design		ın						
ASME B31.4	Oil	Carbon Steel (NACE MR-0175/ ISO 15156)	3 mm	API 3000	TEMP (C°)	PRESS (psig) 1035					
ITEM	SIZE	,	DESC	CRIPTION							
	2" To 6"	CS to ASTM A860 WPHY5 0175/ ISO 15156.	2, NACE	, BW, ACC to	MSS-SP-75 & N	IACE MR-					
	1/2" To 1 1/2"		1500#, RTJ, SW, ASTM A105 NACE, acc. to IPS-M-PI-150, ASMEB16.5 & NACE MR-0175/ ISO 15156.								
Flanges	2" To 6" (2 1/16" To 7 1/16")	TYPE 6B, WN, BW, RTJ, A 15156.	PI60K, N	IACE, ACC to	NACE MR-017	5/ ISO					
	1/2" To 1 1/2" 1500 #, SW, BODY:ASTM A105, TRIM:AISI 316L+STELLITE6,OS&Y, BB, Solid Wedge, acc to API 602, IPS-MPI-110 & NACE MR-0175/ ISO 15156.										
Gate Valves	2" To 6" (2 1/16" To 7 1/16")	API 3000, Material Class EE, Body: API 60K, Trim: API 75K, BB, FE, RTJ, ACC to API 6A & NACE MR-0175/ ISO 15156.									
	1/2" To 1 1/2"	1500 #, Floating Ball, SW, Body: ASTM A105, Ball: AISI 316(L), Trim: Soft Seat-CS ENP-75 micron-PTFE, acc to DIN EN ISO 17292, IPS-MPI-110 & & NACE MR-0175/ ISO 15156.									
Ball Valves	2" To 6" (2 1/16" To 7 1/16")	API 3000, Material Class EE, Body: API 60K, Trim: API 75K, FE, RTJ, ACC to API 6A & NACE MR-0175/ ISO 15156.									
	1/2" To 1 1/2"	1500 #, SW, Body: ASTM A Piston lift ,acc to API 602 &				rizontal					
Check Valves	2" To 6" (2 1/16" To 7 1/16")	API 3000, Material Class E ACC to API 6A & NACE MR			n: API 75K, BC, I	FE, RTJ,					
Gaskets	1/2" To 1 1/2"	1500#, RTJ, 316SS acc to ASME B 16.20 & NACE MR-0175/ ISO 15156.									
Casholo	2" To 6"	API3000, RTJ, SS316 ACC to NACE MR-0175/ ISO 15156.									
Stud Bolts & Nuts	-				M A194 grade 2h	Stud bolts ASTM A193 grade B7M, HH nuts ASTM A194 grade 2HM, Thread: bolts class 2A, nuts class 2B					

Note 1:

Final thickness of flowlines will be 7.9mm. So considering design pressure of 1035 psi (Approved by NISOC), the actual corrosion allowance would be 5~5.5 mm which is sufficient for the corrosion calculations.