

احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



شماره پیمان:

053 - 073 - 9184

| CALCULATION NOTE FOR PUMPS | | | | | | | | |
|----------------------------|-----------|------------|---------|------|----------|-------|------|--|
| پروژه | بسته کاری | صادر کننده | تسهيلات | رشته | نوع مدرك | سريال | نسخه | |
| BK | GCS | PEDCO | 120 | PR | CN | 0001 | D05 | |

شماره صفحه: 1 از 6

طرح نگهداشت و افزایش تولید 27 مخزن

CALCULATION NOTE FOR PUMPS

نگهداشت و افزایش تولید میدان نفتی بینک

| Rev. | Date | Purpose of Issue/Status | Prepared by: | Checked by: | Approved by: | CLIENT Approval |
|------|-----------|-------------------------|--------------|-------------|--------------|-----------------|
| D00 | DEC. 2021 | IFC | M.Aryafar | M.Fakharian | M.Mehrshad | |
| D01 | JAN. 2022 | IFA | M.Aryafar | M.Fakharian | M.Mehrshad | |
| D02 | MAR.2022 | IFA | M.Aryafar | M.Fakharian | M.Mehrshad | |
| D03 | JUL.2022 | IFA | M.Aryafar | M.Fakharian | M.Mehrshad | |
| D04 | AUG.2022 | IFA | M.Aryafar | M.Fakharian | M.Mehrshad | |
| D05 | DEC.2022 | IFA | M.Aryafar | M.Fakharian | M.Mehrshad | |

Class: 2 CLIENT Doc. Number: F0Z-708739

Status:

IDC: Inter-Discipline Check
IFC: Issued For Comment
IFA: Issued For Approval
AFD: Approved For Design
AFC: Approved For Construction
AFP: Approved For Purchase
AFQ: Approved For Quotation
IFI: Issued For Information
AB-R: As-Built for CLIENT Review
AB-A: As-Built —Approved



احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



شماره پیمان:

053 - 073 - 9184

| CALCULATION NOTE FOR PUMPS | | | | | | | |
|----------------------------|-----------|------------|---------|------|----------|-------|------|
| پروژه | بسته کاری | صادر کننده | تسهيلات | رشته | نوع مدرك | سريال | نسخه |
| BK | GCS | PEDCO | 120 | PR | CN | 0001 | D05 |

شماره صفحه: 2 از 6

REVISION RECORD SHEET

| X X X X X X X X X | X X X X X X | X X X X X | X | |
|---|---|---------------------------------------|--|---------------------------------------|
| X X X X X X | X | X X X X | X | |
| X X X X | X X X X X | X X X X | X | |
| X X X X | X X X X | X X X | X | |
| X X X | X X X X | X X X | Х | |
| X X X | X X X X | X | Χ | |
| | X X X | X | | |
| | X X | · · · | Χ | Х |
| | X | ı X | X | |
| X | | X | X | |
| X | ^ | X | X | |
| | Х | X | X | |
| Х | Х | X | | |
| Х | Х | X | X X X | |
| Χ | Х | X | X | |
| Χ | Х | × | Ŷ | |
| Χ | Х | X | × | |
| X | X | X | X X X | |
| Χ | X | X | | |
| X | X | X | X | |
| X | X | X | X | |
| | X | Y Y | Ý | |
| X | X | Ý | Ý | |
| X | X | Ŷ | Ŷ | |
| X | X | \sim | $\stackrel{\wedge}{\smile}$ | |
| X | X | Ŷ | Ŷ | |
| X | X | \sim | \sim | |
| X | X | | \sim | |
| X | X | ~ | \sim | |
| X | X | | \sim | |
| Y | Y | | \rightarrow | |
| Ŷ | Ŷ | X | X / | |
| Ŷ | ${\nabla}$ | X | X | |
| | $\stackrel{\sim}{\sim}$ | X | X | |
| ~ | | X | X | |
| - ` | $-\hat{\lor}$ | X | X | |
| - ` | | X | X | |
| - ` | | X | X | |
| - ` | $-\hat{\lor}$ | X | X | |
| ~ | | X | | |
| | - \}- | X | | |
| ^ | | X | X | |
| | | X | | |
| | | X | | |
| | | X | | |
| | | X | | |
| | | X | \vdash | |
| | | X | | |
| | | X | | |
| | | | | |
| | | | \vdash | |
| | | | \vdash | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | X X X X X X X X X X X X X X X X X X X | X X X X X X X X X X X X X X X X X X X | X | X X X X X X X X X X X X X X X X X X X |

| PAGE | D00 | D01 | D02 | D03 | D04 |
|------------|-----|-----|--|-----|-----|
| 66 | | | | | |
| 67 68 | | | | | |
| 69 | | | | | |
| 70 | | | | | |
| 71 | | | | | |
| 72 73 | | | | | |
| 74 | | | | | |
| 75 | | | | | |
| 76 | | | | | |
| 77 | | | | | |
| 78 79 | | | | | |
| 80 | | | | | |
| 81 | | | | | |
| 82 | | | | | |
| 83 84 | | | - | | |
| 85 | | | | | |
| 86 | | | | | |
| 87 | | | | | |
| 88 | | | <u> </u> | | |
| 89 90 | | | | | |
| 91 | | | | | |
| 92 | | | | | |
| 93 | | | | | |
| 94 95 | | | | | |
| 96 | | | | | |
| 97 | | | | | |
| 98 | | | | | |
| 99 | | | | | |
| 100 101 | | | | | |
| 102 | | | | | |
| 103 | | | | | |
| 104 | | | | | |
| 105 106 | | | | | |
| 107 | | | | | |
| 108 | | | | | |
| 109 | | | | | |
| 110 111 | | | - | | |
| 111 | | | | | |
| 113 | | | | | |
| 114 | | | | | |
| 115 | | | 1 | | |
| 116 117 | | | | | |
| 117 | | | | | |
| 119 | | | | | |
| 120 | | | | | |
| 121 122 | | | 1 | | |
| 122 123 | | | † | | |
| 124 | | | | | |
| 125 | | _ | | | |
| 126 | | | - | | |
| 127 128 | | 1 | | 1 | |
| 128 | | | | | |
| 130 | | | | | |
| | | | | • | |



احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



شماره پیمان:

053 - 073 - 9184

| | CALCULATION NOTE FOR PUMPS | | | | | | | |
|-------|----------------------------|------------|---------|------|----------|-------|------|---|
| پروژه | بسته کاری | صادر کننده | تسهيلات | رشته | نوع مدرك | سريال | نسخه | l |
| BK | GCS | PEDCO | 120 | PR | CN | 0001 | D05 | L |

شماره صفحه: 3 از 6

CONTENTS

| 1.0 | INTRODUCTION | 4 |
|-----|-----------------------|---|
| 2.0 | SCOPE | 5 |
| 2.1 | The Project Documents | 5 |
| 2.2 | ENVIRONMENTAL DATA | |
| 2.3 | Order of Precedence | 5 |
| 3.0 | LIST OF PUMPS | 5 |
| 4.0 | CALCULATION REPORT | 6 |



احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



شماره پیمان:

053 - 073 - 9184

| | CALCULATION NOTE FOR PUMPS | | | | | | | |
|-------|---|-------|-----|----|----|------|-----|--|
| پروژه | نسخه سریال نوع مدرک رشته تسهیلات صادر کننده بسته کاری پروژه | | | | | | | |
| BK | GCS | PEDCO | 120 | PR | CN | 0001 | D05 | |

شماره صفحه: 4 از 6

1.0 INTRODUCTION

Binak oilfield in Bushehr province is a part of the southern oilfields of Iran, is located 20 km northwest of Genaveh city.

With the aim of increasing production of oil from Binak oilfield, an EPC/EPD Project has been defined by NIOC/NISOC and awarded to Petro Iran Development Company (PEDCO). Also PEDCO (as General Contractor) has assigned the EPC-packages of the Project to "Hirgan Energy - Design and Inspection" JV.

As a part of the Project, a New Gas Compressor Station (adjacent to existing Binak GCS) shall be constructed to gather of 15 MMSCFD (approx.) associated gases and compress & transfer them to Siahmakan GIS.

GENERAL DEFINITION

The following terms shall be used in this document.

CLIENT: National Iranian South Oilfields Company (NISOC)

PROJECT: Binak Oilfield Development - Surface Fcilities; New

Gas Compressor Station

EPD/EPC CONTRACTOR (GC): Petro Iran Development Company (PEDCO)

EPC CONTRACTOR: Joint Venture of : Hirgan Energy – Design & Inspection

(D&I) Companies

VENDOR: The firm or person who will fabricate the equipment or

material.

EXECUTOR: Executor is the party which carries out all or part of

construction and/or commissioning for the project.

THIRD PARTY INSPECTOR (TPI): The firm appointed by EPD/EPC CONTRACTOR (GC)

and approved by CLIENT (in writing) for the inspection

of goods.

SHALL: Is used where a provision is mandatory.

SHOULD: Is used where a provision is advisory only.

WILL: Is normally used in connection with the action by

CLIENT rather than by an EPC/EPD CONTRACTOR,

supplier or VENDOR.

MAY: Is used where a provision is completely discretionary.



احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



شماره پیمان:

053 - 073 - 9184

| CALCULATION NOTE FOR PUMPS | | | | | | | |
|----------------------------|--|-------|-----|----|----|------|-----|
| پروژه | نسخه سریال نوع مدرک رشته تسهیلات صادرکننده بسته کاری پروژه | | | | | | |
| BK | GCS | PEDCO | 120 | PR | CN | 0001 | D05 |

شماره صفحه: 5 از 6

2.0 SCOPE

This document provides the pump hydraulic calculation for BINAK Gas Compressor Station.

NORMATIVE REFERENCES

2.1 THE PROJECT DOCUMENTS

BK-GNRAL-PEDCO-000-PR-DB-0001 Process Basis of Design
 BK-GNRAL-PEDCO-000-PR-DC-0001 Process Design Criteria

2.2 ENVIRONMENTAL DATA

Refer to "Process Basis of Design; Doc. No. BK-GNRAL-PEDCO-000-PR-DB-0001".

2.3 ORDER OF PRECEDENCE

In case of any conflict between the contents of this document or any discrepancy between this document and other project documents or reference standards, this issue must be reported to the CLIENT. The final decision in this situation will be made by CLIENT.

3.0 LIST OF PUMPS



List of pumps are summarized in below table and details of calculations are presented as follow.

| Equipment Tag Number | Equipment Description | P&ID No. |
|-------------------------|--------------------------|-----------------------------|
| P-2203A/B | Sump Pumps | BK-GCS-PEDCO-120-PR-PI-0017 |
| P-2202 A/B | Closed Drain Pumps | BK-GCS-PEDCO-120-PR-PI-0017 |
| P-2101A/B | Slug Pumps | BK-GCS-PEDCO-120-PR-PI-0004 |
| P-2209 | Potable Water Pumps | BK-GCS-PEDCO-120-PR-PI-0024 |
| P-2206 | Diesel oil Pumps | BK-GCS-PEDCO-120-PR-PI-0023 |
| P-2201A/B | LP Flare K.O .Drum Pumps | BK-GCS-PEDCO-120-PR-PI-0020 |
| P-2102 | Glycol Manual Pump | BK-GCS-PEDCO-120-PR-PI-0014 |
| P-2103 A/B | Glycol Transfer Pumps | BK-GCS-PEDCO-120-PR-PI-0014 |
| P-2104 | Glycol Drain Pumps | BK-GCS-PEDCO-120-PR-PI-0025 |



احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



شماره پیمان:

053 - 073 - 9184

| | CALCULATION NOTE FOR PUMPS | | | | | | | |
|-------|---|-------|-----|----|----|------|-----|--|
| پروژه | نسخه سریال نوع مدرک رشته تسهیلات صادر کننده بسته کاری پروژه | | | | | | | |
| BK | GCS | PEDCO | 120 | PR | CN | 0001 | D05 | |

شماره صفحه: 6 از 6

4.0 CALCULATION REPORT



| Equipment Tag Number | Equipment Description | PUMP dP bar | Hydraulic Power Consumption kw | Normal Flow Rate m3/hr |
|-------------------------|-----------------------------|----------------|--------------------------------------|---------------------------|
| P-2203A/B | Sump Pumps | 2 | 0.3 | 5 |
| P-2202 A/B | Closed Drain Pumps | 7 | 0.6 | 3 |
| P-2101A/B | Slug Pumps | 14 | 4.3 | 10 |
| P-2209 | Potable Water Pumps | 3 | 0.5 | 5 |
| P-2206 A/B | Diesel oil Pumps | 2 | 0.3 | 5 |
| P-2201A/B | LP Flare K.O .Drum Pumps | 1.5 | 0.1 | 2 |
| P-2102 | Glycol Manual Pump | 1.5 | 0.1 | 3 |
| P-2103 A/B | Glycol Transfer Pumps | 2 | 0.3 | 5 |
| P-2104 | Glycol Drain Pumps | 2 | 0.2 | 3 |

Detail of pump calculation are given in the attached file: Attachment 1

Note: It should be noted that calculation of close drain pumps and flare K.O.drum pumps are presented for two different destinations to select the worst case basis.