

	نگهداشت و افزایش تولید میدان نفتی بینک سطح الارض احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک																									
شماره پیمان: ۰۵۳ - ۰۷۳ - ۹۱۸۴	<table><tr><th colspan="8">EMISSION AND EFFLUENT SUMMARY</th></tr><tr><th>نسخه</th><th>سریال</th><th>نوع مدرک</th><th>رشته</th><th>تسهیلات</th><th>صادرکننده</th><th>بسته کاری</th><th>پروژه</th></tr><tr><td>D01</td><td>0007</td><td>LI</td><td>PR</td><td>120</td><td>PEDCO</td><td>GCS</td><td>BK</td></tr></table>	EMISSION AND EFFLUENT SUMMARY								نسخه	سریال	نوع مدرک	رشته	تسهیلات	صادرکننده	بسته کاری	پروژه	D01	0007	LI	PR	120	PEDCO	GCS	BK	شماره صفحه : ۱ از ۷
EMISSION AND EFFLUENT SUMMARY																										
نسخه	سریال	نوع مدرک	رشته	تسهیلات	صادرکننده	بسته کاری	پروژه																			
D01	0007	LI	PR	120	PEDCO	GCS	BK																			

طرح نگهداشت و افزایش تولید ۲۷ مخزن

EMISSION AND EFFLUENT SUMMARY

نگهداشت و افزایش تولید میدان نفتی بینک

D01	JAN.2023	IFA	M.Aryafar	M.Fakharian	M.Mehrshad	
D00	JUN.2022	IFC	M.Aryafar	M.Fakharian	M.Mehrshad	
Rev.	Date	Purpose of Issue/Status	Prepared by:	Checked by:	Approved by:	Client Approval

Class: 2 CLIENT Doc. Number: F0Z-708813

Status:

IDC: Inter-Discipline Check
 IFC: Issued For Comment
 IFA: Issued For Approval
 AFD: Approved For Design
 AFC: Approved For Construction
 AFP: Approved For Purchase
 AFQ: Approved For Quotation
 IFI: Issued For Information
 AB-R: As-Built for CLIENT Review
 AB-A: As-Built –Approved

 NISOC	نگهداشت و افزایش تولید میدان نفتی بینک سطح الارض احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک																									
شماره پیمان: ۰۵۳ - ۰۷۳ - ۹۱۸۴	<table><tr><th colspan="8">EMISSION AND EFFLUENT SUMMARY</th></tr><tr><th>پروژه</th><th>بسته کاری</th><th>صادر کننده</th><th>تسهیلات</th><th>رشته</th><th>نوع مدرک</th><th>سریال</th><th>نسخه</th></tr><tr><td>BK</td><td>GCS</td><td>PEDCO</td><td>120</td><td>PR</td><td>LI</td><td>0007</td><td>D01</td></tr></table>	EMISSION AND EFFLUENT SUMMARY								پروژه	بسته کاری	صادر کننده	تسهیلات	رشته	نوع مدرک	سریال	نسخه	BK	GCS	PEDCO	120	PR	LI	0007	D01	شماره صفحه: ۲ از ۷
EMISSION AND EFFLUENT SUMMARY																										
پروژه	بسته کاری	صادر کننده	تسهیلات	رشته	نوع مدرک	سریال	نسخه																			
BK	GCS	PEDCO	120	PR	LI	0007	D01																			

REVISION RECORD SHEET

PAGE	D00	D01	D02	D03	D04
1	X	X			
2	X	X			
3	X				
4	X				
5	X				
6	X	X			
7	X				
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41					
42					
43					
44					
45					
46					
47					
48					
49					
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					
61					
62					
63					
64					
65					

PAGE	D00	D01	D02	D03	D04
66					
67					
68					
69					
70					
71					
72					
73					
74					
75					
76					
77					
78					
79					
80					
81					
82					
83					
84					
85					
86					
87					
88					
89					
90					
91					
92					
93					
94					
95					
96					
97					
98					
99					
100					
101					
102					
103					
104					
105					
106					
107					
108					
109					
110					
111					
112					
113					
114					
115					
116					
117					
118					
119					
120					
121					
122					
123					
124					
125					
126					
127					
128					
129					
130					

 NISOC	نگهداشت و افزایش تولید میدان نفتی بینک سطح الارض احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک																									
شماره پیمان: ۰۵۳ - ۰۷۳ - ۹۱۸۴	<table><tr><th colspan="8">EMISSION AND EFFLUENT SUMMARY</th></tr><tr><th>پروژه</th><th>بسته کاری</th><th>صادر کننده</th><th>تسهیلات</th><th>رشته</th><th>نوع مدرک</th><th>سریال</th><th>نسخه</th></tr><tr><td>BK</td><td>GCS</td><td>PEDCO</td><td>120</td><td>PR</td><td>LI</td><td>0007</td><td>D01</td></tr></table>	EMISSION AND EFFLUENT SUMMARY								پروژه	بسته کاری	صادر کننده	تسهیلات	رشته	نوع مدرک	سریال	نسخه	BK	GCS	PEDCO	120	PR	LI	0007	D01	شماره صفحه: ۳ از ۷
EMISSION AND EFFLUENT SUMMARY																										
پروژه	بسته کاری	صادر کننده	تسهیلات	رشته	نوع مدرک	سریال	نسخه																			
BK	GCS	PEDCO	120	PR	LI	0007	D01																			

CONTENTS

1.0	INTRODUCTION	4
2.0	SCOPE	5
3.0	NORMATIVE REFERENCES.....	5
3.1	LOCAL CODES AND STANDARD	5
3.2	INTERNATIONAL CODES AND STANDARDS	5
3.3	THE PROJECT DOCUMENTS.....	5
3.4	ENVIRONMENTAL DATA	5
3.5	ORDER OF PRECEDENCE.....	5
4.0	ABREVIATIONS.....	6
5.0	EMISSION AND EFFLUENT LIST.....	6
5.1	EMISSION FROM FLARE STACK.....	6
5.2	EMISSION FROM BURN PIT	6
5.3	SURFACE RUNOFF FROM POSSIBLY CONTAMINATED AREAS (PARTS OF PROCESS).....	6
5.4	SANITARY SEWAGE FROM CONTROL BUILDING	7

 NISOC	نگهداشت و افزایش تولید میدان نفتی بینک سطح الارض احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک								
شماره پیمان: ۰۵۳ - ۰۷۳ - ۹۱۸۴	EMISSION AND EFFLUENT SUMMARY							شماره صفحه : ۴ از ۷	
	پروژه	بسته کاری	صادر کننده	تسهیلات	رشته	نوع مدرک	سریال		نسخه
	BK	GCS	PEDCO	120	PR	LI	0007	D01	

1.0 INTRODUCTION

Binak oilfield in Bushehr province is a part of the southern oilfields of Iran, is located 20 km northwest of Genaveh city.

With the aim of increasing production of oil from Binak oilfield, an EPC/EPD Project has been defined by NIOC/NISOC and awarded to Petro Iran Development Company (PEDCO). Also PEDCO (as General Contractor) has assigned the EPC-packages of the Project to "Hirgan Energy - Design and Inspection" JV.

As a part of the Project, a New Gas Compressor Station (adjacent to existing Binak GCS) shall be constructed to gather of 15 MMSCFD (approx.) associated gases and compress & transfer them to Siahmakan GIS.

GENERAL DEFINITION

The following terms shall be used in this document.

CLIENT:	National Iranian South Oilfields Company (NISOC)
PROJECT:	Binak Oilfield Development – Surface Facilities; New Gas Compressor Station
EPD/EPC CONTRACTOR (GC):	Petro Iran Development Company (PEDCO)
EPC CONTRACTOR:	Joint Venture of : Hirgan Energy – Design & Inspection(D&I) Companies
VENDOR:	The firm or person who will fabricate the equipment or material.
EXECUTOR:	Executor is the party which carries out all or part of construction and/or commissioning for the project.
THIRD PARTY INSPECTOR (TPI):	The firm appointed by EPC CONTRACTOR and approved by GC & CLIENT (in writing) for the inspection of goods.
SHALL:	Is used where a provision is mandatory.
SHOULD:	Is used where a provision is advisory only.
WILL:	Is normally used in connection with the action by CLIENT rather than by an EPC/EPD CONTRACTOR, supplier or VENDOR.
MAY:	Is used where a provision is completely discretionary.

 NISOC	نگهداشت و افزایش تولید میدان نفتی بینک سطح الارض احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک							
شماره پیمان: ۰۵۳ - ۰۷۳ - ۹۱۸۴	EMISSION AND EFFLUENT SUMMARY							شماره صفحه : ۵ از ۷
	پروژه	بسته کاری	صادر کننده	تسهیلات	رشته	نوع مدرک	سریال	نسخه
	BK	GCS	PEDCO	120	PR	LI	0007	D01

2.0 SCOPE

This document defines emission and effluent list for Binak Compressor Station to process sour gas from Golkhari booster/cluster and Binak production unit with cumulative rate of 15 MMSCFD. The new compressors will be added "future" section of existing Binak compressor station plant. Excluding electrical power, which is supplied from existing facilities.

3.0 NORMATIVE REFERENCES

3.1 Local Codes and Standard

IPS-E-SF-860	Engineering Standard for Air Pollution Control
IPS-E-SF-880	Engineering Standard for Water Pollution Control
IPS-G-SF-130	General Standard for Disposal of Solid Waste
IPS-G-SF-860	General Standard for Air Pollution Control
IPS-G-SF-870	General Standard for Soil Pollution Control
IPS-G-SF-880	General Standard for Water Pollution Control
IPS-C-SF-550	Application Standard for Safety Boundary Limit

3.2 International Codes and Standards

Not Applicable.

3.3 The Project Documents

BK-GCS-PEDCO-120-PR-UF-0001	Utility Flow Diagrams (UFD)
BK-GNRAL-PEDCO-000-PR-DB-0001	Process Basis of Design

3.4 Environmental Data

Refer to "Process Basis of Design"; Doc. No. Process Basis of Design BK-00-HD-000-PR-DB-0001

3.5 Order of Precedence

In case of any conflict between the contents of this document or any discrepancy between this document and other project documents or reference standards, this issue must be reported to the CLIENT. The final decision in this situation will be made by CLIENT.

 NISOC	نگهداشت و افزایش تولید میدان نفتی بینک سطح الارض احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک																									
شماره پیمان: ۰۵۳ - ۰۷۳ - ۹۱۸۴	<table><tr><th colspan="8">EMISSION AND EFFLUENT SUMMARY</th></tr><tr><th>پروژه</th><th>بسته کاری</th><th>صادرکننده</th><th>تسهیلات</th><th>رشته</th><th>نوع مدرک</th><th>سریال</th><th>نسخه</th></tr><tr><td>BK</td><td>GCS</td><td>PEDCO</td><td>120</td><td>PR</td><td>LI</td><td>0007</td><td>D01</td></tr></table>	EMISSION AND EFFLUENT SUMMARY								پروژه	بسته کاری	صادرکننده	تسهیلات	رشته	نوع مدرک	سریال	نسخه	BK	GCS	PEDCO	120	PR	LI	0007	D01	شماره صفحه: ۶ از ۷
EMISSION AND EFFLUENT SUMMARY																										
پروژه	بسته کاری	صادرکننده	تسهیلات	رشته	نوع مدرک	سریال	نسخه																			
BK	GCS	PEDCO	120	PR	LI	0007	D01																			

4.0 ABBREVIATIONS



NISOC:	National Iranian South Oil Company
PFD:	Process Flow Diagram
P&ID:	Piping and Instrumentation Diagram
BFPD:	Barrel Fluid Per Day

5.0 EMISSION AND EFFLUENT LIST

Based on BINAK New Compressor Gas Station project, following emission list is expected with the project:

5.1 Emission from Flare Stack

Continues flaring is not applicable to BINAK New Compressor Gas Station project.

Expected continues flare flow gas (only pilot fuel gas and flare stack purge gas): 26 kg/hr



Emergency flaring condition: 39793 kg/hr as unburnt hydrocarbon flow (fire scenario from station outlet), refer to duty specification for LP flare package for more detail (BK-GCS-PEDCO-120-PR-SP-0003).

5.2 Emission from Burn Pit

Continues flow to the burn pit is not applicable to BINAK New Compressor Gas Station project.

Only two intermittent flow send to existing burn pit: 2 m³/hr from close darin pump and 3 m³/hr from flare K.O. drum pump.

5.3 Surface Runoff from Possibly Contaminated Areas (Parts of Process)

Accidentally Oily Contaminated Water Sewer, which collect water, which may be polluted by hydrocarbon products (e.g. Rain and/or fire water in process, utility and paved areas). Refer to Drainage Philosophy (BK-GCS-PEDCO-120-PR-PH-0001) for more detail. Contaminated oily water is collected in SU-2202 which is transferred by gravity or road truck.

It Preliminary composition is as follow:

- Oil, Hydrocarbons: 10 – 2000 mg/l
- TSS (Total Suspended Solids): 1000 mg/l
- TDS (Total Dissolved Solid): < 100 mg/l
- pH: 6 – 8

 NISOC	نگهداشت و افزایش تولید میدان نفتی بینک سطح الارض احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک								
شماره پیمان: ۰۵۳ - ۰۷۳ - ۹۱۸۴	EMISSION AND EFFLUENT SUMMARY							شماره صفحه : ۷ از ۷	
	پروژه	بسته کاری	صادرکننده	تسهیلات	رشته	نوع مدرک	سریال		نسخه
	BK	GCS	PEDCO	120	PR	LI	0007	D01	

5.4 Sanitary Sewage from Control Building

The sewer shall be directed by gravity to a Septic pit equipped with a pump for filling of water road-tankers, Refer to Drainage Philosophy (BK-GCS-PEDCO-120-PR-PH-0001) for more detail.
Expected flow and composition:

Per operator working in the plant to be expected:

- Flow: 100 l/day
- BSB5: 40 g/day
- CSB: 80 g/day