



احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک

.04 - .14 - 114

	SPECIFICATION FOR OVERHEAD TRAVELING CRANES								
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدر ک	سر يال	نسخه		
BK	GCS	PEDCO	120	ME	SP	0009	D02		

شماره صفحه: ۱ از ۱۰

طرح نگهداشت و افزایش تولید ۲۷ مخزن

SPECIFICATION FOR OVERHEAD TRAVELING CRANES

نگهداشت و افزایش تولید میدان نفتی بینک

Olare O						
Rev.	Date	Purpose of Issue/Status	Prepared by:	Checked by:	Approved by:	Client Approval
D00	AUG. 2021	IFC	M.Asgharnejad	M.Fakharian	Sh.Ghalikar	
D01	OCT. 2022	AFD	M.Asgharnejad	M.Fakharian	M.Mehrshad	
D02	JAN. 2023	AFD	H. Adineh	M.Fakharian	M.Mehrshad	


Class: 2 Client Doc. Number: F0Z-708824

Status: IDC: Inter-Discipline Check IFI: Issued For Information

AB-R: As-Built for Client Review AFP: Approved For Purchase

AB-A: As-Built –Approved
IFC: Issued For Comment
IFA: Issued For Approval
AFD: Approved For Design
AFC: Approved For Construction







ه پیمان:	شمار
----------	------

SPECIFICATION FOR OVERHEAD TRAVELING CRANES

.04 - .14 - 114

پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدر ک	سر يال	نسخه
BK	GCS	PEDCO	120	ME	SP	0009	D02

شماره صفحه: ۲ از ۱۰

REVISION RECORD SHEET

	D00	D01	D02	D03	D04
PAGE				D03	D04
11	X	Χ	Χ		
2	Х	X	Х		
3	X X X X		Χ		
4	Х		X		
5	X				
6	X		X X		
7	X		X		
8	X				
9	X				
10	X				
11	X				
12					
13					
14					
15					
16					
17	1				
18	1				
19	1				
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41	1				
42					
43	1				
44	1				
45	†				
46	†				
47	1				
48	1				
46 49	+				
49 50	+				
51	 				
52	+				
53	+				
54	+				
55 55	 			ļ	

PAGE	D00	D01	D02	D03	D04
56					
57					
58					
59					
60					
61					
62					
63					
64					
65 66					
67					
68					
69					
70					
71					
72					
73					
74					
75					
76					
77					
78					
79					
80					
81					
82					
83					
84					
85					
86					
87					
88					
89					
90					
91 92					
93					
94					
95					
96					
97					
98					
99					
100					
101					
102					
103					
104					
105					
106					
107					
108					
109					
110					



اوری بینک	ستگاه جمع ا	م گاز در ای	ِديف تراكر	احداث ر

پیمان:	شماره

٠٥٣ - ٠٧٣ - ٩١٨۴

SPECIFICATION FOR OVERHEAD TRAVELING GRANES								
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدر ک	سريال	نسخه	
BK	GCS	PEDCO	120	ME	SP	0009	D02	

شماره صفحه: ۳ از ۱۰

CONTENTS

1.0	INTRODUCTION	4
	SCOPE	
	NORMATIVE REFERENCES	
4.0	ORDER OF PRECEDENCE	7
5.0	TECHNICAL SPECIFICATION	8





احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک

شماره پیمان:

.04 - . 14 - 414

SPECIFICATION FOR OVERHEAD TRAVELING CRANES								
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدر ک	سريال	نسخه	
BK	GCS	PEDCO	120	ME	SP	0009	D02	

شماره صفحه: ۴ از ۱۰

1.0 INTRODUCTION

Binak oilfield in Bushehr province is a part of the southern oilfields of Iran, is located 20 km northwest of Genaveh city.

With the aim of increasing production of oil from Binak oilfield, an EPC/EPD Project has been defined by NIOC/NISOC and awarded to Petro Iran Development Company (PEDCO). Also PEDCO (as General Contractor) has assigned the EPC-packages of the Project to "Hirgan Energy - Design and Inspection" JV.

As a part of the Project, a New Gas Compressor Station (adjacent to existing Binak GCS) shall be constructed to gather of 15 MMSCFD (approx.) associated gases and compress & transfer them to Siahmakan GIS.

GENERAL DEFINITION

The following terms shall be used in this document.

CLIENT: National Iranian South Oilfields Company (NISOC)

D02

PROJECT: Binak Oilfield Development – Surface Facilities; New

Gas Compressor Station

EPD/EPC CONTRACTOR (GC): Petro Iran Development Company (PEDCO)

EPC CONTRACTOR: Joint Venture of : Hirgan Energy - Design &

Inspection(D&I) Companies

VENDOR: The firm or person who will fabricate the equipment or

material.

EXECUTOR: Executor is the party which carries out all or part of

construction and/or commissioning for the project.

THIRD PARTY INSPECTOR (TPI): The firm appointed by EPD/EPC CONTRACTOR(GC)

and approved by CLIENT (in writing) for the inspection

of goods.

SHALL: Is used where a provision is mandatory.







شماره پیمان:

۹۱۸۴ – ۲۷۰ – ۱۸۴

SPECIFICATION FOR OVERHEAD TRAVELING CRANES								
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدر ک	سريال	نسخه	
BK	GCS	PEDCO	120	ME	SP	0009	D02	

شماره صفحه: ۵ از ۱۰

SHOULD: Is used where a provision is advisory only.

WILL: Is normally used in connection with the action by Client

rather than by an EPC/EPD CONTRACTOR, supplier

or VENDOR.

MAY: Is used where a provision is completely discretionary.

2.0 SCOPE

This specification outlines the general requirements for the supply of Electrical Motor Driven Overhead Cranes and is intended to supplement the Iranian Petroleum Standard IPS-M-GN-350(2), "Material and Equipment Standard for Overhead and Gantry Cranes", issued Nov. 2008. Works of this section consisting of the design, supply, fabrication, testing, preparation for shipment and guarantee, transportation and installation of electrical motor driven overhead travelling cranes includes but not limited to:

All material necessary for complete installation of the above-mentioned equipment.

- Crane end trucks and hoist runways and runway stops and supporting steel for runway rails. Crane runways shall be proposed and priced as an option (including all of necessary works as erection, welding ...).
- Crane bridges with travel mechanism and drive.
- Electrical parts
- Bumper stop (for trolley and bridge), rails, and fastener.
- All interconnecting cables (power/control) inside the package including festoon cable and relevant fastening facilities, isolating switches including relevant cable gland (battery limit of supply will be the mentioned isolator switch).
- Controls complete with remote controller and safe interlocks.
- Spare parts for pre commissioning, commissioning and two years operation according to vendor recommendation.
- One set of special tools required for the maintenance and repairs for cranes.



احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



÷.*•	سما	۵,	شما
	~~	•	~~~

,	SPECIFICATION FOR OVERHEAD TRAVELING CRANES								
	پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدر ک	سر يال	نسخه	
	BK	GCS	PEDCO	120	ME	SP	0009	D02	

شماره صفحه: ۶ از ۱۰

- Name Plate.
- Earth Connections.

.04 - .14 - 9114

Areas which shall be equipped with overhead cranes are defined and specified in the project's "Access Philosophy".

EPC contractor is responsible for engineering, procurement, installation and commissioning of overhead cranes, wherever they are required within scope of the project at his own expense.

3.0 NORMATIVE REFERENCES

IPS-M-GN-350(2)

The latest edition of following codes & standards are applicable in this project (unless otherwise mentioned):

3.1 LOCAL CODES AND STANDARDS

	and Gantry Cranes.
> IPS-E-EL-100	Engineering Standard for Electrical System Design.

> IPS-M-EL-161(2) Material and Equipment Standard for

Electrical Items.

3.2 INTERNATIONAL CODES AND STANDARDS

> ASTM

D02

Material and Equipment Standard for Overhead

All related parts.

➤ BS 466

Specification for power

driven overhead traveling cranes, semi-goliath and goliath cranes for

general use.



احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



شماره پیمان:

· 24 - · 14 - 4 14 +

SPECIFICATION FOR OVERHEAD TRAVELING CRANES								
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدر ک	سريال	نسخه	
BK	GCS	PEDCO	120	ME	SP	0009	D02	

شماره صفحه: ۷ از ۱۰

3.3 THE PROJECT DOCUMENTS

BK-GNRAL-PEDCO-000-PR-DB-0001 Process Basis of Design

BK- GNRAL -PEDCO -000-PR-DC-0001 Process Design Criteria

BK- GNRAL - PEDCO -000-EL-SP-0010
 Specification For LV Electro Motors

BK- GNRAL - PEDCO -000-PI-SP-0006 Specification For Painting

BK- GNRAL - PEDCO -000-EL-SP-0017
 Specification For MV Electro Motors

BK- GNRAL - PEDCO -000-SA-SP-0002 Specification For Hazardous
 Area Classification.

3.4 ENVIRONMENTAL DATA

Refer to "Process Basis of Design; Doc. No. BK-GNRAL-PEDCO-000-PR-DB-0001".

4.0 ORDER OF PRECEDENCE



In case of any conflict between the contents of this document or any discrepancy between this document and other project documents or reference standards, this issue must be reported to the Client. The final decision in this situation will be made by Client.

5.0 TECHNICAL SPECIFICATION

Acceptability Criteria

Vendor shall not offer prototype design or a design with less than 2 years of successful operation in similar service.

A reference equipment/ Client list shall be submitted together with proposal. The Vendor may offer alternative designs for Client's consideration and approval.



احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک

SPECIFICATION FOR OVERHEAD TRAVELING CRANES



شماره پیمان:

نده بسته کاری پروژه به ۹۱۸۴ – ۷۷۳ – ۵۳۰

نوع پروژه بسته کاری صادر كننده تسهيلات سريال نسخه مدرك GCS PEDCO ΒK 120 ME SP 0009 D02

شماره صفحه: ۸ از ۱۰

Obviously the proposed equipment should have similar performances and the supplier will guarantee them.

Deviations

No deviations from project specifications, this general specification are allowed, without prior written approval of the Client.

Guidelines

Sub. (Substitution): The IPS standard clause is deleted and replaced by the new clause.

Del. (Deletion): The IPS standard clause is deleted without any replacement.

Add. (Addition): A new clause with a new number is added.

Mod. (**Modification**): Part of the IPS standard clause is modified, and/or a new description and/or condition is added to that clause.

AMENDMENT TO IPS-M-GN-350(2)

5. DESIGN, CONSTRUCTION AND INSTALLATION

5.1 Design, Construction and Installation (Add.)

5.1.5 (Add.)

Elevation of crane installation shall such that the truck loading/unloading will be performed easily. Height from crane hook to finish floor level shall not be less than following:

Truck (Bogie) height + Highest package height + 1.5m Vertical free board.

5.9 Brakes (Add.)

5.9.1 (Add.)

Brakes shall be DC Electromagnetic and Fail-Safe type.

5.10 Electrical (Mod.)

Electrical motors shall be complied with the project specifications mentioned in References.



احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



ىىمان:	شماره
~~~	- Jum

.04 - . 14 - 914

SPECIFICATION FOR OVERHEAD TRAVELING CRANES								
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدر ک	سريال	نسخه	
BK	GCS	PEDCO	120	ME	SP	0009	D02	

شماره صفحه: ۹ از ۱۰

#### 5.10.1 (Add.)

The cranes, including all electrical and mechanical parts shall be suitable for installation at area classifications that has been mentioned in related data sheets. The motor and all electrical and control panels of cranes when installed in hazardous area shall be selected explosion proof (Exd for zone 1 and Exe for zone 2) and also related wheels shall be anti-spark type.

#### 5.10.2 (Add.)

The protection of cranes electro motors shall be according to NISOC- E-EL-100(1) Clause 7.5.

#### 5.10.3 (Add.)

All overhead cranes and associated metal structures and equipment shall be suitably connected to the main earthing network of the plant. The crane wheels shall not be used as means of earthing.

#### 5.10.4 (Add.)

The cables for crane bridge and bridge traveling electro motors shall be selected from festoon type.

#### 5.14 Painting (Sub.)

Surface preparation and painting to be done according to manufacturer standard, client approval on painting system to be taken by manufacturer.

#### 5.16 Site Condition (Add.)

Site condition to be considered according to "BK- GNRAL -PEDCO -000-PR-DC-0001". The equipment shall be designed for the conditions of temperatures, humidity, airborne salt and dust prevailing at site.

#### 5.17 Travelling (Add.)

The crane shall travel the length and width of the shelter as specified in relevant data sheet.

#### 5.18 Material (Add.)

The materials of construction shall be in accordance with applicable ASTM specifications or other approved standards and shall be of suitable grade and quality for required applications. All materials necessary for the proper installation and protection of the equipment shall be included. Supplier shall submit the material certificates for major load holding components of the crane.



## احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



، پیمان:	شمارد
----------	-------

•04 - • 417 - 418

SPECIFICATION FOR OVERHEAD TRAVELING CRANES							
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدر ک	سريال	نسخه
BK	GCS	PEDCO	120	ME	SP	0009	D02

شماره صفحه: ۱۰ از ۱۰

#### 6.0 Inspection, Testing and Maintenance

#### 6.2 Testing

#### 6.2.3 (Add.)

The cranes shall be completely assembled in the shop. All motors, controls and machinery shall be connected, and all machinery on the crane shall be operated under its own power at rated voltage and the volts, amperes and watts recorded for each operation.

Electrical circuits and interlocks shall be tested for correct operation and sequence. Crane shall be tested for satisfactory operation motions.

#### 6.3 Maintenance

#### 6.3.1 (Add.)

The crane shall be designed with facilities for easy inspection and maintenance. Filling and drain plugs on gearboxes shall be easily accessible, and to be provided with the necessary means to avoid spillage.