



NISOC

نگهداشت و افزایش تولید میدان نفتی بینک
فعالیت های رو زمینی در بسته های کاری تحت الارض

ساخت موقعیت چاه، تأسیسات سرچاهی، خطوط جریانی، تسهیلات
برقرسانی مربوط به موقعیت W007S و توسعه چندراهه کلاستر بینک

MTO FOR INSTRUMENT CABLE TRAY/LADDER - W007S & MANIFOLD



شماره پیمان:

۰۵۳ - ۰۷۳ - ۹۱۸۴

پروژه

BK

بسته کاری

W007S

صادرکننده

PEDCO

تسهیلات

110

رشته

IN

نوع مدرک

MT

سریال

0005

نسخه

D01

شماره صفحه: ۱ از ۴

طرح نگهداشت و افزایش تولید 27 مخزن

MTO FOR INSTRUMENT CABLE TRAY/LADDER - W007S & MANIFOLD

نگهداشت و افزایش تولید میدان نفتی بینک

D01	APR.2023	IFI	P.Hajisadeghi	M.Fakharian	M.Mehrshad	
D00	AUG.2022	IFI	P.Hajisadeghi	M.Fakharian	M.Mehrshad	
Rev.	Date	Purpose of Issue / Status	Prepared by:	Checked by:	Approved by:	Client Approval

Class: 3

Client Doc. Number:'F8Z-708015

status: IDC: Inter-Discipline Check

IFC: Issued For Comment

IFA: Issued For Approval

AFD: Approved For Design

AFC: Approved For Construction

AFP: Approved For Purchase

AFQ: Approved For Quotation

IFI: Issued For Information

AB-R: As-Built for CLIENT Review

AB-A: As-Built -Approved



NISOC

نگهداشت و افزایش تولید میدان نفتی بینک
فعالیت های رو زمینی در بسته های کاری تحت الارض

ساخت موقعیت چاه، تأسیسات سرچاهی، خطوط جریانی، تسهیلات
برق رسانی مربوط به موقعیت W007S و توسعه چندراهه کلاستر بینک

MTO FOR INSTRUMENT CABLE TRAY/LADDER - W007S & MANIFOLD



شماره پیمان:

۰۵۳ - ۰۷۳ - ۹۱۸۴

پروژه

بسته کاری

صادر کننده

تسهیلات

رشته

نوع مدرک

سریال

نسخه

شماره صفحه: ۴ از ۲

BK

W007S

PEDCO

110

IN

MT

0005

D01

REVISION RECORD SHEET

Page	D00	D01	D02	D03	D04	Page	D00	D01	D02	D03	D04
1	X	X				65					
2	X	X				66					
3	X	X				67					
4		X				68					
5						69					
6						70					
7						71					
8						72					
9						73					
10						74					
11						75					
12						76					
13						77					
14						78					
15						79					
16						80					
17						81					
18						82					
19						83					
20						84					
21						85					
22						86					
23						87					
24						88					
25						89					
26						90					
27						91					
28						92					
29						93					
30						94					
31						95					
32						96					
33						97					
34						98					
35						99					
36						100					
37						101					
38						102					
39						103					
40						104					
41						105					
42						106					
43						107					
44						108					
45						109					
46						110					
47						111					
48						112					
49						113					
50						114					
51						115					
52						116					
53						117					
54						118					
55						119					
56						120					
57						121					
58						122					
59						123					
60						124					
61						125					
62						126					
63						127					
64						128					

	تگداشت و افزایش تولید میدان نفتی بینک فعالیت های رو زمینی در بسته های کاری تحت الارض ساخت موقعیت چاه، تأسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه چندراهه کلاستر بینک MT0 FOR INSTRUMENT CABLE TRAY/LADDER - W007S & MANIFOLD								
شماره پیمان: ۰۵۳ - ۰۷۳ - ۹۰۲۸	پروژه BK	بسته کاری W007S	صادر کننده PEDCO	تسهیلات 110	رشته IN	نوع مدرک MT	سریال 0005	نسخه D01	شماره صفحه: ۳ از ۴



REFERENCE DOCUMENTS:

BK-W007S-PEDCO-110-IN-LI-0009	Instrument /F&G Cable List - Extension of Binak B/C Manifold
BK-SSGRL-PEDCO-110-IN-DC-0002	Instrument & Control System Design Criteria
BK-W007S-PEDCO-110-PI-RT-0002	PDMS Model Review Report (60%) - Extension of Binak B/C Manifold

	تکهداشت و افزایش تولید میدان نفتی بینک فعالیت های روزمینی در بسته های کاری تحت الارض ساخت موقیبت چاه، تأسیسات سرچاهی، خطوط جریان، تسهیلات برق رسانی مربوط به موقیبت W007S و توسعه چندراهه کلاستر بینک MTO FOR INSTRUMENT CABLE TRAY/LADDER - W007S & MANIFOLD								
شماره پیمان: ۰۵۳ - ۰۷۳ - ۹۰۳۸	پروژه BK	بسته کاری W007S	صادر کننده PEDCO	تسهیلات 110	رشته IN	نوع مدرک MT	سریال 0005	نسخه D01	شماره صفحه: ۳ از ۴

Instrument Cable Tray/Ladder					D01	
ITEM	DESCRIPTION	Qty. (Note 1)	Qty.+20%	UNIT		
1	PERFORATED CABLE TRAY, HEAVY DUTY; COMPLETE WITH STRAIGHT CONNECTOR AND S.S. CONE-ROOF BOLTS, NUTS & WASHER AND ALL OTHER REQUIRED FACILITIES,STEEL, HOT DIP GALVANIZED,1.6 mm THICK, 300 mm WIDE, 100 mm HIGH , ,STANDARD LENGTH 3m	27 (3m)	32(3m)	Pcs		
2	COVER FOR CABLE TRAY W200; COMPLETE WITH FASTENING FACILITIES,STEEL, HOT DIP GALVANIZED,	27 (3m)	32 (3m)	Pcs		
3	90 ° VERTICAL ELBOW WITH COVER,STEEL, HOT DIP GALVANIZED,200mm WIDE 300 mm HIGH,1.6 mm THICK	1	3	Pcs		
4	VERTICAL TEE WITH COVER,STEEL, HOT DIP GALVANIZED,300mm WIDE 100 mm HIGH,1.6 mm THICK	6	8	Pcs		
5	PERFORATED CABLE TRAY, HEAVY DUTY; COMPLETE WITH STRAIGHT CONNECTOR AND S.S. CONE-ROOF BOLTS, NUTS & WASHER AND ALL OTHER REQUIRED FACILITIES,STEEL, HOT DIP GALVANIZED,1.6 mm THICK, 100 mm WIDE, 200 mm HIGH , ,STANDARD LENGTH 3m	8 (3m)	10(3m)	Pcs		
6	CONDUIT, THREADED MALE ON BOTH SIDES,RIGID STEEL, HOT DIP GALVANIZED, 2" IN LENGTH OF 6 m	80	96	Meter		
7	CONDUIT, THREADED MALE ON BOTH SIDES,RIGID STEEL, HOT DIP GALVANIZED,1" IN LENGTH OF 6 m	80	96	Meter		
8	CONDUIT END BUSHING (FOR CABLE PROTECTION) ,RIGID STEEL, HOT DIP GALVANIZED, 2"	40	48	Pcs		
9	CONDUIT END BUSHING (FOR CABLE PROTECTION) ,RIGID STEEL, HOT DIP GALVANIZED,1"	40	48	Pcs		
10	CABLE TRAY BRACKET , SUITABLE FOR TRAY : 300 mm	54	65	Pcs		
11	CABLE TRAY BRACKET , SUITABLE FOR TRAY : 200 mm	16	19	Pcs		
12	BOLTS & NUTS	170	204	Set (Note 2)		
13	BONDING JUMPER WIRE WITH BOLT AND NUT	27	32	Set (Note 2)		
14	JOINT PIECE (CONNECTOR) WITH DIFFERENT SIZES	27	32	Set (Note 2)		

Note 1: Conduit length and cable tray accessories QTY to be finalized later.

Note 2: This quantity had been considered as minimum and vendor to supply the required accessories.

Note 3: No cable tray/ accessory is required for W007S wellhead area.