

ساخت موقعیت چاه، تاسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه



چندراهه کلاستر بینک

شماره پیمان:

053 - 073 - 9184

PMR FOR ON/OFF & SHUTDOWN VALVES - EXTENSION OF BINAK B/C MANIFOLD

 نیخه
 سریال
 نوع مدر ک
 رشته
 تسهیلات
 صادر کننده
 بسته کاری
 پروژه

 BK
 W007S
 PEDCO
 110
 IN
 MR
 0004
 D03

شماره صفحه: 1 از 18

طرح نگهداشت و افزایش تولید 27 مخزن

PMR FOR ON/OFF & SHUTDOWN VALVES – EXTENSION OF BINAK B/C MANIFOLD

نگهداشت و افزایش تولید میدان نفتی بینک

D03	JUN. 2023	FI	P.Hajisadeghi	M.Fakharian	A.M.Mohseni	
D02	SEP. 2022	IFI	P.Hajisadeghi	M.Fakharian	M.Mehrshad	
D01	APR. 2022	IFI	P.Hajisadeghi	M.Fakharian	M.Mehrshad	
D00	MAR. 2022	IFI	P.Hajisadeghi	M.Fakharian	M.Mehrshad	
Rev.	Date	Purpose of Issue/Status	Prepared by:	Checked by:	Approved by:	CLIENT Approval
	•		_	•	•	

Class: 3 CLIENT Doc. Number: F0Z-708109

Status:

IDC: Inter-Discipline Check
IFC: Issued For Comment
IFA: Issued For Approval
AFD: Approved For Design
AFC: Approved For Construction
AFP: Approved For Purchase
AFQ: Approved For Quotation
IFI: Issued For Information
AB-R: As-Built for CLIENT Review

AB-A: As-Built -Approved



شماره پیمان:

نگهداشت و افزایش تولید میدان نفتی بینک فعالیت های رو زمینی در بسته های کاری تحت الارض

ساخت موقعیت چاه، تاسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه



PMR FOR ON/OFF & SHUTDOWN VALVES - EXTENSION OF
BINAK B/C MANIFOLD

 نسخه
 سریال
 نوع مدر ک
 رشته
 تسهیلات
 صادر کننده
 بسته کاری
 پروژه

 BK
 W007S
 PEDCO
 110
 IN
 MR
 0004
 D03



شماره صفحه: 2 از 18

REVISION RECORD SHEET

PAGE	D00	D01	D02	D03	D04
1	X	Χ	Χ	X	
2	X	Χ	Χ	Χ	
3	X				
4	X		X		
5	Х	.,	X		
6	X	X X X X X X X X X	X		
7	X	X	X		
8	Χ	X	X	X	
9	X	X			
10	X	X			
11	X	X	X	X	
12	X	X	X	X	
13	X	X	X	X	
14 15	X	X	X		
15	X	X	X		
16	X	X	X	V	
17	X	X	X	X	
18	X	Х	X		-
19	X		X		ļ
20	X				ļ
21	X				
22 23 24	X				ļ
23	X				
24	X				
25	X				
26	X				
27	X				
28 29					
29					
30					
31 32					
32					
33					
34					
35					
36					
37 38					
38					
39					
40					
41					
42					
43					
44					
45					
46					
47					
48					
49					
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					
61					
62					
63					
64					
65					

PAGE	D00	D01	D02	D03	D04
66					
67					
68					
69					
70					
71					
72					
73					
74					
75					
76					
77					
78					
79					
80					
81					
82					
83	1		1	1	1
84					
85					
86					
87					
88			ļ		
89					
90					
91					
92					
93					
94					
95					
96					
97					
98					
99					
100					
101					
102					
103					
104					
105					
106					
107					
108					
109					
110	Ì				
111					
112	Ì				
113	Ì				
114	Ì				
115					
116					
117					
118	1				
119 120					
121	1				
122	1		1	1	<u> </u>
122					
	†		1	1	1
124	1		1		
125	1		1	1	+
126	1		1		
127	+		-	1	1
128	1		1		
129	1		1		
130	i	1	1		1



ساخت موقعیت چاه، تاسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه



چندراهه کلاستر بینک

شماره پیمان:

053 - 073 – 9184

PMR FOR ON/OFF & SHUTDOWN VALVES - EXTENSION OF BINAK B/C MANIFOLD

 نسخه
 سریال
 نوع مدر ک
 رشته
 تسهیلات
 صادر کننده
 بسته کاری
 پروژه

 BK
 W007S
 PEDCO
 110
 IN
 MR
 0004
 D03

شماره صفحه: 3 از 18

CONTENTS

1.0	INTRODUCTION4
2.0	GENERAL5
3.0	REFERENCE / ATTACHED DOCUMENTS5
4.0	SUBJECT OF THE SUPPLY6
5.0	LIMITS OF SUPPLY6
5.1	SCOPE OF SUPPLY6
5.2	EXCLUSIONS8
5.3	BATTERY LIMITS8
6.0	INSPECTION AND TESTS8
7.0	VENDOR DOCUMENTATION REQUIREMENTS & SCHEDULE8
8.0	VENDOR RESPONSIBILITY9
9.0	PRESERVATION, STORAGE AND SHIPMENT9
10.0	GUARANTEE AND WARRANTY9
11.0	DEVIATION10
12.0	PRICE BREAKDOWN11
	CHMENT 1
ATTAC	CHMENT 2
ATTAC	CHMENT 3



ساخت موقعیت چاه، تاسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه

چندراهه کلاستر بینک



شماره پیمان:

053 - 073 - 9184

PMR FOR ON/OFF & SHUTDOWN VALVES - EXTENSION OF BINAK B/C MANIFOLD

 BINAK B/C MANITOLES

 نسخه
 سریال
 نوع مدر ک
 رشته
 تسهیلات
 صادر کننده
 بسته کاری
 پروژه

 BK
 W007S
 PEDCO
 110
 IN
 MR
 0004
 D03

شماره صفحه: 4 از 18

1.0 INTRODUCTION

Binak oilfield in Bushehr province is a part of the southern oilfields of Iran, is located 20 km northwest of Genaveh city.

With the aim of increasing production of oil from Binak oilfield, an EPC/EPD Project has been defined by NIOC/NISOC and awarded to Petro Iran Development Company (PEDCO). Also PEDCO (as General Contractor) has assigned the EPC-packages of the Project to "Hirgan Energy - Design and Inspection" JV.

As a part of the Project, construction of well location, access road, wellhead facilities (with electric power supply) for W007S shall be done. In addition, construction of new flowline from aforementioned well location to Binak B/C unit (with extension of relevant manifold) is in the Project scope of work.

GENERAL DEFINITION

The following terms shall be used in this document.

CLIENT: National Iranian South Oilfields Company (NISOC)

PURCHASER: Means the "Company" where this document is a part

of direct purchaser order by the "Company", and the "Contractor" where this document is a part of contract

document.

PROJECT: Binak Oilfield Development - Construction of Well

Location, Wellhead Facilities, Electrification Facilities, Flowlines for W007S and Extension of Binak B/C

Manifold

EPD/EPC CONTRACTOR (GC): Petro Iran Development Company (PEDCO)

EPC CONTRACTOR: Joint Venture of: Hirgan Energy - Design &

Inspection(D&I) Companies

VENDOR: The firm or person who will fabricate the equipment or

material.

EXECUTOR: Executor is the party which carries out all or part of

construction and/or commissioning for the project.

THIRD PARTY INSPECTOR (TPI): The firm appointed by EPD/EPC CONTRACTOR (GC)

and approved by CLIENT (in writing) for the inspection

of goods.

SHALL: Is used where a provision is mandatory.

SHOULD: Is used where a provision is advisory only.



ساخت موقعیت چاه، تاسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه چندراهه کلاستر بینک



شماره پیمان:

053 - 073 - 9184

PMR FOR ON/OFF & SHUTDOWN VALVES - EXTENSION OF BINAK B/C MANIFOLD

 نیخه
 سریال
 نوع مدر ک
 رشته
 تسیدات
 صادر کننده
 بینه کاری
 پروژه

 BK
 W007S
 PEDCO
 110
 IN
 MR
 0004
 D03

شماره صفحه: 5 از 18

WILL: Is normally used in connection with the action by

CLIENT rather than by an EPC/EPD CONTRACTOR,

supplier or VENDOR.

MAY: Is used where a provision is completely discretionary.

2.0 GENERAL

This document presents the item material requisitions for Contractor's use as appropriate.

- This material requisition covers the requirements for the design, manufacturing, testing and supply of On/Off & Shutdown Valves as listed below. All equipment/devices/items shall conform to this requisition and all specifications which have been mentioned in attachment 1 of this material requisition.
- The vendor's supply shall include:

No.	Item	Description	Total QTY.
1	ESDV-1701A	On/Off & Shutdown Valves , Full Bore Ball Valve/Trunnion Mounted , 4"/API 3000	1
2	ESDV-1701B	On/Off & Shutdown Valves , Full Bore Ball Valve/Trunnion Mounted , 4"/API 3000	1
3	ESDV-1701C	On/Off & Shutdown Valves , Full Bore Ball Valve/Trunnion Mounted , 4"/API 3000	1
4	ESDV-1701D	On/Off & Shutdown Valves , Full Bore Ball Valve/Trunnion Mounted , 4"/API 3000	1
5	ESDV-1701E	On/Off & Shutdown Valves , Full Bore Ball Valve/Trunnion Mounted , 4"/API 3000	1
6	ESDV-1701F	On/Off & Shutdown Valves , Full Bore Ball Valve/Trunnion Mounted , 4"/API 3000	1

^{**} Actuator /limit switches of solenoid valves and all required accessories shall be provided by vendor as per datasheet.

3.0 REFERENCE / ATTACHED DOCUMENTS

- a. Specified documents in attachment 1 shall be considered as a part of this material Requisition.
- **b.** All codes and standards which have been referenced in above mentioned specs shall be considered.



ساخت موقعیت چاه، تاسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه چندراهه کلاستر بینک



شماره پیمان:

053 - 073 - 9184

PMF	PMR FOR ON/OFF & SHUTDOWN VALVES - EXTENSION OF											
BINAK B/C MANIFOLD												
						44						

 نسخه
 سربال
 نوع مدرک
 رشته
 تسهیلات
 صادرکننده
 بسته کاری
 پروژه

 BK
 W007S
 PEDCO
 110
 IN
 MR
 0004
 D03

شماره صفحه: 6 از 18

- **c.** In case of any conflict between the contents of this document or any discrepancy between this document and other project documents or reference standards, this issue must be reported to the CLIENT. The final decision in this situation will be made by CLIENT.
- d. Deviations

Any exceptions/clarifications to codes/standards and specifications listed in attachment 1 must be clearly stated in a separate dedicated section of the proposal in the format submitted in attachment 3.

The proposed deviations/comments list shall include as minimum:

- Reference for the involved specification, chapter and paragraph.
- Technical justification for the non-compliance.
- Detailed description of the proposed alternative.

If no exceptions or clarifications exist, either for the complete referenced document or an individual paragraph, the supplier shall be considered to be in full compliance with the relevant document.

The supplier may propose materials of equivalent or better quality compared to those indicated in the equipment data sheet. Even these cases shall be duly included/technically supported in the deviations/clarifications list.

4.0 SUBJECT OF THE SUPPLY

The supplier shall supply all above on/off & shutdown valves. The scope of supply is detailed at part 5. The supplier shall include in the supply, all other equipment/devices/items not listed in the following, but necessary for a good design and a safe operation, taking into account process data and installation conditions such as area classification and climatic conditions.

The grade of shop assembly of the equipment/devices/items supplied shall be at maximum extent to facilitate site erection and pre-commissioning activities.

5.0 LIMITS OF SUPPLY

5.1 SCOPE OF SUPPLY

5.1.1 MAIN DESCRIPTION

The scope of supply includes 6 Nos. On/Off & Shutdown Valves, Main feature are as below:

- On/Off & Shutdown Valves, Full Bore Ball Valve / Trunnion Mounted
- Actuator
- Limit Switch
- Solenoid valves
- Air set



ساخت موقعیت چاه، تاسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه چندراهه کلاستر بینک



شماره پیمان:

053 - 073 - 9184

PMR FOR ON/OFF & SHUTDOWN VALVES - EXTENSION OF BINAK B/C MANIFOLD

 BINAK B/C MANITOLD

 نسخه
 سریال
 نوع مدر ک
 رشته
 تسهیلات
 صادر کننده
 بسته کاری
 پروژه

 BK
 W007S
 PEDCO
 110
 IN
 MR
 0004
 D03

شماره صفحه: 7 از 18

Painting and coating (As per Specification For Painting)

The supplier shall assume overall responsibility for the design, manufacture, assembly, test and performance of all equipment/devices/items supplied as indicated in this requisition. This shall include, but not be limited to:

- Resolve engineering issues relating to equipment/devices/items within the scope of supply.
- Provide detailed design and documentation of all equipment/devices/items and components within the scope of supply in accordance with attachment 2 of this document.
- Provide all necessary information documents in order to allow the contractor to erect, install and verify the proposed equipment/devices/items.
- Implement a quality assurance plan
- The quality plan applied to the scope of supply shall include:
 - QA/QC organization CHART and procedures that shall be submitted for approval.
 - Plan for HOLD points in the production process proposed to CLIENT for witness or approval particular activities.
 - Production schedule indicating main quality manufacturing processes, inspection and tests.
 - Qualification of all personnel performing tests to be reviewed by the inspector
 - Supplier shall also provide the description of the following quality activities:
 - Sub suppliers products quality
 - Quality check and identification of the materials and equipment entering in their manufacturing shop.
- Calibration of test instruments and equipment
- Provide detailed specifications and data sheets.

5.1.2 SPARE PARTS

- The Vendor shall provide certain quantities of consumable for the installation, precommissioning, commissioning, start-up and up to the end of the guarantee period.
- The quantities shall be estimated by Vendor and shall be based upon the Vendor's experience. The following two periods shall be taken into account:
 - Pre-commissioning and commissioning period where the consumption of consumable is greater
 - Normal use of the System
- The VENDOR shall provide lists of recommended spare parts, which shall include the
 original part numbers with prices for commissioning, start-up and two years operation. All
 spare parts shall be identified individually.
- Spare parts for commissioning and start-up; a qualified and complete list based on PROJECT SPARE PART SUPPLY PROCEDURE (Doc. No. E&C-QC-SP-1).



ساخت موقعیت چاه، تاسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه چندراهه کلاستر بینک



شماره پیمان:

053 - 073 - 9184

PMF	PMR FOR ON/OFF & SHUTDOWN VALVES - EXTENSION OF										
BINAK B/C MANIFOLD											

	5.1.7.11. 5.7.5 1.1.7.11.11 GES										
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه				
BK	W007S	PEDCO	110	IN	MR	0004	D03				

شماره صفحه: 8 از 18

- Spare parts for two years operation; a qualified and complete list based on PROJECT SPARE PART SUPPLY PROCEDURE (Doc. No. E&C-QC-SP-1).
- The VENDOR shall be able to provide spares back up and support for the plant life of at least 20 years.
- SPIR form shall be approved by CLIENT prior to procurement.

5.1.3 OTHER ITEMS

No other item is required

5.2 EXCLUSIONS

No exclusion is applicable.

5.3 BATTERY LIMITS

No battery limit is applicable.



6.0 INSPECTION AND TESTS

The equipment shall be inspected and tested in accordance with the Inspection &Test plan (ITP) issued by the vendor and approved by the CLIENT/EPC CONTRACTOR before the award of the order. The Inspection & Test plan (ITP) shall be at least according to the Commodity Procurement and Manufacturing Inspection Instruction (Docs .Nos. ICE-EID-MI-SP01-Rev01), Inspection Level of Commodity and Equipment (Docs .Nos. ICE-EID-MI-SP02-Rev01) and Data Sheets. The vendor shall in any case conduct all the tests required by contractual documents, specifications, codes and standards, manufacturer standard quality system and keep the relevant documentation. All required manufacturing and function test/inspection also Factory Acceptance Test /Site Acceptance Test and Quality Assurance requirements shall be considered in vendor responsibility as per project specification.

7.0 VENDOR DOCUMENTATION REQUIREMENTS & SCHEDULE

- Vendor document shall be according to attachment 2 of this document.
- All documents, preliminary or final, are to be stamped and signed by the supplier.
- Failure in dispatch of the required documents shall cause the supply to be considered as unfulfilled.



ساخت موقعیت چاه، تاسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه چندراهه کلاستر بینک



شماره پیمان:

053 - 073 - 9184

PMF	PMR FOR ON/OFF & SHUTDOWN VALVES - EXTENSION OF BINAK B/C MANIFOLD										
يووژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سربال	نسخه				

110

شماره صفحه: 9 از 18

 PURCHASER's approval does not relieve vendor, in any way, from his obligation to fulfill the requirements of the purchase order documents.

IN

MR

D03

0004

All vendor drawings and documents shall be in English language.

PEDCO

W007S

BK

All drawings and documents are to be identified as per clause 1 "GENERAL DEFINITION"

8.0 VENDOR RESPONSIBILITY

VENDOR shall be responsible for the design, engineering, co-ordination, supply, delivery, testing, final check-out and satisfactory operation of the equipment/devices/items. The engineering coordination also includes responsibility for handing and expediting drawings.

Preparation of complete final book, Training courses and assistance during Pre-Commissioning/Commissioning/Startup are also in VENDOR responsibility as per project specification.

Also VENDOR shall be responsible for ensuring that all relevant information and documentation is passed on the sub-suppliers.

9.0 PRESERVATION, STORAGE AND SHIPMENT

Instrumentation shall be adequately protected, suitable for shipment and storage at site, prior to dispatch from the Supplier's works. All instrument items shall be protected from vibrations and shocks normally expected during handling, loading/unloading and shipment.

The packing shall also be suitable for storage of the instrumentation for up to 6 months in the harsh outdoor environment described in Section 6.1. The packing shall be adequate to resist the humidity, temperature extremes and corrosion conditions to be expected in the various site locations. The pressure relief valves and its accessories shall be supplied pre-assembled. Valves shall be supplied as a whole, complete with all the accessories like cap, lifting lever, test gag, etc. All threaded and flanged openings shall be suitably covered to prevent entry of foreign material.

10.0 GUARANTEE AND WARRANTY

All material and Equipment/Devices/Items in VENDOR's scope of work/supply shall be guaranteed by VENDOR.



ساخت موقعیت چاه، تاسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه چندراهه کلاستر بینک



شماره پیمان:

053 - 073 - 9184

PMF	R FOR ON		UTDOWN K B/C M/		/ES - EXTE LD	NSION (ΟF
د ۹ ژه	ىستە كادى	صادر کننده	تسصلات	ر شته	نه عرمدر ک	س با1 ،	4

 نسخه
 سریال
 نوع مدر ک
 رشته
 تسهیلات
 صادر کننده
 بسته کاری
 پروژه

 BK
 W007S
 PEDCO
 110
 IN
 MR
 0004
 D03

شماره صفحه: 10 از 18

The guarantee period shall be eighteen (18) months from the date of delivery or twelve (12) months from the installation date of each equipment/packages at site

VENDOR shall guarantee the performance of supplied items.

VENDOR shall guarantee that the Equipment/Device/Item is suitable for the operating conditions herein specified, and that all materials and components are free from any defects; verifications of all calculations are in VENDOR's responsibility.

VENDOR shall unconditionally guarantee the materials and workmanship of all material and/or services. If, within the guarantee period, any defects occur which are due to faulty material and/or services included in his scope (design, manufacturing, inspection, testing, supply & etc.), VENDOR shall, at his own expense, repair or adjust the condition, or replace the material and/or services to the complete satisfaction of CLIENT's representative. These repairs, replacement or adjustments shall be made only at such time as will be least detrimental to the operation of the CLIENT's business.

VENDOR warrants promptly repairing or replacing the defective parts in the warranty period.

Vendor shall ensure a correct and safe operation of the unit, providing all safety protection Devices.

Vendor shall be responsible for the safe, reliable, continuous functioning of the Equipment/Devices/Items.

VENDOR is fully responsible for the design of package for correct and safe operation based on project requirement during package life time; therefore, VENDOR shall specify any documents/specifications which may be required for design, manufacture and finalizing of Equipment/Devices/Items to avoid any problems during the package operation at site before P.O; otherwise, VENDOR shall be hold responsible for any corresponding deviation from expectations from the Equipment/Devices/Items.

11.0 DEVIATION

VENDOR's proposal shall be prepared in strict compliance with the requirements set forth in the relevant specifications of tender documents.



ساخت موقعیت چاه، تاسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه چندراهه کلاستر بینک



شماره پیمان:

053 - 073 - 9184

PMF	R FOR ON	I/OFF & SH	UTDOWI	VAL	/ES - EXTE	ENSION (ϽF		
BINAK B/C MANIFOLD									

	5117 (1 C 5/ 5 11) (1 11 5 2 5										
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه				
BK	W007S	PEDCO	110	IN	MR	0004	D03				

شماره صفحه: 11 از 18

VENDOR shall include in his proposal the statement of compliance with the tender documents should VENDOR wish to submit exception to the requirements of tender documents. They shall be submitted for CLIENT's approval.

Other than deviation which will be signed and sent during P.O phase, construction and test phases also should be provided by vendor.

12.0 PRICE BREAKDOWN

Breakdown price of following items shall be included in the proposal, as well as total price.

- 1) Material and Fabrication for each Section Separately
- 2) Pre-commissioning & commissioning spare parts (E&C-QC-SP-1)
- 3) 2 years operational spare parts (E&C-QC-SP-1)
- 4) Packing & transportation





ساخت موقعیت چاه، تاسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه

چندراهه کلاستر بینک

PMR FOR ON/OFF & SHUTDOWN VALVES - EXTENSION OF

 BINAK B/C MANIFOLD

 نسخه سریال نوع مدرک رشته تسهیلات صادرکننده بسته کاری پروژه

 BK
 W007S
 PEDCO
 110
 IN
 MR
 0004
 D03



شماره صفحه: 12 از 18

ATTACHMENT 1

053 - 073 - 9184

شماره پیمان:

LIST OF REFERENCE / APPLICABLE DOCUMENTS



No.	Document No.	Document Title			
Proces	ss				
1.	BK-GNRAL-PEDCO-000-PR-DC- 0001	Process Design Criteria	D02		
2.	BK-GNRAL-PEDCO-000-PR-DB- 0001	Process Basis Of Design			
3.	BK-W007S-PEDCO-110-PR-PI-0001	P&ID - Extension of Binak B/C Manifold	D04		
Piping					
4.	BK-SSGRL-PEDCO-110-PI-SP-0001	Piping Material Specification	D03		
5.	BK-GNRAL-PEDCO-000-PI-SP-0006	Specification For Painting	D04		
Instrui	nent				
6.	BK-GNRAL-PEDCO-000-IN-SP-0001	Specification For Instrumentation	D04		
7.	BK-SSGRL-PEDCO-110-IN-DC- 0002	Instrument & Control System Design Criteria	D03		
8.	BK-W007S-PEDCO-110-IN-DT-0005	Data Sheets For On/Off & Shutdown Valves - Extension of Binak B/C Manifold	D03		
9.	BK-GNRAL-PEDCO-000-IN-SP-0006	Specification For On-off /Shut Down Valves (ESDV/MOV)	D03		
10.	BK-W007S-PEDCO-110-IN-DG-0003	Instrument Hook-up Diagram - Extension of Binak B/C Manifold	D02		
Gener	al				
11.	ICE-EID-MI-SP01	دستور العمل بازرسی، خرید و ساخت کالا	D01		
12.	ICE-EID-MI-SP02	دستور العمل انتخاب سطح بازرسي كالا و تجهيزات	D01		
13.	E&D-QC-SP-1	دستور العمل تامین قطعات یدکی راه اندازی و راهبری دو سالانه	-		
14.	BK-GNRAL-PEDCO-000-QC-PR- 0022	Specification For Final Data Book (FDB) Requirements	D00		
15.	BK-GNRAL-PEDCO-000-QC-PR- 0045	Packing, Marking, Transportation Procedure	D00		



ساخت موقعیت چاه، تاسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه چندراهه کلاستر بینک





شماره پیمان:

053 - 073 - 9184

PMR FOR ON/OFF & SHUTDOWN VALVES - EXTENSION OF BINAK B/C MANIFOLD

 نسخه
 سریال
 نوع مدر ک
 رشته
 تسهیلات
 صادر کننده
 بسته کاری
 پروژه

 BK
 W007S
 PEDCO
 110
 IN
 MR
 0004
 D03

شماره صفحه: 13 از 18

ATTACHMENT 2

VENDOR DOCUMENTS MIN. REQUIREMENT



		WITH BID		AFTER OR	DERING		AT THE			
NO.	DESCRIPTION		Q./TY PE (1)	DELIVERY DATE (2)	PURPO SE (3)	FINAL ISSUE	FINAL INSPECTION (4)			
	MANAGEMENT									
1	Vendor Document Index and Schedule	4N	(5)	2W	Α	(5)	Х			
2	Organization Brief	4N	(5)	2W	I	(5)				
3	Schedule Level 1, 2, 3 & 4 showing Engineering, Procurement, Fabrication, Inspection, Testing, and Delivery Plan.	4N	(5)	3W	А	(5)	Х			
4	Physically Progress Report (Every 2 Weeks))		(5)	2W	I	(5)				
5	Project Organization Chart	4N	(5)	2W	I	(5)	Х			
6	Reference List	4N	(5)	2W	I	(5)				
7	Vendor Catalogue	4N	(5)	2W	1	(5)	Х			
		HSE								
8	HSE Procedure		(5)	4W	А	(5)	Х			
	EN	GINEERIN	G							
9	Specifications / Data Sheets/Actuator sizing (Completed)		(5)	4W	А	(5)	Х			
10	Dimensional Outlines	4N	(5)	4W	Α	(5)	X			
11	Mounting Details		(5)	4W	А	(5)	Х			
12	Schematic Wiring and Tubing Diagram	4N	(5)	4W	Α	(5)	Х			
13	Electric Power & Utility Consumption List		(5)	4W	Α	(5)	Х			
14	General Arrangement	4N	(5)	4W	А	(5)	Х			
15	Detailed Dimensions of Cut- Outs		(5)	4W	Α	(5)	Х			
16	Parts / Material List	4N	(5)	4W	А	(5)	Х			



شماره پیمان:

نگهداشت و افزایش تولید میدان نفتی بینک فعالیت های رو زمینی در بسته های کاری تحت الارض

ساخت موقعیت چاه، تاسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه



PMR FOR ON/OFF & SHUTDOWN VALVES - EXTENSION OF BINAK B/C MANIFOLD

 نسخه
 سریال
 نوع مدر ک
 رشته
 تسهیلات
 صادر کننده
 بسته کاری
 پروژه

 BK
 W007S
 PEDCO
 110
 IN
 MR
 0004
 D03



شماره صفحه: 14 از 18

		WITH BID		AFTER OR	DERING		AT THE FINAL
NO.	DESCRIPTION	Q./TYPE (1)	Q./TY PE (1)	DELIVERY DATE (2)	PURPO SE (3)	FINAL ISSUE	INSPECTION (4)
17	Technical Description and Relevant Catalogues	4N	(5)	4W	А	(5)	Х
18	List of Deviations from the Specification and Data Sheets	4N	(5)	4W	Α	(5)	
	PRO	CUREMEN	NT				
19	List of Sub-Vendors (table giving: part of equipment, tag no., sub-vendor reference)(5.1.3) (if any)	4N	(5)	4W	А	(5)	
20	Unpriced copy of sub-orders	4N	(5)	4W	1	-	
21	Packing Spec. / Shipping Schedule	4N	(5)	4W	I	-	
22	Weight List/ Shipping List	4N	(5)	4W	I	(5)	
23	Mechanical & Performance Guarantees	4N	(5)	4W	- 1	-	
	QUALITY, MAN	UFACTUR	ING, TE	STING			
24	Quality Assurance Manual /Quality Management System Certificate (according to latest rev. of ISO)		(5)	3W	А	(5)	
25	Preliminary Project Schedule		(5)	4W	I	-	
26	Weld and NDT Map (if any)		(5)	4W	I	(5)	Х
27	Surface Preparation and Painting Procedures		(5)	4W	I	(5)	Х
28	Welder Qualification Procedure (if any)		(5)	4W	I	(5)	Х
29	Fabrication Degree		(5)	4W	1	(5)	Х
30	Hydrostatic / Pneumatic Test Procedure		(5)	4W	I	(5)	X
31	Quality Control Plan		(5)	4W	I	(5)	Х
32	Manufacturing, Test & Inspection Procedures	4N	(5)	4W	Α	(5)	Х
33	Performance & Functional Test Procedure		(5)	4W	А	(5)	Х
34	Non-Destructive-Testing/Examination Procedures		(5)	4W	Α	(5)	Х
35	Factory Acceptance Test (FAT) Procedure		(5)	4W	Α	(5)	Х
36	Site Acceptance Test (SAT) Procedure		(5)	4W	Α	(5)	Х



شماره پیمان:

نگهداشت و افزایش تولید میدان نفتی بینک فعالیت های رو زمینی در بسته های کاری تحت الارض

ساخت موقعیت چاه، تاسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه



PMR FOR ON/OFF & SHUTDOWN VALVES - EXTENSION OF BINAK B/C MANIFOLD

 نسخه
 سریال
 نوع مدر ک
 رشته
 تسهیلات
 صادر کننده
 بسته کاری
 پروژه

 BK
 W007S
 PEDCO
 110
 IN
 MR
 0004
 D03



شماره صفحه: 15 از 18


		WITH BID		AFTER OR	DERING		AT THE FINAL INSPECTION (4)		
NO.	DESCRIPTION	Q./TYPE (1)	Q./TY PE (1)	DELIVERY DATE (2)	PURPO SE (3)	FINAL ISSUE			
RECORDS, REPORTS & CERTIFICATES									
37	Material Conformity Certificate		(5)	4W	1	(5)	X		
38	Testing Authority Approval Certificate (if any)		(5)	4W	1	(5)	X		
39	Hazardous Area Certificates		(5)	4W	I	(5)	Х		
40	Ingress Protection Certificate		(5)	4W	- 1	(5)	Х		
41	Conformity Certificates (sub-vendor / equipment)		(5)	4W	I	(5)	Х		
42	Material Certificates Identification Diagram. (cross-reference material location; certificates for critical components)		(5)	4W	Ι	(5)	Х		
43	Welding Procedure Qualification Record. (if any)		(5)	4W	I	(5)			
44	Welder Qualification Records.		(5)	4W	1	(5)			
45	NDT Operator Qualifications		(5)	4W	I	(5)	Х		
46	Detailed NDT Reports		(5)	4W	Α	(5)			
47	Weld/ NDT Identification Diagram. (Cross-reference weld locations, WPS, welders, NDT reports).		(5)	4W	Α	(5)	Х		
48	Hardness Test Reports		(5)	4W	Α	(5)	Х		
49	PWHT Charts & Reports, including calibration records of recorders (for each heat treatment)		(5)	4W	I	(5)	Х		
50	Pressure Test Reports / Certificates		(5)	4W	Α	(5)	Х		
51	FAT Test Report / Certificates		(5)	4W	А	(5)	Х		
52	SAT Test Report / Certificates		(5)	4W	А	(5)	Х		
53	Performance Test Report / Certificates		(5)	4W	Α	(5)	Х		
54	Material Test Certificates		(5)	4W	I	(5)	Х		
55	Calibration Curves of Control Equipment		(5)	4W	I	(5)	Х		
56	Calibration Test Certificates		(5)	4W	I	(5)	Х		
57	Surface Preparation & Coating Reports		(5)	4W	А	(5)			
58	Hydrostatic / Pneumatic Testing Certificates		(5)	4W	I	(5)	Х		



شماره پیمان:

نگهداشت و افزایش تولید میدان نفتی بینک فعالیت های رو زمینی در بسته های کاری تحت الارض

ساخت موقعیت چاه، تاسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه



PMR FOR ON/OFF & SHUTDOWN VALVES - EXTENSION OF BINAK B/C MANIFOLD

 نسخه
 سریال
 نوع مدر ک
 رشته
 تسهیلات
 صادر کننده
 بسته کاری
 پروژه

 BK
 W007S
 PEDCO
 110
 IN
 MR
 0004
 D03



شماره صفحه: 16 از 18

		WITH AFTER ORDERING					
NO.	DESCRIPTION	Q./TYPE (1)	Q./TY PE (1)	DELIVERY DATE (2)	PURPO SE (3)	FINAL ISSUE	FINAL INSPECTION (4)
59	Welding Consumable Certificate (if any)		(5)	4W	1	(5)	Х
60	Test & Inspection Reports		(5)	4W	Α	(5)	
61	Rust Prevention Report		(5)	4W	Α	(5)	
62	Non-Conformities Report		(5)	4W	Α	(5)	
63	Letter of Conformity		(5)	4W	Α	(5)	
64	Welding Inspection Reports		(5)	4W	Α	(5)	Х
65	VT Inspection Report		(5)	4W	Α	(5)	Х
66	Monthly Progress Report		(5)	4W	Α	(5)	
	INS	TALLATIO	N				
67	Sub-Assembly Documentation		(5)	4W	Α	(5)	
68	Sub-Assembly Drawings		(5)	4W	Α	(5)	
69	Erection/Installation Manual (if required)		(5)	4W	Α	(5)	
70	Name Plate Documents	4N	(5)	4W	Α	(5)	
71	Handling, Transportation & Storage Instructions	4N	(5)	4W	Α	(5)	
72	Unpacking & Inspection Instructions		(5)	4W	Α	(5)	
73	Preliminary Packing List		(5)	4W	Α	(5)	
74	Packing List		(5)	4W	Α	(5)	
	OPERATIO	N & MAINT	ENANC	E			
75	Operating Instructions		(5)	4W	Α	(5)	
76	Maintenance Instructions		(5)	4W	Α	(5)	
77	Commissioning & Start-up Manual		(5)	4W	Α	(5)	
78	List of Spare Parts Commissioning & Start-up	4N	(5)	4W	Α	(5)	
79	List of Spare Parts 2 Years Operation	4N	(5)	4W	Α	(5)	
80	List of Special Tools	4N	(5)	4W	Α	(5)	
81	Lube Oil Schedule		(5)	4W	Α	(5)	
82	Software Manual (incl. Troubleshooting)		(5)	4W	Α	(5)	



ساخت موقعیت چاه، تاسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه



چندراهه کلاستر بینک PMR FOR ON/OFF & SHUTDOWN VALVES - EXTENSION OF

053 - 073 - 9184

شماره پیمان:

 BINAK B/C MANIFOLD

 سخه سریال نوع مدرک رشته تسهیلات صادرکننده بسته کاری پروژه

 BK
 W007S
 PEDCO
 110
 IN
 MR
 0004
 D03

شماره صفحه: 17 از 18

		WITH BID	AFTER ORDERING				AT THE FINAL
NO.	DESCRIPTION	Q./TYPE (1)	Q./TY PE (1)	DELIVERY DATE (2)	PURPO SE (3)	FINAL ISSUE	INSPECTION (4)
83	Consumables List		(5)	4W	Α	(5)	
84	Function Test Procedure		(5)	4W	Α	(5)	Х
		OTHERS					
85	Vendor Final Book		(5)	4W	А	(5)	Х
86	All others documents (if required) will be listed in the order						

NOTES:

- *** The electronic file (Native/PDF) and Hardcopy version shall be provided in all stages by vendor.
- (1) Q:QUANTITY; TYPE: C = COPY, R = REPRODUCIBLE, P = POLYESTER, M = MICROFILM, E = ELECTRONIC, N=NUMBER OF DOCUMENT
- (2) W = CONSECUTIVE CALENDAR WEEK, M = CONSECUTIVE CALENDAR MONTH
- (3) A = FOR APPROVAL I = FOR INFORMATION
- (4) X = DOCUMENTS TO BE SUBMITTED AT THE FINAL INSPECTION
- (5) "6 C+E" COPY OF DOCUMENT.
- (6) MECHANICAL CATALOGUE INCLUDING FINAL DRAWINGS/DOCUMENTS, UNPRICED PURCHASE ORDER & SUB- PURCHASE ORDER, MAINTENANCE DOSSIER ETC.
- (7) ALL DOCUMENTS AND/OR DRAWINGS FOR THIS PROJECT SHALL ALSO BE SUBMITTED IN THE ELECTRONIC FILES BY

USING THE FOLLOWING SOFTWARE.

MS OFFICE WORD 2013 OR UPPER VERSION (ENGLISH) FOR WORD PROCESSING MS OFFICE EXCEL 2013 OR UPPER VERSION (ENGLISH) FOR SPREAD SHEET AUTO CAD 2005 (ENGLISH) FOR DRAWING

- (8) IN ORDER TO DESIGN AND MANUFACTURE THE INSTRUMENTS, VENDOR SHALL CONSIDER THE SEISMIC FACTOR,
- SUITABLE FOR SEISMIC UBC 97 zone 4, AND THE RESULTS SHALL BE PROVIDED BY VENDOR.
- (9) LIST OF DOCUMENTS WILL BE FINALIZED IN VDIS.



ساخت موقعیت چاه، تاسیسات سرچاهی، خطوط جریانی، تسهیلات برق رسانی مربوط به موقعیت W007S و توسعه



چندراهه كلاستر بينك

شماره پیمان:

053 - 073 - 9184

PMR FOR ON/OFF & SHUTDOWN VALVES - EXTENSION OF BINAK B/C MANIFOLD								
يروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سر يال	نسخه	

110

IN

MR

0004

D03

شماره صفحه: 18 از 18

ATTACHMENT 3

DEVIATIONS / EXCEPTIONS TO JOB SPECIFICATION

W007S

PEDCO

BK

Requisition No.:

Description:

Equipment No.:

Item No.	Description of proposed exception	Recommended revision to job specification	Reason for proposed exception	Effect on base proposal if CONTRACTOR rejects exception