

# عمومي و مشترك



شماره پیمان:

· 27 - · 77 - 9114

 نسخه
 سریال
 نوع مدر ک
 رشته
 تسهیلات
 صادر کننده
 بسته کاری
 پروژه

 BK
 SSGRL
 PEDCO
 110
 EL
 CN
 0004
 D04

شماره صفحه: ۱ از ۸

# طرح نگهداشت و افزایش تولید ۲۷ مخزن

### CALCULATION NOTE FOR LIGHTING SYSTEM OF WELL PADS AREA

نگهداشت و افزایش تولید میدان نفتی بینک

Class:2 Client Doc. Number: F0Z-707380						
Rev.	Date	Purpose of Issue/Status	Prepared by:	Checked by:	Approved by:	Client Approval
D00	May. 2022	IFC	H.Shakiba	M.Fakharian	M.Mehrshad	
D01	Jul. 2022	IFA	H.Shakiba	M.Fakharian	M.Mehrshad	
D02	Oct. 2022	IFA	H.Shakiba	M.Fakharian	M.Mehrshad	
D03	Nov. 2022	IFA	H.Shakiba	M.Fakharian	M.Mehrshad	
D04	Aug. 2023	IFA	H.Shakiba	M.Fakharian	A.M.Mohseni	

#### Status:

IDC: Inter-Discipline Check
IFC: Issued For Comment
IFA: Issued For Approval
AFD: Approved For Design
AFC: Approved For Construction
AFP: Approved For Purchase
AFQ: Approved For Quotation
IFI: Issued For Information
AB-R: As-Built for CLIENT Review

AB-A: As-Built -Approved



# عمومی و مشترک



شماره پیمان:

CALCULATION NOTE FOR LIGHTING SYSTEM OF WELL PADS AREA

· 24 - · 74 - 9114

پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه
BK	SSGRL	PEDCO	110	EL	CN	0004	D04

شماره صفحه: ۲ از ۸

### **REVISION RECORD SHEET**

PAGE	D00	D01	D02	D03	D04
1	Х	Χ	Х	Х	Х
2	Х	Х	Х	Х	Х
3	Х				
4	Х				
5	Х	Х		Х	Х
6	Х	Х		Х	
7	Х			Х	
8	Х			Х	
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41					
42					
43					
44					
45					
46					
47					
48	1				
49					
50	1				<b> </b>

PAGE	D00	D01	D02	D03	D04
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					
61					
62					
63					
64					
65					
66					
67					
68					
69					
70					
71					
72					
73					
74					
75					
76					
77					
78					
79					
80					
81					
82					
83					
84					
85					
86					
87					
88					
89					
90					
91					
92					
93					
94					
95					
96					
97					
98					
99					
100					



# عمومي و مشترك



شماره پیمان:

CALCULATION NOTE FOR LIGHTING SYSTEM OF WELL PADS AREA

1118 - 77. - 7A.

پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه
BK	SSGRL	PEDCO	110	EL	CN	0004	D04

شماره صفحه: ۳ از ۸

### **CONTENTS**

1.0	INTRODUCTION	4
2.0	SCOPE	
3.0	NORMATIVE REFERENCES	5
3.1 3.2	CODES AND STANDARDSTHE PROJECT REFERENCE DOCUMENTS	5 5
4.0	LANGUAGE AND SYSTEM OF UNITS	5
5.0	LIGHTING SYSTEM	5
6.0	DESIGN SOFTWARE	8
7.0	LIGHTING CALCULATION – DETAIL REPORT	8



### عمومي و مشترك



شماره پیمان:

· 27 - · 77 - 9114

#### CALCULATION NOTE FOR LIGHTING SYSTEM OF WELL PADS AREA

پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه
BK	SSGRL	PEDCO	110	EL	CN	0004	D04

شماره صفحه: ۴ از ۸

#### 1.0 INTRODUCTION

Binak oilfield in Bushehr province is a part of the southern oilfields of Iran, is located 20 km northwest of Genaveh city.

With the aim of increasing production of oil from Binak oilfield, an EPC/EPD Project has been defined by NIOC/NISOC and awarded to Petro Iran Development Company (PEDCO). Also PEDCO (as General Contractor) has assigned the EPC-packages of the Project to "Hirgan Energy - Design and Inspection" JV.

#### **GENERAL DEFINITION**

The following terms shall be used in this document.

CLIENT: National Iranian South Oilfields Company (NISOC)

PROJECT: Binak Oilfield Development – General Facilities

EPD/EPC CONTRACTOR(GC) Petro Iran Development Company (PEDCO)

EPC CONTRACTOR: Joint Venture of : Hirgan Energy - Design &

Inspection(D&I) Companies

VENDOR: The firm or person who will fabricate the equipment or

material.

EXECUTOR: Executor is the party which carries out all or part of

construction and/or commissioning for the project.

THIRD PARTY INSPECTOR (TPI): The firm appointed by EPD/EPC CONTRACTOR(GC)

and approved by COMPANY (in writing) for the

inspection of goods.

SHALL: Is used where a provision is mandatory.

SHOULD: Is used where a provision is advisory only.

WILL: Is normally used in connection with the action by

CLIENT rather than by an EPC/EPD CONTRACTOR,

supplier or VENDOR.

MAY: Is used where a provision is completely discretionary.



# عمومي و مشترك



شماره پیمان:

· 27 - · 77 - 9114

پروژه	بسته کاری	صادر كننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه
BK	SSGRL	PEDCO	110	EL	CN	0004	D04

شماره صفحه: ۵ از ۸

#### 2.0 SCOPE

This specification describes the practices that shall be employed and the Standards that will be required to be met for the Area Lightings Illumination

#### 3.0 NORMATIVE REFERENCES

#### 3.1 CODES AND STANDARDS

 IPS-E-EL-100 Engineering Standard For Electrical System Design (Industrial And Non-Industrial)

#### 3.2 THE PROJECT REFERENCE DOCUMENTS

- BK-GNRAL-PEDCO-000-PR-DB-0001 Process Basis Of Design
- BK-GNRAL-PEDCO-000-EL-DC-0001 Electrical System Design Criteria
- BK-GNRAL-PEDCO-000-EL-SP-0007 Specification For Lighting & Small Power System
- BK-W046S-PEDCO-110-PI-DW-0001 Plot Plan Drawing W046S

BK-W007S-PEDCO-110-PI-PY-0002 Plot Plan Drawing - W007S

BK-BK14-PEDCO-110-PI-PY-0001 Plot Plan Drawing – BK14

BK-BK12-PEDCO-110-PI-PY-0001 Plot Plan Drawing – BK12

BK-BK15-PEDCO-110-PI-PY-0001 Plot Plan Drawing – BK15

• BK-BK05-PEDCO-110-PI-PY-0001 Plot Plan Drawing – BK05

BK-W046S-PEDCO-110-SA-PY-0001 Hazardous Area Classification W046S

#### 4.0 LANGUAGE AND SYSTEM OF UNITS

All documentation, drawings, data, etc. furnished by the manufacturer shall be in English. SI metric system of measurement shall be used except for pipe and pipe fitting sizes, flange ratings and nozzle dimensions in which inch will be used.

#### 5.0 LIGHTING SYSTEM

The lighting system will provide a uniform and adequate light distribution in all working areas, the minimum average illumination levels will be as per IPS-E-EL-100(1). Major areas indicated in the below table:





# عمومی و مشترک



شماره پیمان:

CALCULATION NOTE FOR LIGHTING SYSTEM OF WELL PADS AREA

1118 - 77. - 7A.

پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه
BK	SSGRL	PEDCO	110	EL	CN	0004	D04

شماره صفحه: ۶ از ۸

#### TABLE 15 - ILLUMINANCES LEVELS

AREA OR ACTIVITY	MINIMUM ILLUMINANCE LUX	ELEVATION MILLIMETER
I PROCESS AREAS		
A) General process units Pump rows, valves, manifolds Heat exchangers Maintenance platforms Operating platforms Cooling towers (equipment areas) Furnaces Ladders and stairs (inactive) Ladders and stairs (active) Gage glasses Instruments (on process units)	50 30 10 50 50 30 30 50 50	Ground Ground Floor Floor Ground Floor Floor Floor Eye level
Compressor houses	50	Eye level
Separators General area	200 50 10	Floor Top of bay Ground
B) Control rooms and houses Ordinary control house		
Instrument panel	300	Floor
Console Back of panel	300 300	1700 760
Central control house	100	760
Instrument Back of pane	500 500 100	Floor 1700 900
C) Specialty process units Conveyors		
Conveyor transfer points	20 50	Surface Surface
II NONPROCESS AREA	30	Surface
A) Loading, unloading, and cooling water pump houses, Pump area	50	
General control area Control panel	50 150	Ground Floor
B) Boiler and air compressor plants	200	1100
Outdoor equipment 50	200 50	Floor Ground
C) Tank fields (where lighting is required) Ladders and stairs		Ground
Gating area	5	Floor
Manifold area	10 5	Ground Floor
D) Loading racks		
General area Tank car	50	Floor
Tank trucks, loading point	100 100	Point Point
E) Tanker dock facilities		



# عمومی و مشترک



شماره پیمان:

1118 - 77. - 7A.

#### CALCULATION NOTE FOR LIGHTING SYSTEM OF WELL PADS AREA

پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه
BK	SSGRL	PEDCO	110	EL	CN	0004	D04

شماره صفحه: ۷ از ۸

F) Electrical substations and switch yards Outdoor switch yards		
General substation (outdoor)	20	Ground
Substation operating aisles	20	Ground
General substation (indoor)	150	Floor
Switch racks	50	Floor
	50	1200
G) Plant road lighting (where lighting is		
required)		
Frequent use (trucking)		
Infrequent use	4	Ground
	2	Ground
H) Plant parking lots		
	1	Ground
Aircraft obstruction lighting		

III Buildings		
A) Offices		
A) Offices	500	
B) Laboratories	300	
Qualitative, quantitative and physical test		
Research, experimental	500	900
Pilot plant, process and specialty	500	900
Glassware, washrooms	300	Floor
Fume hoods	300	900
Stock rooms	300	900
Clock rooms	150	Floor
C) Warehouses and stock rooms		
Indoor bulk storage		
Outdoor bulk storage	50	Floor
Large bin storage	5	Ground
Small bin storage	50	760
Small parts storage	100	760
Counter tops	200	760
334	300	1200
D) Repair shop		
Large fabrication		
Bench and machine work	200	Floor
Crane way, aisles	500	760
Small machine	150	Floor
Sheet metal	300	760
Electrical	200	760
Instrument	200	760
	300	760
E) Change housed		
Locker room, shower		
Lavatory	100	Floor
	100	Floor
F) Clock house and entrance gatehouse		
Card rack and clock area		
Entrance gate, inspection	100	Floor
General	150	Floor
	50	Floor



### عمومي و مشترك



شماره پیمان:

CALCULATION NOTE FOR LIGHTING SYSTEM OF WELL PADS AREA

. 22 - . 12 - . 17 - .

پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه
BK	SSGRL	PEDCO	110	EL	CN	0004	D04

شماره صفحه: ۸ از ۸

		1 1001
G) Cafeteria		
Eating	300	760
Serving area	300	900
Food preparation	300	900
General, halls, etc.	100	Floor
H) Garage and firehouse		
Storage and minor repairs	100	Floor
I) First aid roomed	700	760

Comparison of Lighting Between Standard & Calculation (LUX)						
					Calculation (Av) With 6 LED 200 W	
1	General Area	10	10	14	13	

According to above table there is not more different between 4 metal halid & 6 metal halid & 6 LED in lux. Therefore according to basic document, 4 metal halid in each lattice 15 m tower will be considered in layout.

#### 6.0 DESIGN SOFTWARE

Calculation is performed with version 4.13 of DIALUX Software.

### 7.0 LIGHTING CALCULATION – DETAIL REPORT

DIALUX report has been attached in "Attachment"