

مرکت قدم توایات HIRGAN ENERGY

عمومي و مشترك

شماره پیمان:

SPECIFICATION FOR FITTINGS, FLANGES, GASKETS AND BOLTS

.04 - . 74 - 9184

پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرک	سريال	نسخه
BK	GNRAL	PEDCO	000	PI	SP	0005	D02

شماره صفحه: ۱ از ۸

طرح نگهداشت و افزایش تولید ۲۷ مخزن

SPECIFICATION FOR FITTINGS, FLANGES, GASKETS AND BOLTS

نگهداشت و افزایش تولید میدان نفتی بینک

Class: 2		COMPANY Doc Number:				
Rev.	Date	Purpose of Issue/Status	Prepared by:	Checked by:	Approved by:	COMPANY Approval
D00	JUL. 2021	IFC	M.Asgharnejad	M.Fakharian	Sh.Ghalikar	
D01	SEP. 2021	IFA	H.Shahrokhi	M.Fakharian	Sh.Ghalikar	
D02	NOV. 2021	AFD	H.Shahrokhi	M.Fakharian	M.Mehrshad	

Status:

IDC: Inter-Discipline Check
IFC: Issued For Comment
IFA: Issued For Approval
AFD: Approved For Design
AFC: Approved For Construction
AFP: Approved For Purchase
AFQ: Approved For Quotation
IFI: Issued For Information

AB-R: As-Built for COMPANY Review

AB-A: As-Built -Approved



عمومی و مشترک



شماره پیمان:

SPECIFICATION FOR FITTINGS, FLANGES, GASKETS AND BOLTS

· ۵۳ - · ۷۳ - 9 1 1 4 F

پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه
BK	GNRAL	PEDCO	000	PI	SP	0005	D02

شماره صفحه: ۲ از ۸

REVISION RECORD SHEET

PAGE	D00	D01	D02	D03	D04
1	Х	Х	Χ		
2	X	X X X X X	X		
3	X	X			
4	X	X	Х		
5	X	X	X		
6	X	X			
7		Х	X		
8		X	Х		
9					
10					
12					
13					
14					
15					
16					
17					
<u> 18</u>	1		1	1	1
<u>19</u>	1				-
20	 				
21	 				
22 23	1			-	
24 25					
25 26					
<u>27</u> 28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41					
42					
43					
44					
45					
46					
47					
48					
49					
50					
51					
52					
53	ļ				
54					
55					
56	ļ				
57	ļ				
58	ļ				
59	ļ				
60					
61	<u> </u>				
62	<u> </u>				
63	ļ				
64	<u> </u>				
65	1	l			1

PAGE	D00	D01	D02	D03	D04
66					
67 68					
69					
70					
<u>71</u>					
72 73					
73 74					
75					
76					
<u>77</u>					
<u>78</u> 79					
80					
81					
82					
83					
84 85					
86					
87					
88					
89					
90					
91 92					
93					
94					
95					
96					
97					-
98 99					
100					
101					
102					
103					
104 105					
106					
107					
108					
109	1				-
110	1		1		1
111 112					
113					
114					
115	<u> </u>		 		-
116	1		 		-
117 118	 		1		
119					
120					
121					1
122	1		 		-
123	1		1		1
124 125	1				
126					
127					
128					
129			 		
130	1	l	1		



HIRGAN FINERGY

عمومی و مشترک

شماره پیمان:

SPECIFICATION FOR FITTINGS, FLANGES, GASKETS AND BOLTS

· ۵۳ - · ۷۳ - 9118

پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرک	سريال	نسخه
BK	GNRAL	PEDCO	000	PI	SP	0005	D02

شماره صفحه: ۳ از ۸

CONTENTS

1.0	INTRODUCTION	4
2.0	SCOPE	4
3.0	NORMATIVE REFERENCES	4
4.0	ADDENDUM / MODIFICATION TO IPS	8



عمومي و مشترك



شماره پیمان:

SPECIFICATION FOR FITTINGS, FLANGES, GASKETS AND BOLTS

نسخه سریال نوع مدرک رشته تسهیلات صادر کننده بسته کاری پروژه BK GNRAL PEDCO 000 PI SP 0005 D02 شماره صفحه: ۴ از ۸

1.0 INTRODUCTION

Binak oilfield in Bushehr province is a part of the southern oilfields of Iran, is located 20 km northwest of Genaveh city.

With the aim of increasing production of oil from Binak oilfield, an EPC/EPD Project has been defined by NIOC/NISOC and awarded to Petro Iran Development Company (PEDCO). Also PEDCO (as General Contractor) has assigned the EPC-packages of the Project to "Hirgan Energy - Design and Inspection" JV.

GENERAL DEFINITION

The following terms shall be used in this document.

CLIENT: National Iranian South Oilfields Company (NISOC)

PROJECT: Binak Oilfield Development – General Facilities

EPD/EPC CONTRACTOR (GC): Petro Iran Development Company (PEDCO)

EPC CONTRACTOR: Joint Venture of : Hirgan Energy - Design &

Inspection(D&I) Companies

VENDOR: The firm or person who will fabricate the equipment or

material.

EXECUTOR: Executor is the party which carries out all or part of

construction and/or commissioning for the project.

THIRD PARTY INSPECTOR (TPI): The firm appointed by EPD/EPC CONTRACTOR (GC) and

approved by CLIENT (in writing) for the inspection of goods.

SHALL: Is used where a provision is mandatory.

SHOULD: Is used where a provision is advisory only.

WILL: Is normally used in connection with the action by

CLIENT rather than by an EPC/EPD CONTRACTOR,

supplier or VENDOR.

MAY: Is used where a provision is completely discretionary.

2.0 SCOPE

This specification gives amendment and supplement IPS-M-PI-150(2), Material Standard for Flanges and Fittings "for shop the design, manufacturing and testing of steel flanges, metallic & nonmetallic gasket and bolts intended for BINK manifold Extension and compressor stations.

3.0 NORMATIVE REFERENCES

The latest edition and addenda of the following industrial Codes & Standards are the main



عمومی و مشترک



شماره پیمان:

۹۱۸۴ - ۲۷۰ - ۹۱۸۴

SPECIFICATION FOR FITT	INGS, FLANGES,	GASKETS A	AND BOLTS

 نسخه
 سریال
 نوع مدر ک
 رشته
 تسهیلات
 صادر کننده
 بسته کاری
 پروژه

 BK
 GNRAL
 PEDCO
 000
 PI
 SP
 0005
 D02

شماره صفحه: ۵ از ۸

documents and shall be referenced in this specification.

3.1 LOCAL CODES AND STANDARDS

•	IPS-M-PI-150	Material Standard for Flanges and Fittings
•	IPS-E-PI-221	Engineering Standard for Piping Material Selection
•	IPS-D-PI-144	Insulated Flange Detail
•	IPS-M-TP-750/15	Specification for Flange Insulation Kit

3.2 INTERNATIONAL CODES AND STANDARDS

ASTM A105

•	ASME B1.1	Unified Inch Screw Threads
•	ASME B1.20.1	Pipe Threads, General Purpose
•	ASME B18.2.1	Square & Hex Bolts and Screws
•	ASME B18.2.2	Square & Hex Nuts
•	ASME B16.20	Ring Joint Gaskets and Grooves for Steel Pipe Flange
•	ASME B31.3	Process Piping
•	ASME B16.5	Pipe Flanges and Flanged Fittings
•	ASME B16.47	Large Diameter Steel Flanges
•	ASME B36.10M	Welded and seamless Wrought Steel Pipe
•	ASME B36.19M	Stainless Steel Pipe
•	ASME B16.9	Factory Made Wrought Steel Butt welding Fittings
•	ASME B16.11	Forged Fittings, Socket-Welding and Threaded
•	ASME B16.49	Factory-Made Wrought Steel Butt welding Induction
•	ASTM A 193	Alloy Steel and Stainless Steel Bolting for High Temp
•	ASTM A 194	Carbon and Alloy Steel Nuts for Bolts for High Pressure And High Temperature Service
•	ASTM A 320	Standard Specification for Alloy/Steel Bolting Materials for Low- Temperature Service
•	ASTM A370	Standard Methods and Definitions for Mechanical Testing of Products
		 ASME B1.20.1 ASME B18.2.1 ASME B18.2.2 ASME B16.20 ASME B31.3 ASME B16.5 ASME B16.47 ASME B36.10M ASME B36.19M ASME B16.9 ASME B16.11 ASME B16.49 ASTM A 193 ASTM A 194 ASTM A 320

Components

Specification for Forging, Carbon Steel, for Piping



عمومي و مشترك



شماره پیمان:

SPECIFICATION FOR FITTINGS, FLANGES, GASKETS AND BOLTS

.04 - . 14 - 9114

پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرک	سريال	نسخه
BK	GNRAL	PEDCO	000	PI	SP	0005	D02

شماره صفحه: ۶ از ۸

•	ASTM A182	Forged or Rolled Alloy-Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High Temperature Service
•	ASTM A193/A193M	Standard Specification for Alloy-Steel and Stainless Steel Bolting Materials for High-Temperature Service
•	ASTM A194/A194M	Standard Specification for Carbon and Alloy Steel Nuts for Bolts for High Pressure or High Temperature Service, or Both
•	ASTM A694	Standard Specification for Carbon and Alloy Steel Forgings for Pipe Flanges, Fittings, Valves and Parts for High-Pressure Transmission Services
•	ASTM A860	Standard Specification for Wrought High-Strength Ferritic Steel Butt-Welding Fittings
•	ASTM A420	Standard Specification for Piping Fittings of Wrought Carbon and Alloy Steel for Low-Temperature Service
•	ASTM A403	Standard Specification for Wrought Austenitic Stainless Steel Fittings
•	API Spec.5L	Specification for Line Pipe
•	API 601	Metallic Gaskets for Raised Face Flanges
•	MSS-SP-6	Standard Finishes for Contact Faces of Pipe Flanges and Connecting-End Flanges of Valves and Fittings
•	MSS-SP-25	Standard Marking Systems for Valves, Fittings, Flanges and Unions
•	MSS-SP-43	Wrought Stainless Steel But-Welding Fittings
•	MSS-SP-44	Steel Pipeline Flanges
•	MSS-SP-53	Quality Standards for Steel Castings and Forgings for Valves, Flanges and Fittings and Other Components Magnetic Particle Examination Methods
•	MSS-SP-75	Specification for High Test Wrought Welding Fittings
•	EN 10204	Metallic Products – Types of Inspection Documents
•	NACE TM-0177	Laboratory Testing of Metals for Resistance to Sulfide Stress Cracking and Stress Corrosion Cracking in H2S



عمومي و مشترك



شماره پیمان:

SPECIFICATION FOR FITTINGS, FLANGES, GASKETS AND BOLTS

.04 - .74 - 9114

پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه
BK	GNRAL	PEDCO	000	PI	SP	0005	D02

شماره صفحه: ۷ از ۸

Environments

NACE MR0175/ISO15156

Petroleum and natural gas industries-Materials for use in H2S-containing environments in oil and gas production parts 1, 2 and 3

3.3 THE PROJECT DOCUMENTS

•	BK-GNRAL-PEDCO-000-PI-DC-0001	Piping Design Criteria
•	BK-GCS-PEDCO-120-PI-SP-0001	Piping Material Specification
•	BK-SSGRL-PEDCO-110-PI-SP-0001	Piping Material Specification
•	BK-GNRAL-PEDCO-000-PI-SP-0001	Specification For Color Coding and Marking
•	BK-GNRAL-PEDCO-000-PI-SP-0018	Specification For HDPE Pipes
•	BK-GNRAL-PEDCO-000-PI-SP-0004	Specification For Metallic Pipes
•	BK-GNRAL-PEDCO-000-PI-SP-0006	Specification For Painting



3.4 ENVIRONMENTAL DATA

Refer to "Process Basis of Design; Doc. No. BK-GNRAL-PEDCO-000-PR-DB-0001".

3.5 ORDER OF PRECEDENCE



In case of conflict between requirements specified herein & the requirements of any other referenced document, the most approved stringent requirements of below listed items shall be considered based on the approval given by the owner's representative:

- Purchase order
- Material Requisition
- MTO & Data Sheet
- This Specification
- Drawing & Other Specification
- Reference Project Specification
- Iranian Petroleum Standard (IPS)
- Reference international Code & Standards

When the term "Authorized", Authorization", "Approval", or "Approved" are used in this specification, it shall mean authorization or Approval from CLIENT.

In case of any conflict between the project documents, the most stringent one shall be considered.



عمومي و مشترك



شماره پیمان:

.04 - .14 - 9114

SPECIFICATION FOR FITTINGS, FLANGES, GASKETS AND BOLTS								
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرک	سريال	نسخه	
BK	GNRAL	PEDCO	000	PI	SP	0005	D02	

شماره صفحه: ۸ از ۸

4.0 ADDENDUM / MODIFICATION TO IPS

MODIFICATION TO IPS-M-PI-150

This specification is based on the latest edition of IPS-M-PI-150 "Material Standard for Flanges and Fittings" with modification as follow:

4.1 INSPECTION (ADDED TO CLAUSE 7 IN IPS-M-PI-150)

- 4.1.1 For all the Flanges and Fittings the certification documents shall be in accordance with the EN 10204.3.1 B.
- 4.1.2 Repair by welding shall be prohibited on the parent metal of Flanges.
- 4.1.3 The bolting having a defect due to the design, the material or the fabrication under the vendor's responsibility shall not be accepted.

4.2 IDENTIFICATION (MODIFIED TO CLAUSE 9 IN IPS-M-PI-150)

4.2.1 All flanges and fittings shall be identified by marking with color marks and code numbers as per Specification for Painting.

4.3 BOLTS AND NUTS (ADDED AT THE END OF IPS-M-PI-150)

- 4.2.1 The specification of the bolting material shall conform to the MR for stud bolt & nuts and also PMS
- 4.2.2 In order to appreciate the effects on the mechanical characteristics of these steels, the basic product used for manufacture will be checked after any hot forming operation and any stress relieving heat treatment after cold forming.
- 4.2.3 UNC thread for elements with diameter 1 inch and smaller.
- 4.2.4 UN8 thread for elements with diameter 11/8 inch and larger.
- 4.2.5 Length of bolts and stud bolts as well as tolerances of fabrication shall conform to the requirements of the ASME B16.5 standard appendix F, and the ASME B16.47 series "A" standard appendix C / MSS SP-44.
- 4.2.6 Only heavy hexagonal nuts series shall be used.



4.2.7 Stud bolts shall be manufactured from ASTM A193 GR.B7 / B7M, A320 GR. L7 and A193 GR.B8M. Nuts shall be to ASTM A194, Grade 2H, 4 and 8M. Stud bolt and nuts shall be according to ASME B 1.1, ASME B 18.2.1 and ASME B 18.2.2.