



## احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک

شماره پیمان:
053 - 073 - 9184

PMR FOR ROTAMETER									
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه		
BK	GCS	PEDCO	120	IN	MR	0019	D01		

شماره صفحه: 1 از 18

# طرح نگهداشت و افزایش تولید 27 مخزن

### PMR FOR ROTAMETER

نگهداشت و افزایش تولید میدان نفتی بینک

D01	SEP. 2023	FI	P.Hajisadeghi	M.Fakharian	A.M.Mohseni	
D00	JUN. 2023	IFI	P.Hajisadeghi	M.Fakharian	A.M.Mohseni	
Rev.	Date	Purpose of Issue/Status	Prepared by:	Checked by:	Approved by:	CLIENT Approval
			•			•

Class: 3 CLIENT Doc. Number: F0Z-709301

#### Status:

IDC: Inter-Discipline Check
IFC: Issued For Comment
IFA: Issued For Approval
AFD: Approved For Design
AFC: Approved For Construction
AFP: Approved For Purchase
AFQ: Approved For Quotation
IFI: Issued For Information
AB-R: As-Built for CLIENT Review
AB-A: As-Built – Approved



## احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



شماره پیمان:			PMR FOR ROTAMETER				
053 - 073 – 9184	پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	ع مدر ک	
000 070 0104	BK	GCS	PEDCO	120	IN	MR	

شماره صفحه: 2 از 18

#### **REVISION RECORD SHEET**

AGE	D00	D01	D02	D03	D04
1	X	Χ			
2	X	Χ			
3	X				
4	X				
5	Х				
6	Х	Χ			
7	Х				
8	X				
9	X				
10	X	Х			
11	X	- ^ -			
12					
13	X				
	X				
14	X				
15	X				
16	X				
17	X				
18	X				
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41					
42					
43					
44					<b> </b>
45 46					
46					-
47					-
48					
49					
50					
51					
52					
53					
54					
55					
56					
57					
58					
					<b> </b>
59					-
60					-
61					
62					
63					
64					
65				1	i —

PAGE	D00	D01	D02	D03	D04
66					
67					
68					
69					
70					
71 72					
73					
74					
75					
76					
77					
78					
79					
80					
81					
82					
83					
84			ļ		
85					
86					
87					
88			-		
89					
90 91					
92					
93					
94					
95					
96					
97					
98					
99					
100					
101					
102					
103					
104					
105					
106 107					
108 109					
110					
111					
112					
113					
114					
115					
116					
117					
118					
119					
120			<del>                                     </del>		
121					
122			-		
123 124					
125			<b> </b>		
125			1		
127					
128					
129			1		
130					

سريال

0019

نسخه

D01





# احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک

شماره پیمان:			
053 - 073 - 9184	پروژه	بسته کاری	نده
000 070 0101			

PMR FOR ROTAMETER									
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرک	سريال	نسخه		
BK	GCS	PEDCO	120	IN	MR	0019	D01		

شماره صفحه: 3 از 18

### **CONTENTS**

1.0	INTRODUCTION4
2.0	GENERAL 4
3.0	REFERENCE / ATTACHED DOCUMENTS
4.0	SUBJECT OF THE SUPPLY5
5.0	LIMITS OF SUPPLY6
5.1	SCOPE OF SUPPLY6
5.1.1	MAIN DESCRIPTION6
5.1.2	Spare parts
5.1.3	Other items
5.2	EXCLUSIONS7
5.3	BATTERY LIMITS8
6.0	INSPECTION AND TESTS8
7.0	VENDOR DOCUMENTATION REQUIREMENTS & SCHEDULE8
8.0	UNIT RESPONSIBILITY8
9.0	GUARANTEE AND WARRANTY9
10.0	DEVIATION9
11.0	PRICE BREAKDOWN10
ATTAC	CHMENT 111
ATTAC	CHMENT 213
ATTAC	CHMENT 3
۸۳۳۸۲	CHMENT 4



### احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



								L
	PMR F	OR ROT	AMET	ER				
دسته کاد	صادر کننده	تسميلات	47.01	ندع مدرک	flss	43i	18 31 4	، صفحه: 4

شماره پیمان: 9184 – 073 - 550

 PWR FOR ROTAMETER

 نسخه سریال نوع مدرک رشته تسهیلات صادر کننده بسته کاری پروژه BK GCS PEDCO 120 IN MR 0019 D01

#### 1.0 INTRODUCTION

Binak oilfield in Bushehr province is a part of the southern oilfields of Iran, is located 20 km northwest of Genaveh city .

With the aim of increasing production of oil from Binak oilfield, an EPC/EPD Project has been defined by NIOC/NISOC and awarded to Petro Iran Development Company (PEDCO). Also PEDCO (as General Contractor) has assigned the EPC-packages of the Project to "Hirgan Energy - Design and Inspection" JV.

As a part of the Project, a New Gas Compressor Station (adjacent to existing Binak GCS) shall be constructed to gather of 15 MMSCFD (approx.) associated gases and compress & transfer them to Siahmakan GIS.

#### **GENERAL DEFINITION**

The following terms shall be used in this document.

CLIENT: National Iranian South Oilfields Company (NISOC)

PROJECT: Binak Oilfield Development – Surface Facilities; New

Gas Compressor Station

EPD/EPC CONTRACTOR (GC): Petro Iran Development Company (PEDCO)

EPC CONTRACTOR: Joint Venture of: Hirgan Energy – Design & Inspection

(D&I) Companies

VENDOR: The firm or person who will fabricate the equipment or

material.

EXECUTOR: Executor is the party which carries out all or part of

construction and/or commissioning for the project.

THIRD PARTY INSPECTOR (TPI): The firm appointed by EPD/EPC CONTRACTOR (GC)

and approved by CLIENT (in writing) for the inspection

of goods.

SHALL: Is used where a provision is mandatory.

SHOULD: Is used where a provision is advisory only.

WILL: Is normally used in connection with the action by

CLIENT rather than by an EPC/EPD CONTRACTOR,

vendor or VENDOR.

MAY: Is used where a provision is completely discretionary.

#### 2.0 GENERAL

- This document presents the item material requisitions for Contractor's use as appropriate.
- This material requisition covers the requirements for the design, manufacturing, testing and supply rotameter as listed in section 5.



## احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



ماره پیمان:	شد
053 - 073 - 9184	

PMR FOR ROTAMETER									
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرک	سريال	نسخه		
BK	GCS	PEDCO	120	IN	MR	0019	D01		

شماره صفحه: 5 از 18

 All equipment/devices/items shall conform to this requisition and all specifications which have been mentioned in attachment 1 of this material requisition.

#### 3.0 REFERENCE / ATTACHED DOCUMENTS

- **a.** Specified documents in attachment 1 shall be considered as a part of this material Requisition.
- **b.** All codes and standards which have been referenced in above mentioned specs shall be considered.
- **c.** In case of any conflict between the contents of this document or any discrepancy between this document and other project documents or reference standards, this issue must be reported to the CLIENT. The final decision in this situation will be made by CLIENT.
- d. Deviations

Any exceptions/clarifications to codes/standards and specifications listed in attachment 1 must be clearly stated in a separate dedicated section of the proposal in the format submitted in attachment 3.

The proposed deviations/comments list shall include as minimum:

- Reference for the involved specification, chapter and paragraph.
- Technical justification for the non-compliance.
- Detailed description of the proposed alternative.

If no exceptions or clarifications exist, either for the complete referenced document or an individual paragraph, the vendor shall be considered to be in full compliance with the relevant document.

The vendor may propose materials of equivalent or better quality compared to those indicated in the equipment data sheet. Even these cases shall be duly included/technically supported in the deviations/clarifications list.

#### 4.0 SUBJECT OF THE SUPPLY

The vendor shall supply rotameter. The scope of supply is detailed at part. 5. The vendor shall include in the supply, all other equipment/devices/items not listed in the following, but necessary for a good design and a safe operation, taking into account process data and installation conditions such as area classification and climatic conditions.

The grade of shop assembly of the equipment/devices/items supplied shall be at maximum extent to facilitate site erection and pre-commissioning activities.



## احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



18	11	ماده صفحه: 6

شماره پیمان: 9184 – 073 - 053

PMR FOR ROTAMETER									
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه		
BK	GCS	PEDCO	120	IN	MR	0019	D01		

#### 5.0 LIMITS OF SUPPLY

#### 5.1 SCOPE OF SUPPLY

#### 5.1.1 MAIN DESCRIPTION

The scope of supply includes 12 Nos. Rotameter. Main feature are as below:

- Rotameter 1" #300, Metal Tube Type

Detail of supply is listed below:

<u>/_</u>	D01	<u> </u>

No.	Item	Description	Total QTY.
1	FG-2101	Rotameter, Metal Tube, 1" #300 As per Data Sheets For Level- Switch Doc. No.:" BK-GCS-PEDCO-120-IN-DT-0018"	1
2	FG-2102	Rotameter, Metal Tube, 1" #300-As per Data Sheets For Level Switch Doc. No.:" BK-GCS-PEDCO-120-IN-DT-0018"	1
3	FG-2111	Rotameter, Metal Tube, 1" #300—As per Data Sheets For Level Switch Doc. No.:" BK-GCS-PEDCO-120-IN-DT-0018"	1
4	FG-2132A	Rotameter, Metal Tube, 1" #300—As per Data Sheets For Level Switch Doc. No.:" BK-GCS-PEDCO-120-IN-DT-0018"	1
5	FG-2132B	Rotameter, Metal Tube, 1" #300-As per Data Sheets For Level Switch Doc. No.:" BK-GCS-PEDCO-120-IN-DT-0018"	1
6	FG-2132C	Rotameter, Metal Tube, 1" #300—As per Data Sheets For Level Switch Doc. No.:" BK-GCS-PEDCO-120-IN-DT-0018"	1
7	FG-2142	Rotameter, Metal Tube, 1" #300—As per Data Sheets For Level Switch Doc. No.:" BK-GCS-PEDCO-120-IN-DT-0018"	1
8	FG-2141	Rotameter, Metal Tube, 1" #300-As per Data Sheets For Level Switch Doc. No.:" BK-GCS-PEDCO-120-IN-DT-0018"	1
9	FG-2151	Rotameter, Metal Tube, 1" #300—As per Data Sheets For Level Switch Doc. No.:" BK-GCS-PEDCO-120-IN-DT-0018"	1
10	FG-2272	Rotameter, Metal Tube, 1" #300—As per Data Sheets For Level Switch Doc. No.:" BK-GCS-PEDCO-120-IN-DT-0018"	1
11	FG-2271	Rotameter, Metal Tube, 1" #300-As per Data Sheets For Level Switch Doc. No.:" BK-GCS-PEDCO-120-IN-DT-0018"	1
12	FG-2301	Rotameter, Metal Tube, 1" #300—As per Data Sheets For Level Switch Doc. No.:" BK-GCS-PEDCO-120-IN-DT-0018"	1

The vendor shall assume overall responsibility for the design, manufacture, assembly, test and performance of all equipment/devices/items supplied as indicated in this requisition. This shall include, but not be limited to:

- Resolve engineering issues relating to equipment/devices/items within the scope of supply.
- Provide detailed design and documentation of all equipment/devices/items and components within the scope of supply in accordance with attachment 2 of this document.



## احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



شماره پیمان:	PMR FOR ROTAMETER							
053 - 073 – 9184	پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه
000 070 0104	BK	GCS	PEDCO	120	IN	MR	0019	D01

شماره صفحه: 7 از 18

- Provide all necessary information documents in order to allow the contractor to erect, install and verify the proposed equipment/devices/items.
- Implement a quality assurance plan
- The quality plan applied to the scope of supply shall include:
  - QA/QC Organization Chart and procedures that shall be submitted for approval.
  - Plan for HOLD points in the production process proposed to CLIENT for witness or approval particular activities.
  - Production schedule indicating main quality manufacturing processes, inspection and tests
  - Qualification of all personnel performing tests to be reviewed by the inspector
  - Vendor shall also provide the description of the following quality activities:
    - Sub vendors products quality
    - Quality check and identification of the materials and equipment entering in their manufacturing shop.
- Calibration of test instruments and equipment
- · Provide detailed specifications and data sheets.

#### 5.1.2 SPARE PARTS

- The Vendor shall provide certain quantities of consumable for the installation, precommissioning, commissioning, start-up and up to the end of the guarantee period.
- The quantities shall be estimated by Vendor and shall be based upon the Vendor's experience. The following two periods shall be taken into account:
  - Pre-commissioning and commissioning period where the consumption of consumable is greater
  - Normal use of the System
- The VENDOR shall provide lists of recommended spare parts, which shall include the
  original part numbers with prices for commissioning, start-up and two years operation. All
  spare parts shall be identified individually.
- Spare parts for commissioning and start-up; a qualified and complete list based on PROJECT SPARE PART SUPPLY PROCEDURE (Doc. No. E&C-QC-SP-1).
- Spare parts for two years operation; a qualified and complete list based on PROJECT SPARE PART SUPPLY PROCEDURE (Doc. No. E&C-QC-SP-1).
  - The VENDOR shall be able to provide spares back up and support for the plant life of at least 20 years.
  - SPIR form shall be approved by CLIENT prior to procurement.

#### 5.1.3 OTHER ITEMS

No Other Items.

#### 5.2 EXCLUSIONS

No exclusion is applicable.



### احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



: (	شماره پیمان	
053 - 073 - 9	9184	

PMR FOR ROTAMETER									
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه		
BK	GCS	PEDCO	120	IN	MR	0019	D01		

شماره صفحه: 8 از 18

#### 5.3 BATTERY LIMITS

No battery limit is applicable.

#### 6.0 INSPECTION AND TESTS

The equipment shall be inspected and tested in accordance with the Inspection &Test plan (ITP) issued by the vendor and approved by the CLIENT/EPC CONTRACTOR before the award of the order. The Inspection & Test plan (ITP) shall be at least according to the Commodity Procurement and Manufacturing Inspection Instruction (Docs .Nos. ICE-EID-MI-SP01-Rev01), Inspection Level of Commodity and Equipment (Docs .Nos. ICE-EID-MI-SP02-Rev01) and Data Sheets. The vendor shall in any case conduct all the tests required by contractual documents, specifications, codes and standards, manufacturer standard quality system and keep the relevant documentation. All required manufacturing and function test/inspection also Factory Acceptance Test /Site Acceptance Test and Quality Assurance requirements shall be considered in vendor responsibility as per project specification.

#### 7.0 VENDOR DOCUMENTATION REQUIREMENTS & SCHEDULE

- Vendor document shall be according to attachment 2 of this document.
- All documents, preliminary or final, are to be stamped and signed by the vendor.
- Failure in dispatch of the required documents shall cause the supply to be considered as unfulfilled.
- PURCHASER's approval does not relieve vendor, in any way, from his obligation to fulfill the requirements of the purchase order documents.
- All vendor drawings and documents shall be in English language.

All drawings and documents are to be identified as per clause 1 "GENERAL DEFINITION"

#### 8.0 UNIT RESPONSIBILITY

VENDOR shall be responsible for the design, engineering, co-ordination, supply, delivery, testing, final check-out and satisfactory operation of the equipment/devices/items. The engineering coordination also includes responsibility for handing and expediting drawings.

Also VENDOR shall be responsible for ensuring that all relevant information and documentation is passed on the sub-vendors.



## احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



شماره پیمان: 9184 – 073 - 550

	PMR FOR ROTAMETER									
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه			
BK	GCS	PEDCO	120	IN	MR	0019	D01			

شماره صفحه: 9 از 18

#### 9.0 GUARANTEE AND WARRANTY

All material and Equipment/Devices/Items in VENDOR's scope of work/supply shall be guaranteed by VENDOR.

The guarantee period shall be eighteen (18) months from the date of delivery or twelve (12) months from the installation date of each equipment/packages at site

VENDOR shall guarantee the performance of supplied items.

VENDOR shall guarantee that the Equipment/Device/Item is suitable for the operating conditions herein specified, and that all materials and components are free from any defects; verifications of all calculations are in VENDOR's responsibility.

VENDOR shall unconditionally guarantee the materials and workmanship of all material and/or services. If, within the guarantee period, any defects occur which are due to faulty material and/or services included in his scope (design, manufacturing, inspection, testing, supply & etc.), VENDOR shall, at his own expense, repair or adjust the condition, or replace the material and/or services to the complete satisfaction of CLIENT's representative. These repairs, replacement or adjustments shall be made only at such time as will be least detrimental to the operation of the CLIENT's business.

VENDOR warrants promptly repairing or replacing the defective parts in the warranty period.

Vendor shall ensure a correct and safe operation of the unit, providing all safety protection Devices.

Vendor shall be responsible for the safe, reliable, continuous functioning of the Equipment/Devices/Items.

VENDOR is fully responsible for the design of package for correct and safe operation based on project requirement during package life time; therefore, VENDOR shall specify any documents/specifications which may be required for design, manufacture and finalizing of Equipment/Devices/Items to avoid any problems during the package operation at site before P.O; otherwise, VENDOR shall be hold responsible for any corresponding deviation from expectations from the Equipment/Devices/Items.

#### 10.0 DEVIATION

VENDOR's proposal shall be prepared in strict compliance with the requirements set forth in the relevant specifications of tender documents.



## احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



ن:	شماره پیما
053 - 073 - 9	184

PMR FOR ROTAMETER										
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه			
BK	GCS	PEDCO	120	IN	MR	0019	D01			

شماره صفحه: 10 از 18

VENDOR shall include in his proposal the statement of compliance with the tender documents should VENDOR wish to submit exception to the requirements of tender documents. They shall be submitted for CLIENT's approval.

#### 11.0 PRICE BREAKDOWN

Breakdown price of following items shall be included in the proposal, as well as total price.

- 1) Material and Fabrication for each Section Separately
- 2) Pre-commissioning & commissioning spare parts (E&C-QC-SP-1)
- 3) 2 years operational spare parts (E&C-QC-SP-1)
- 4) Packing & transportation



# احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



شماره پیمان:	
053 - 073 - 9184	

PMR FOR ROTAMETER									
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه		
BK	GCS	PEDCO	120	IN	MR	0019	D01		

شماره صفحه: 11 از 18

### **ATTACHMENT 1**

## LIST OF REFERENCE / APPLICABLE DOCUMENTS



No.	Document No.	Document Title	Rev.
Instr	ument		
1.	BK-GNRAL-PEDCO-000-IN-SP-0010	General Specification for Instrumentation	D04
2.	BK-GCS-PEDCO-120-IN-DT-0018	Data Sheets For Rotameter	D02
3.	BK-SSGRL-PEDCO-110-IN-DC-0002	Instrument & Control System Design Criteria	D02
Pipir	ng		
1.	Piping Material Specification	BK-GCS-PEDCO-120-PI-SP-0001	D02
Proc	ess		
1.	BK-GNRAL-PEDCO-000-PR-DB-0001	Process Basis Of Design	D08
2.	BK-GCS-PEDCO-120-PR-PI-0002	P&ID - Gas Compression Inlet Gas Pipeline (Binak)	D06
3.	BK-GCS-PEDCO-120-PR-PI-0003	P&ID - Gas Compression Inlet Gas Pipeline (Golkhari)	D06
4.	BK-GCS-PEDCO-120-PR-PI-0005	P&ID - Gas Compression Inlet Knock Out Drum	D06
5.	BK-GCS-PEDCO-120-PR-PI-0011	P&ID - 2nd Stage Gas Compression Air Coolers	D06
6.	BK-GCS-PEDCO-120-PR-PI-0012	P&ID - 2nd Stage Gas Compression Discharge Drum	D06
7.	BK-GCS-PEDCO-120-PR-PI-0013	P&ID - Gas Compression Dehydration Package	D06
8.	BK-GCS-PEDCO-120-PR-PI-0022	P&ID - Fuel Gas System	D06
9.	BK-GCS-PEDCO-120-SA-PI-0001	P&ID - Fire Water Network	D04
Gene	eral		
1.	ICE-EID-MI-SP01-Rev01	دستورالعمل بازرسی، خرید و ساخت کالا دستورالعمل انتخاب سطح	D01
2.	ICE-EID-MI-SP02-Rev01	دستورالعمل انتخاب سطح	D01





# احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک

شماره پیمان: 9184 – 073 - 053

PMR FOR ROTAMETER										
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرک	سريال	نسخه			
BK	GCS	PEDCO	120	IN	MR	0019	D01			

شماره صفحه: 12 از 18

No.	Document No.	Document Title	Rev.
		بازرسی کالا و تجهیزات	
3.	E&C-QC-SP-1	دستورالعمل تامین قطعات یدکی راه اندازی وراهبری دو سالانه	D00
4.	BK-GNRAL-PEDCO-000-QC-PR-0022	Specification For Final Data Book (FDB) Requirements	D00
5.	BK-GNRAL-PEDCO-000-QC-PR-0045	Packing, Marking, Transportation Procedure	D00

<sup>\*\*</sup>NOTE: THE LATEST REVISION OF PROJECT DOCUMENT IN ATTACHMENT 1 TO BE CONSIDERED AS REFERENCE BY VENDOR.



# احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



شماره پیمان:
053 - 073 - 9184

	PMR FOR ROTAMETER										
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه				
BK	GCS	PEDCO	120	IN	MR	0019	D01				

شماره صفحه: 13 از 18

### **ATTACHMENT 2**

### 11.1 <u>VENDOR DOCUMENTS MIN. REQUIREMENT</u>

		With Bid	TIME SCHEDULE				
ġ.		With Bid	For R	eview	Final	Issue	
Item No.	Document	Copies No./Type (7)	Copies No./Type (1)	Solar days (2)	Copies No./Typ e (1)	Calenda r days (3)	
MANA	GEMENT	T					
01	Vendor Document Index and Schedule	4N	6C+E		6C+E		
02	Organization Brief	3N	6C+E				
03	Schedule Level 1, 2, 3 & 4 showing Engineering, Procurement, Fabrication, Inspection, Testing, and Delivery Plan.	4N	6C+E		6C+E		
04	Physically Progress Report (Every 2 Weeks))		6C+E				
05	Project Organization Chart	3N	6C+E				
06	Reference List	3N					
07	Vendor Catalogue	3N	6C+E				
QUALI	TY						
08	Quality Assurance Manual /Quality Management System Certificate (according to latest rev. of ISO)	4N			6C+E		
09	Preliminary Inspection and Test Plan	4N					
10	Inspection and Test Plan		6C+E		6C+E		
HSE							
11	HSE Procedure		6C+E		6C+E		
ENGIN	EERING						
12	Specifications/Data Sheets (Completed)	3N	6C+E		6C+E		
13	Dimensional Outlines	3N	6C+E		6C+E		
14	Mounting Details		6C+E		6C+E		
15	General Arrangement	3N	6C+E		6C+E		
16	Detailed Dimensions of Cut- Outs		6C+E		6C+E		



# احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک



شماره پیمان: 9184 – 073 - 053

PMR FOR ROTAMETER										
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه			
BK	GCS	PEDCO	120	IN	MR	0019	D01			

شماره صفحه: 14 از 18

		With Did	TIME SCHEDULE				
9		With Bid	For R	eview	Final Issue		
Item No.	Document	Copies No./Type (7)	Copies No./Type (1)	Solar days (2)	Copies No./Typ e (1)	Calenda r days (3)	
17	Termination details		6C+E		6C+E		
18	Parts/Material List	3N	6C+E		6C+E		
19	Technical Description and Relevant Catalogues	3N	6C+E		6C+E		
20	List of Deviations from the Specification and Data Sheets	3N	6C+E		6C+E		
PROC	UREMENT						
21	List of Sub-Vendors (table giving: part of equipment, tag no., sub-vendor reference)(5.1.3)	4N			6C+E		
22	Unpriced copy of sub-orders		6C+E				
23	Packing Spec. / Shipping Schedule	3N	6C+E		6C+E		
24	Weight List/ Shipping List	3N	6C+E		6C+E		
25	Mechanical & Performance Guarantees	3N	6C+E		6C+E		
TESTIN	NG						
26	Manufacturing, Test & Inspection Procedures	3N	6C+E		6C+E		
27	Performance & Functional Test Procedure		6C+E		6C+E		
28	Factory Acceptance Test (FAT) Procedure		6C+E		6C+E		
RECOI	RDS, REPORTS & CERTIFICATES						
29	Material Conformity Certificate		6C+E		6C+E		
30	Testing Authority Approval Certificate (if any)		6C+E		6C+E		
31	Hazardous Area Certificates.		6C+E		6C+E		
32	Ingress Protection Certificate		6C+E		6C+E		
33	Conformity Certificates (subvendor/equipment)		6C+E		6C+E		
33	Material Certificates Identification Diagram. (cross-reference material location; certificates for critical		6C+E		6C+E		



# احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک




شماره پیمان: 9184 – 073 - 553

PMR FOR ROTAMETER										
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه			
BK	GCS	PEDCO	120	IN	MR	0019	D01			

شماره صفحه: 15 از 18

		With Did	TIME SCHEDULE				
ġ		With Bid	For R	eview	Final Issue		
Item No.	Document	Copies No./Type (7)	Copies No./Type (1)	Solar days (2)	Copies No./Typ e (1)	Calenda r days (3)	
	components)						
34	Dimensional Control Reports		6C+E		6C+E		
35	Hardness Test Reports		6C+E		6C+E		
36	FAT Test Report / Certificates		6C+E		6C+E		
37	Performance Test Report / Certificates		6C+E		6C+E		
38	Calibration Curves of Control Equipment		6C+E		6C+E		
39	Calibration Test Certificates		6C+E		6C+E		
40	Test & Inspection Reports		6C+E		6C+E		
41	Non-Conformities Report		6C+E		6C+E		
INSTA	LLATION						
42	Sub-Assembly Documentation		6C+E		6C+E		
43	Sub-Assembly Drawings		6C+E		6C+E		
44	Erection/Installation Manual		6C+E		6C+E		
45	Name Plate Documents		6C+E		6C+E		
46	Handling, Transportation & Storage Instructions		6C+E		6C+E		
47	Unpacking & Inspection Instructions		6C+E				
48	Preliminary Packing List	4N					
49	Packing List		6C+E		6C+E		
OPER/	ATION & MAINTENANCE						
50	Operating Instructions		6C+E		6C+E		
51	Maintenance Instructions		6C+E		6C+E		
52	Commissioning & Start-up Manual		6C+E		6C+E		
53	List of Spare Parts Commissioning & Start-up	4N	6C+E		6C+E		
54	List of Spare Parts 2 Years Operation	4N	6C+E		6C+E		
55	List of Special Tools	4N	6C+E		6C+E		
56	Function Test Procedure		6C+E		6C+E		
OTHER	RS						







	شماره پیمان:
053 - 073	<b>- 9184</b>

PMR FOR ROTAMETER										
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه			
BK	GCS	PEDCO	120	IN	MR	0019	D01			


18	از	16	:	صفحه	شماره

		With Bid	TIME SCHEDULE				
9		with bia	For R	Review	Final Issue		
Item No.	Document	Copies No./Type (7)	Copies No./Type (1)	Solar days (2)	Copies No./Typ e (1)	Calenda r days (3)	
57	Vendor Final Book				6C+E	1 Week After Delivery	
58	All others documents will be listed in the order		6C+E				

#### NOTES:

- (1) N= Number of document, C=Copy, E=Electronic Copy
- (2) Starting from date of order placement
- (3) Starting from reception of documentation without comments
- (4) First issue of the document is subjected to the release of payment milestone as per purchase order
- (5) Calendar days after reception of drive data
- (6) Prior to testing
- (7) One copy each bid copy
- (8) List of documents will be finalized in Vendor Document index and Schedule (VDIS).







شماره پیمان:
053 - 073 - 9184

PMR FOR ROTAMETER								
پروژه	نسخه سريال نوع مدرك رشته تسهيلات صادركننده بسته كارى پروژه							
BK	GCS	PEDCO	120	IN	MR	0019	D01	
BK	GCS	PEDCO	120	IN	MR	0019	D	

شماره صفحه: 17 از 18

### **ATTACHMENT 3**

Requisition No.:

Equipment No.:

Description:

### <u>DEVIATIONS / EXCEPTIONS TO JOB SPECIFICATION</u>

Item No.	Description of proposed exception	Recommended revision to job	Reason for proposed	Effect on base proposal if CONTRACTOR
	o. p. opodou oxooption	specification	exception	rejects exception





# احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک

PMR FOR ROTAMETER									
053 - 073 – 9184	پروژه	بسته کاری	صادركننده	تسهيلات	رشته	نوع مدرك	سر يال	نسخه	<b>شماره صفحه : 18 از 18</b>
000 070 0104	BK	GCS	PEDCO	120	IN	MR	0019	D01	

### **ATTACHMENT 4**

### **ALTERNATIVES TO JOB SPECIFICATION**

Requisition No.:		
Description:		
Equipment No.:		

Item No.	Job Specification No. & Paragraph No.	Requirements of Job Specification	Description of Proposed Alternative	Reason for Proposed Alternative