

1) ALL ELEVATIONS AND COORDINATES ARE IN "m" AND DIMENSIONS ARE IN "mm" UNLESS OTHERWISE NOTED.

2) ALL DIMENSIONS AND ELEVATIONS SHALL BE CHECKED BY THE CONTRACTOR

PRIOR TO CONSTRUCTION. 3) ACCORDING TO THE SPECIFICATION OF CONCRETE WORKS: "BK-GNRL-PEDCO-000-ST-SP-0001",28 DAYS CHARACTERISTIC COMPRESSIVE STRENGTH OF MAIN CONCRETE IS 30 MPa

NOTES

4) ACCORDING TO THE SPECIFICATION OF CONCRETE WORKS: "BK-GNRL-PEDCO-000-ST-SP-0001",28 DAYS CHARACTERISTIC COMPRESSIVE STRENGTH OF LEAN CONCRETE IS 15 MPa

5) REINFORCING BARS SHALL BE S400 ACCORDING TO: ISIRI3132 AND INBC9 WITH MINIMUM TENSILE YIELD STRENGTH 400 N/mm^2

6) CONCRETE COVER OVER BARS SHALL BE 75mm FOR FOUNDATION AND 50mm FOR BEAMS & COLUMNS.

7) UNDERGROUND CONCRETE SHALL BE PROTECTED AND COATED ACCORDING TO RELEVANT SPECIFICATION.

8) CEMENT TYPE 2 SHALL BE USED ACCORDING TO GEOTECHNICAL REPORT SUGGESTION.


9) FILL MATERIAL SHALL BE COMPACTED TO NOT LESS THAN 95% OF THE MAXIMUM DENSITY AS DETERMINED BY ASTM D-1557 (MODIFIED PROCTOR) METHOD.

$\pm 0.00 = +26.05(F.G.L)MSL$

LEGEND REINFORCED CONCRETE F.G.L. : FINISH GROUND LEVEL T.O.F. : TOP OF FOUNDATION LEAN CONCRETE

GROUND

REFERENCE DRAWING	DRG. No.
ARCHITECTURAL DRAWING FOR SECURITY BUILDING OF WELLPADS-W007S	BK-W007S-PEDCO-110-AR-DW-0004
STRUCTURAL DRAWING FOR SECURITY BUILDING FOR WELLPADS-W007S	BK-W007S-PEDCO-110-ST-DW-0009
GENERAL NOTES-REINFORCED CONCRETE STRUCTURES	BK-GNRAL-PEDCO-000-ST-DW-0012
STANDARD DRAWING FOR INSERT PLATES IN CONCRETE	BK-GNRAL-PEDCO-000-ST-DW-0007
PLOT PLAN DRAWING -W007S	BK-W007S-PEDCO-110-PI-PY-0002
GENERAL CIVIL LAYOUT- W007S	BK-W007S-PEDCO-110-CV-PY-0001



							***	******	**,**	***,****	**,**	***,****		
							REV.	DESCRIPTION	BY	DATE	BY	DATE		
D00	SEP.2023	IFC	R.BERLOUIE	M.FAKHARIAN	A.M.MOHSENI	**.**	IVEV.		CHECKED		REV. APPR.			
REV.	DATE	P.O.I.S	PREP.	CHK.	APP.	AUT.	اصل و كليه نسخ اين نقشه و حق اقتباس متعلق به شركت ملى مناطق نفت خيز جنوب ميباشد.							
PROJECT NAME: BINAK OILFIELD DEVELOPMENT/SURFACE FACILITIES GAS COMPRESSOR STATION						THE ORIGINAL AND ALL COPIES OF THIS DRAWING TOGETHER WITH THE COPYRIGHT THEREIN ARE THE SOLE PROPERTY OF								
PROJECT NO.: 971020					N.I.S.O.C./ FIELDS									
EPC CONTRACTOR: EPD/EPC CONTRACTOR (GC):						BINAK OHEIFID DEVELOPMENT								

PEDCO

PETROIRAN DEVELOPMENT COMPANY

BINAK OILFIELD DEVELOPMENT SURFACE FACILITIES GAS COMPRESSOR STATION

SCALE DRAWING BY CHECKED BY PROJECT ENG.

DRAWING TITLE:		FOUNDATION DRAWING FOR SECURI	NO CONSTRUCTION PERMITTED UNLESS DRAWING APPROVED								
		FOR WELL PADS - W007S			APPROVED FOR CONSTRUCTION			BY: DATE:			
SCALE	SIZE	DRAWING NO.	SHEET NO.	REV.	BUDGET REF.	LOCATION	SIZE	CLASS	SERIAL NO.	SHEET	REVISION
AS SHOWN	A1	BK-W007S-PEDCO-110-ST-DW-0008	1 OF 1	D00	053-073-9184	F	4	Q	708058	1	D00