

عمومی و مشترک



.04 - .14 - 9114

PIPELINE MATERIAL SPECIFICATION							
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه
BK	SSGRL	PEDCO	110	PL	SP	0001	D05

شماره صفحه: 1 از 10

طرح نگهداشت و افزایش تولید ۲۷ مخزن

PIPELINE MATERIAL SPECIFICATION

نگهداشت و افزایش تولید میدان نفتی بینک

Rev.	Rev. Date Purpose of Issue/Status		Prepared by:	Checked by:	Approved by:	CLIENT Approval
D00	OCT. 2021	IFC	H.Shahrokhi	M.Fakharian	M.Mehrshad	
D01	DEC. 2021	IFA	H.Shahrokhi	M.Fakharian	M.Mehrshad	
D02	MAY. 2022	IFA	F.Mosayebnejad	M.Fakharian	M.Mehrshad	
D03	AUG. 2022	AFD	F.Mosayebnejad	M.Fakharian	M.Mehrshad	
D04	OCT. 2022	AFD	M.Noori	M.Fakharian	M.Mehrshad	
D05	OCT. 2023	AFD	M.Noori	M.Fakharian	S.Faramarzpour	

Class: 2 CLIENT Doc. Number: F0Z-707360

Status:

IDC: Inter-Discipline Check
IFC: Issued For Comment
IFA: Issued For Approval
AFD: Approved For Design
AFC: Approved For Construction
AFP: Approved For Purchase
AFQ: Approved For Quotation
IFI: Issued For Information
AB-R: As-Built for CLIENT Review

AB-A: As-Built -Approved



عمومی و مشترک



:شماره پیمان	PIPELINE MATERIAL SPECIFICATION							
· DY = · VY — 9 1 N F	پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سر يال	نسخه
	BK	SSGRL	PEDCO	110	PL	SP	0001	D05


شماره صفحه: 2 از 10

REVISION RECORD SHEET

PAGE	D00	D01	D02	D03	D04	D05
1	Х	Х	X	x	X	Х
2	X	x	X	X	Х	Х
3	X					
4	X	Х				
5 6	×		×			
7	X X	×	Х			
8	x		x			
9	x	x				
10	x	x	X	x	X	Х
11	x	x				
12	х	х				
13	х	х				
14		X				
15						
16						
17						
18 19				<u> </u>		
20				t		
21				İ		
22						
23						
24						
25						
26						
27						
28						
29						
30						
31						
32						
33 34						
35						
36						
37						
38						
39						
40						
41						
42						
43						
44				-		
45				 		
46				-		
47				1		
48				 		
49 50				<u> </u>		
50 51						
52				1		
53				İ		
54						
55						
56						
57						
58						
59						
60						
61						
~~		i e	1	1		1
62						
63 64						

PAGE	D00	D01	D02	D03	D04	D05
66						
67						
68 69						
70						
71						
72						
73						
74 75						
75 76						
77						
78						
79						
80						
81 82						
83						
84						
85	ļ					
86						
87 88	 	1				
89						
90						
91						
92						
93						
94						
95 96						
97						
98						
99						
100						
101 102						
103						
104						
105						
106						
107 108	-					
109						
110						
111						
112	ļ					
113	-					
114 115	-					
116	<u> </u>					
117						
118						
119						
120	-					
121 122	†					
123	<u> </u>					
124						
125						
126						
127	-					
128 129	 					
129	1	1	l		·	







:شماره پیمان ۱۸۴ – ۷۷۳ – ۰۵۳

	PIPELINE MATERIAL SPECIFICATION								
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه		
BK	SSGRL	PEDCO	110	PL	SP	0001	D05		

شماره صفحه: 3 از 10

CONTENTS

1.0	INTRODUCTION	4
2.0	SCOPE	5
3.0	REFERENCES	
3.1	LOCAL CODES AND STANDARDS	5
3.2	INTERNATIONAL CODES & STANDARDS	5
3.3	The Project Documents	6
3.4	ENVIRONMENTAL DATA	6
3.5	ORDER OF PRECEDENCE	7
4.0	DESIGN CODES	7
5.0	GENERAL NOTES	7
6.0	LIST OF ABBREVIATIONS	8
7.0	PIPELINE MATERIAL CLASSES	8
7.1	IDENTIFICATION OF PIPELINE CLASSES	8
7.2	SUMMARY OF PIPELINE CLASSES	9



عمومي و مشترك



	سماره پیمان
۰۵۳ –	. ٧٣ — 9 1 1 4

	PIPELINE MATERIAL SPECIFICATION							
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سر يال	نسخه	
BK	SSGRL	PEDCO	110	PL	SP	0001	D05	

شماره صفحه: 4 از 10

1.0 INTRODUCTION

Binak oilfield in Bushehr province is a part of the southern oilfields of Iran, is located 20 km northwest of Genaveh city.

With the aim of increasing production of oil from Binak oilfield, an EPC/EPD Project has been defined by NIOC/NISOC and awarded to Petro Iran Development Company (PEDCO). Also PEDCO (as General Contractor) has assigned the EPC-packages of the Project to "Hirgan Energy - Design and Inspection" JV.

As a part of the Project, construction of well location, access roads, wellhead facilities for 6 new wells (with electric power supply for 2 of them) and required modifications on 4 workover wells (with electric power supply) shall be done. In addition, construction of 6 new flowlines from new wells to Binak B/C unit (with extension of relevant manifold) are in the Project scope of work.

GENERAL DEFINITION

The following terms shall be used in this document.

CLIENT: National Iranian South Oilfields Company (NISOC)

PROJECT: Binak Oilfield Development - Construction of New

Well Locations, Modifications on Workover Wells, Wellhead Facilities, Electrification Facilities, Flowlines

and Extension of Binak B/C Manifold

EPD/EPC CONTRACTOR (GC): Petro Iran Development Company (PEDCO)

EPC CONTRACTOR: Joint Venture of : Hirgan Energy – Design & Inspection

(D&I) Companies

VENDOR: The firm or person who will fabricate the equipment or

material.

EXECUTOR: Executor is the party which carries out all or part of

construction and/or commissioning for the project.

THIRD PARTY INSPECTOR (TPI): The firm appointed by EPD/EPC CONTRACTOR (GC)

and approved by CLIENT (in writing) for the inspection

of goods.

SHALL: Is used where a provision is mandatory.

SHOULD: Is used where a provision is advisory only.

WILL: Is normally used in connection with the action by

CLIENT rather than by an EPC/EPD CONTRACTOR,

supplier or VENDOR.

MAY: Is used where a provision is completely

discretionary.



عمومي و مشترك



مان	:شماره پید
.0404 - 91	٨۴

	PIPELINE MATERIAL SPECIFICATION							
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سر يال	نسخه	
BK	SSGRL	PEDCO	110	PL	SP	0001	D05	

شماره صفحه: 5 از 10

2.0 SCOPE

This specification covers the general requirements to be implemented in the selection materials of pipelines, fittings, flanges, valves and other pipeline components to be used for "Construction of flowlines and wellhead Facilities for BINAK Oil Field" Project.

3.0 REFERENCES

Throughout this Specification the latest editions of the following standards and codes are referred to:

3.1 **LOCAL CODES AND STANDARDS**

IPS-E-PI-140	Engineering Standard for Onshore Transportation Pipelines
IPS-C-PI-140	Construction Standard for Transportation Pipelines (Onshore)
IPS-E-PI-240	Engineering Standard For Plant Piping Systems
IPS-E-PI-221	Engineering Standard For Piping Material Selection (on plot piping)
IPS-G-PI-280	General Standard for Pipe Supports
IPS-M-PI-110	Material and Equipment Standard for Valves
IPS-M-PI-150	Material Standard for Flanges and Fittings
IPS-M-PI-190 (3)	Material and Equipment Standard for Line Pipe
NOSIC-S5L-9002-0010	5000API/3000 API Oil Well Production Wellhead Fittings 6"

3.2 **INTERNATIONAL CODES & STANDARDS**

ASME B1.20.1 ASME B16.5 ASME B16.9 ASME B16.10 ASME B16.11 ASME B16.21 ASME B16.25 ASME B16.34 ASME B16.48 ASME B18.2.1 ASME B18.2.2	Pipe Threads General Purpose (Inch). Steel Pipe Flanges And Flanged Fittings Factory–Made Wrought Steel Butt welding Fittings Face To Face And End To End Dimension Of Valve Forged Steel Fittings, Socket Welding And Threaded Nonmetallic Flat Gaskets For Pipe Flanges Butt-Welding Ends Steel Valves, Flanged And Butt-welding Ends Steel Line Blanks Square And Hex. Bolts And Screws, Inch Series Square And Hex. Nuts
ASME B31.3 ASME B31.4	Process Piping Pipeline Transportation Systems for Liquid Hydrocarbons and Other Liquids
ASME B31.8	Gas Transmission and Distribution Piping Systems
ASME B36.10M ASME B16.20 API 5L API 6D API 6A API 599 API-600	Welded and Seamless Wrought Steel Pipe Metallic Gaskets for Pipe Flanges Specification For Line Pipe Pipeline Valves Specification for Wellhead and Christmas Tree Equipment Steel Plug Valves, Flanged Or Butt-welding Ends Steel Gate Valves, Flanged And Butt-welding Ends



· 24 - · 74 - 4 176

:شماره پیمان

MSS SP-83

MSS SP-80 MSS SP-95

نگهداشت و افزایش تولید میدان نفتی بینک **فعالیت های رو زمینی در بسته های کاری تحت الارض**

عمومي و مشترك

PIPELINE MATERIAL SPECIFICATION

رشته

PL

نوع مدرك

0001

تسهيلات

110

صادر کننده

SSGRL PEDCO

بسته کاری

پروژه



شماره صفحه: 6 از 10

	DIN	JJUIL	ILDCO	110	1 L	OI	0001	D03	
API 601			Metallic Wound	Gasket	s For	Piping, D	ouble-J	ackete	ed, Corrugated And Spiral
API-602			Compac						
API 6FA			•			Test For			
API 608			Metal Ba	all Valve	s-Fla	nged, Thi	readed,	and V	Velding End
BS-1868			Flanged And Peti			Ū	ds Steel	Chec	k Valves For Petroleum
BS-1873			Flanged And Peti			•	ds Steel	Globe	e Valves For Petroleum
BS EN ISO 1	7292:2	015			•		•		al and allied industries
BS EN ISO 1	5761:2	002	Ū			tural gas			DN 100 and smaller, for
BS 6775 (PA	,		Testing (Of Valve	e Spe	cification	For Fire	е Туре	Testing Requirement
BS EN 1020	4		Metallic	Product	ts-Typ	e of Insp	ection [Docum	ents
MSS-SP-44			Steel Pip	oeline F	lange	S			
MSS-SP-45						nnection	standar	d	
MSS-SP-75			High-Str	ength, \	۷rou	ght, Butt V	Velding	Fitting	gs .
			-	_		-	•	-	-

Forged Carbon Steel Branch Olet Fittings MSS SP-97 MSS SP-120 Ball Valves Threaded, Socket-Welding, Solder Joint, Grooved and Flared Ends

Swadge Nipples And Ball Plugs

Bronze Gate, globe angle and check valves

NACE MR0175/ ISO

Petroleum And Natural Gas Industries - Materials For Use In H2S

Containing Environments In Oil And Gas Production 15156

NACE TM-0284 Standard Test Method - Evaluation Of Pipeline And Pressure Vessel

Steels For Resistance To Hydrogen-Induced Cracking

NACE TM-0177 Laboratory Testing Of Metals For Resistance To Sulfide Stress

Cracking And Stress Corrosion Cracking In H2s Environments

Class 300 and 6000 pipe unions, socket welding and threaded

3.3 THE PROJECT DOCUMENTS

BK-GNRAL-PEDCO-000-PL-DC-0001 Pipeline Design Criteria BK-GNRAL-PEDCO-000-PR-DB-0001 Process Basis of Design BK- GNRAL-PEDCO-000-PL-SP-0002 Specification for Line Pipe BK-SSGRL-PEDCO-110-PL-CN-0001 Pipeline Wall Thickness Calculation

3.4 **ENVIRONMENTAL DATA**

Refer to "Process Basis of Design; Doc. No. BK-GNRAL-PEDCO-000-PR-DB-0001".



عمومی و مشترک



	:شماره پیمان
٠٥٣ – ٢٧٠٠	- 9114

PIPELINE MATERIAL SPECIFICATION								
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه	
BK	SSGRL	PEDCO	110	PL	SP	0001	D05	

شماره صفحه: 7 از 10

3.5 ORDER OF PRECEDENCE

In case of any conflict between requirements specified herein & the requirements of any other referenced document, this subject shall be reflected to CLIENT and the final decision will be made by CLIENT.

4.0 DESIGN CODES

The design of pipeline systems and production facilities shall conform to ASME B31.4 latest edition. The design of all process gas and natural gas distribution pipeline systems shall conform to ASME B31.8 latest edition.

All material for sour services shall meet the supplementary requirements of NACE MR-0175/ ISO 15156 latest edition.

5.0 GENERAL NOTES

Notes pertinent to a particular pipeline class appear directly on this relevant class.

- 5.1 All pipes shall be supplied in accordance with IPS-M-PI-190(3) & API.5L.
- 5.2 Pipe wall thickness is calculated in accordance with ASME B31.8 & ASME B31.4.
- 5.3 Butt-weld ends shall be beveled to ASME B 16.25.
- 5.4 Stud-bolts shall be threaded, full length to ASME B 1.1 and supplied with two hexagonal heavy type nuts to ASME B 18.2.2.
- 5.5 The hardness of all material including welds in sour services shall be as per requirements of NACE STD MR-0175/ ISO 15156.
- 5.6 Welded branch connection on steel pipes must meet the requirements of ASME B31.4 & B31.8 respectively.
- 5.7 Deleted.
- 5.8 All flanges and fittings shall be supplied in accordance with IPS-M-PI-150.
- 5.9 All valves shall be supplied in accordance with IPS-M-PI-110 and API 6A.



عمومی و مشترک



:شماره پیمان
 /

PIPELINE MATERIAL SPECIFICATION							l	
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سر يال	نسخه	
BK	SSGRL	PEDCO	110	PL	SP	0001	D05	

شماره صفحه: 8 از 10

6.0 LIST OF ABBREVIATIONS

BB	Bolted Bonnet
BC	Bolted Cover
BG	Bolted Gland
BW	Butt-weld
CA	Corrosion Allowance
CS	Carbon Steel
FE	Flanged End
OS&Y	Outside Screw and Yoke
RF	Raised Face
RTJ	Ring Type Joint
SMLS	Seamless
SPW	Spiral Wound
WN	Welding Neck

7.0 PIPELINE MATERIAL CLASSES

7.1 IDENTIFICATION OF PIPELINE CLASSES

Each pipeline class is identified from two alphabetical characters which precede a two digit figure. The first alphabetical character indicates pressure rating of flange and the second alphabetical character indicates material as follows:

1st	1st alphabetical character		nd alphabetical character
Α	Class 150	Ν	Carbon Steel
С	Class 300	S	Stainless Steel
F	Class 600	X	Non Metal Pipe
G	Class 900	Ζ	Galvanized Carbon Steel
Н	Class 1500		
L	API 3000		
М	API 5000		

The third figure indicates the design code and the forth figure indicates corrosion allowance for metallic as follows:



عمومی و مشترک



شماره پیمان	:
.0414 - 114	

PIPELINE MATERIAL SPECIFICATION								
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سريال	نسخه	
BK	SSGRL	PEDCO	110	PL	SP	0001	D05	

شماره صفحه: 9 از 10

	3rd figure	4th figure for metal pipe				
Fig.	Design standard	Fig.	C.A.	NACE 175 Requirement		
0	ASME B 31.3	0	0 mm	No		
U	(For Inside of Plant)	1	1 mm	No		
4	ASME B 31.4	2	1 mm	Yes		
1	1 (For Liquid Pipeline)	4	3 mm	No		
2	2 ASME B 31.8 (For Gas Pipeline)		3 mm	Yes		
			6 mm	No		
		7	6 mm	Yes		

7.2 SUMMARY OF PIPELINE CLASSES

Class	Rating	Base Material	C.A (mm)	Design Code	(°C)	Pressure (psig)	Fluid	Symb	ol State	
	Face				Max.	Max.				
	Flow line									
LN15	LN15	C.S	3	ASME	85	1035	Crude Oil	CRD	Liquid	
LINT2	RTJ	C.3	3	B31.4	00	1033	Crude Oil	CND	Liquiu	

Class LN15

CODE	SERVICE	Material C.A. RATING Design		jn .					
ASME B31.4	Oil	Carbon Steel (NACE MR-0175/ ISO	3 mm	API 3000	TEMP (C°)	PRESS (psig)			
ITEM	SIZE	15156) -5/85 1035 DESCRIPTION							
	1/2" To 1 1/2"	API 5L GR.B- SCH 160-NACE-PSL2-SMLS-PE-acc to ASME B36.10M& NACE MR-0175/ ISO 15156.							
Pipe	2"-3''	API 5L X52, NACE, PSL2, SMLS, SCH.40 BE, ACC to API 5L, IPS-M-PI-190 & NACE MR-0175/ ISO 15156.							
	4"-6"	API 5L X52, NACE, PSL2, SMLS, THK 7.9 mm BE, ACC to API 5L, IPS-M-PI-190 & NACE MR-0175/ ISO 15156.							
Fittings	1/2" To 1 1/2"	6000#, SW, ASTM A105,NACE, acc to IPS-M-PI-150, ASME B 16.11 & NACE MR-0175/ ISO 15156.							



عمومي و مشترك



	اشماره پیمان
۰۵۳ –	• • • • • • • • • • • • • • • • • • • •

PIPELINE MATERIAL SPECIFICATION								
پروژه	بسته کاری	صادر کننده	تسهيلات	رشته	نوع مدرك	سر يال	نسخه	
BK	SSGRL	PEDCO	110	PL	SP	0001	D05	

شماره صفحه: 10 از 10

CODE	SERVICE	Material	C.A.	RATING	Design				
ASME B31.4	Oil	Carbon Steel (NACE MR-0175/ ISO 15156)	3 mm	API 3000	TEMP (C°)	PRESS (psig) 1035			
ITEM	SIZE	DESCRIPTION							
	2″ To 6"	CS to ASTM A860 WPHY52, NACE, BW, ACC to MSS-SP-75 & NACE MR-0175/ ISO 15156.							
_	1/2" To 1 1/2"	1500#, RTJ, SW, ASTM A105 NACE, acc. to IPS-M-PI-150, ASMEB16.5 & NACE MR-0175/ ISO 15156.							
Flanges	2" To 6" (2 1/16" To 7 1/16")	TYPE 6B, WN, BW, RTJ, API60K, NACE, ACC to NACE MR-0175/ ISO 15156.							
	1/2" To 1 1/2"	1500 #, SW, BODY:ASTM A105, TRIM:AISI 316L+STELLITE6,OS&Y, BB, Solid Wedge, acc to API 602, IPS-MPI-110 & NACE MR-0175/ ISO 15156.							
Gate Valves	2" To 6" (2 1/16" To 7 1/16")	API 3000, Material Class EE, Body: API 60K, Trim: API 75K, BB, FE, RTJ, ACC to API 6A & NACE MR-0175/ ISO 15156.							
	1/2" To 1 1/2"	1500 #, Floating Ball, SW, Body: ASTM A105, Ball: AISI 316(L), Trim: Soft Seat-CS ENP-75 micron-PTFE, acc to DIN EN ISO 17292, IPS-MPI-110 & NACE MR-0175/ ISO 15156.							
Ball Valves	2" To 6" (2 1/16" To 7 1/16")	API 3000, Material Class EE, Body: API 60K, Trim: API 75K, FE, RTJ, ACC to API 6A & NACE MR-0175/ ISO 15156.							
	1/2" To 1 1/2"	1500 #, SW, Body: ASTM A105, Trim: AISI 316L+STELLITE6, Horizontal Piston lift ,acc to API 602 & NACE MR0175/ISO 15156.							
Check Valves	2" To 6" (2 1/16" To 7 1/16")	API 3000, Material Class EE, Body: API 60K, Trim: API 75K, BC, FE, RTJ, ACC to API 6A & NACE MR-0175/ ISO 15156.							
Gaskets	1/2" To 1 1/2"	1500#, RTJ, 316SS acc to ASME B 16.20 & NACE MR-0175/ ISO 15156.							
	2" To 6"	API3000, RTJ, SS316 ACC to NACE MR-0175/ ISO 15156.							
Stud Bolts & Nuts	-	Stud bolts ASTM A193 grade B7M, HH nuts ASTM A194 grade 2HM, Thread: bolts class 2A, nuts class 2B							

Note 1:

Final thickness of flowlines will be 7.9mm. So considering design pressure of 1035 psi, the actual corrosion allowance would be 5.5 mm which is sufficient for the corrosion calculations.