



NISOC

نگهداشت و افزایش تولید میدان نفتی بینک
فعالیت‌های رو زمینی در بسته‌های کاری تحت‌الارض

ساخت موقعیت چاه، تأسیسات سرچاهی، خطوط جریانی و
مربوط به موقعیت W018S

TBE FOR FIRE SAFETY SIGN - W018S



شماره پیمان:

۰۵۳ - ۰۷۳ - ۹۱۸۴

پروژه

BK

بسته کاری

W018S

صادرکننده

PEDCO

تسهیلات

110

رشته

SA

نوع مدرک

TB

سریال

0002

نسخه

D02

شماره صفحه: ۱ از ۳

طرح نگهداشت و افزایش تولید ۲۷ مخزن

TBE FOR FIRE SAFETY SIGN - W018S

نگهداشت و افزایش تولید میدان نفتی بینک

| Rev. | Date | Purpose of Issue / Status | Prepared by: | Checked by: | Approved by: | CLIENT Approval |
|------|----------|---------------------------|--------------|-------------|----------------|-----------------|
| D02 | NOV.2022 | FI | A.H.Saber | M.Fakharian | S.Faramarzpour | |
| D01 | DEC.2022 | IFI | A.H.Saber | M.Fakharian | M.Mehrshad | |
| D00 | MAR.2022 | IFI | A.H.Saber | M.Fakharian | M.Mehrshad | |

Class: 3

CLIENT Doc. Number: F0Z-707501

status:

IDC: Inter-Discipline Check

IFC: Issued For Comment

IFA: Issued For Approval

AFD: Approved For Design

AFC: Approved For Construction

AFP: Approved For Purchase

AFQ: Approved For Quotation

IFI: Issued For Information

AB-R: As-Built for CLIENT Review

AB-A: As-Built -Approved



NISOC

نگهداشت و افزایش تولید میدان نفتی بینک
فعالیت‌های رو زمینی در بسته‌های کاری تحت الارض

ساخت موقعیت چاه، تأسیسات سرچاهی، خطوط جریانی و

مربوط به موقعیت W018S



TBE FOR FIRE SAFETY SIGN - W018S

شماره پیمان:

۰۵۳ - ۰۷۳ - ۹۱۸۴



| نسخه | سریال | نوع مدرک | رشته | تسهیلات | صادرکننده | بسته کاری | پروژه |
|------|-------|----------|------|---------|-----------|-----------|-------|
| D02 | 0002 | TB | SA | 110 | PEDCO | W018S | BK |

شماره صفحه: ۳ از ۲

REVISION RECORD SHEET

| Page | D00 | D01 | D02 | D03 | D04 |
|------|-----|-----|-----|-----|-----|
| 1 | X | X | X | | |
| 2 | X | X | X | | |
| 3 | X | X | | | |
| 4 | | | | | |
| 5 | | | | | |
| 6 | | | | | |
| 7 | | | | | |
| 8 | | | | | |
| 9 | | | | | |
| 10 | | | | | |
| 11 | | | | | |
| 12 | | | | | |
| 13 | | | | | |
| 14 | | | | | |
| 15 | | | | | |
| 16 | | | | | |
| 17 | | | | | |
| 18 | | | | | |
| 19 | | | | | |
| 20 | | | | | |
| 21 | | | | | |
| 22 | | | | | |
| 23 | | | | | |
| 24 | | | | | |
| 25 | | | | | |
| 26 | | | | | |
| 27 | | | | | |
| 28 | | | | | |
| 29 | | | | | |
| 30 | | | | | |
| 31 | | | | | |
| 32 | | | | | |
| 33 | | | | | |
| 34 | | | | | |
| 35 | | | | | |
| 36 | | | | | |
| 37 | | | | | |
| 38 | | | | | |
| 39 | | | | | |
| 40 | | | | | |
| 41 | | | | | |
| 42 | | | | | |
| 43 | | | | | |
| 44 | | | | | |
| 45 | | | | | |
| 46 | | | | | |
| 47 | | | | | |
| 48 | | | | | |
| 49 | | | | | |
| 50 | | | | | |
| 51 | | | | | |
| 52 | | | | | |
| 53 | | | | | |
| 54 | | | | | |
| 55 | | | | | |
| 56 | | | | | |
| 57 | | | | | |
| 58 | | | | | |
| 59 | | | | | |
| 60 | | | | | |
| 61 | | | | | |
| 62 | | | | | |
| 63 | | | | | |
| 64 | | | | | |

| Page | D00 | D01 | D02 | D03 | D04 |
|------|-----|-----|-----|-----|-----|
| 65 | | | | | |
| 66 | | | | | |
| 67 | | | | | |
| 68 | | | | | |
| 69 | | | | | |
| 70 | | | | | |
| 71 | | | | | |
| 72 | | | | | |
| 73 | | | | | |
| 74 | | | | | |
| 75 | | | | | |
| 76 | | | | | |
| 77 | | | | | |
| 78 | | | | | |
| 79 | | | | | |
| 80 | | | | | |
| 81 | | | | | |
| 82 | | | | | |
| 83 | | | | | |
| 84 | | | | | |
| 85 | | | | | |
| 86 | | | | | |
| 87 | | | | | |
| 88 | | | | | |
| 89 | | | | | |
| 90 | | | | | |
| 91 | | | | | |
| 92 | | | | | |
| 93 | | | | | |
| 94 | | | | | |
| 95 | | | | | |
| 96 | | | | | |
| 97 | | | | | |
| 98 | | | | | |
| 99 | | | | | |
| 100 | | | | | |
| 101 | | | | | |
| 102 | | | | | |
| 103 | | | | | |
| 104 | | | | | |
| 105 | | | | | |
| 106 | | | | | |
| 107 | | | | | |
| 108 | | | | | |
| 109 | | | | | |
| 110 | | | | | |
| 111 | | | | | |
| 112 | | | | | |
| 113 | | | | | |
| 114 | | | | | |
| 115 | | | | | |
| 116 | | | | | |
| 117 | | | | | |
| 118 | | | | | |
| 119 | | | | | |
| 120 | | | | | |
| 121 | | | | | |
| 122 | | | | | |
| 123 | | | | | |
| 124 | | | | | |
| 125 | | | | | |
| 126 | | | | | |
| 127 | | | | | |
| 128 | | | | | |

| | | | | | | | | | |
|--|---|-----------|-----------|--------|------|----------|--|------|--------------------|
|  NISOC | تکده‌دشت و افزایش تولید میدان نفتی بینک فعالیت‌های روزمینی در بسته‌های کاری تحت‌الارض ساخت موقعیت چاه، تأسیسات سرچاهی، خطوط جریانی و مربوط به موقعیت W018S | | | | | |  | | |
| | TBE FOR FIRE FIGHTING AND SAFETY EQUIPMENT - W018S | | | | | | | | |
| شماره پیمان: | پروژه | بسته کاری | صادرکننده | تهیلات | رشته | نوع مدرک | سریال | نسخه | شماره صفحه: ۳ از ۳ |
| ۰۵۳ - ۰۳۳ - ۰۱۸۴ | BK | W018S | PEDCO | 110 | SA | TB | 0002 | D02 | |

KEY : A: Acceptable / Available N.A Not Acceptable/ Available

| Sl.No. | Description | Unit | Required Data | VENDOR 1 ARTA MEHR SANAT | VENDOR 2 IMEN FARAZ KHAZAR | VENDOR 3 IMEN TIAR | | |
|---|--|-------|--|---|-------------------------------|-----------------------|--|--|
| A GENERAL | | | | | | | | |
| A.1 | Delivery | Month | By Vendor | Artamehr sanat Co. | | 2 months | | |
| A.2 | Warantee & Guarantees | | 24 months from date of delivery or 12 months from date of start-up whichever comes earlier | confirmed | | A | | |
| A.3 | Reference list of similar supply | | Required | attached | | After PO | | |
| A.4 | signed project document | | Present By Vendor | was sent with previous | | A | | |
| A.5 | Deviation list | | Present By Vendor | attached | | A | | |
| A.6 | Vendor Catalogue | | Present By Vendor | attached | | A | | |
| A.7 | Organization Chart | | Present By Vendor | After PO | | A | | |
| A.8 | Preliminary Inspection and Test Plan | | Present By Vendor | After PO | | A | | |
| A.9 | Quality Assurance Manual /Quality Management System Certificate | | Present By Vendor | attached | | After PO | | |
| A.10 | Schedule Level 1, 2, 3 & 4 showing Engineering, Procurement, Fabrication, Inspection, Testing, and Delivery Plan | | Present By Vendor | After PO | | After PO | | |
| A.11 | Vendor Document Index and Schedule | | Present By Vendor | After PO | | A | | |
| A.12 | listed in NIOC AVL | | acceptance letter | N.A | A | A | | |
| B SCOPE OF SUPPLY | | | | | | | | |
| B.1 | Fire Extinguisher Sign (portable) | 3 | Required | confirmed | as per MTO | A | | |
| B.2 | Fire Extinguisher Sign (wheeled) | 2 | Required | confirmed | as per MTO | A | | |
| B.3 | WIND SOCK sign | 1 | Required | confirmed | as per MTO | A | | |
| B.4 | No Unauthorized Entry | 2 | Required | confirmed | as per MTO | A | | |
| B.5 | No Smoking & Fire | 2 | Required | confirmed | as per MTO | A | | |
| B.6 | Toxic Gas | 1 | Required | confirmed | as per MTO | A | | |
| B.7 | Fire Exit | 2 | Required | confirmed | as per MTO | A | | |
| C ITEM WISE SPECIFIC REQUIREMENT | | | | | | | | |
| C.1 Fire Extinguisher (Portable) | | | | | | | | |
| C.1.1 | Description in English | | Portable Dry Chemical Extinguisher | confirmed | OK | A | | |
| C.1.2 | Description in Farsi | | خاموش کننده مواد شیمیایی خشک | confirmed | OK | A | | |
| C.1.3 | Model | | Vendor to Advise | confirmed | OK | A | | |
| C.1.4 | Dimensions | | 25x35 | confirmed | OK | A | | |
| C.1.5 | Color | | Red | confirmed | OK | A | | |
| C.1.6 | Material: | | Galvanized plate with color-resistible sunlight. | Aluminum sheet 3 mm photo luminescent laminated | OK | A | | |
| C.1.7 | Sample Sign | | to be present by vendor | confirmed | | After PO | | |
| C.2 Fire Extinguisher (Wheeled) | | | | | | | | |
| C.2.1 | Description in English | | Wheeled Dry Chemical Extinguisher | confirmed | OK | A | | |
| C.2.2 | Description in Farsi | | خاموش کننده چرخدار مواد شیمیایی خشک | confirmed | OK | A | | |
| C.2.3 | Model | | Vendor to Advise | confirmed | OK | A | | |
| C.2.4 | Dimensions | | 25x35 | confirmed | OK | A | | |
| C.2.5 | Color | | Red | confirmed | OK | A | | |
| C.2.6 | Material: | | Galvanized plate with color-resistible sunlight. | Aluminum sheet 3 mm photo luminescent laminated | OK | A | | |
| C.2.7 | Sample Sign | | | confirmed | after PO | After PO | | |
| C.3 Wind sock sign | | | | | | | | |
| C.3.1 | Description in English | | Wind Sock | confirmed | OK | A | | |
| C.3.2 | Description in Farsi | | بادنما | confirmed | OK | A | | |
| C.3.3 | Model | | Vendor to Advise | confirmed | OK | A | | |
| C.3.4 | Dimensions | | 25x35 | confirmed | OK | A | | |
| C.3.5 | Color | | Red | confirmed | OK | A | | |
| C.3.6 | Material: | | Galvanized plate with color-resistible sunlight. | Aluminum sheet 3 mm photo luminescent laminated | OK | A | | |
| C.3.7 | Sample Sign | | to be present by vendor | confirmed | after PO | After PO | | |
| C.4 No Unauthorized Entry | | | | | | | | |
| C.4.1 | Description in English | | No Unauthorized Entry | confirmed | OK | A | | |
| C.4.2 | Description in Farsi | | ورود افراد غیر مجاز ممنوع | confirmed | OK | A | | |
| C.4.3 | Model | | Vendor to Advise | confirmed | OK | A | | |
| C.4.4 | Dimensions | | 25x35 | confirmed | OK | A | | |
| C.4.5 | Color | | Red | confirmed | OK | A | | |
| C.4.6 | Material: | | Galvanized plate with color-resistible sunlight. | Aluminum sheet 3 mm photo luminescent laminated | OK | A | | |
| C.4.7 | Sample Sign | | to be present by vendor | confirmed | after PO | After PO | | |
| C.5 No Smoking & Fire | | | | | | | | |
| C.5.1 | Description in English | | No smoking matches or open flame | confirmed | OK | A | | |
| C.5.2 | Description in Farsi | | روشن کردن کبریت ، سیگار و آتش ممنوع | confirmed | OK | A | | |
| C.5.3 | Model | | Vendor to Advise | confirmed | OK | A | | |
| C.5.4 | Dimensions | | 25x35 | confirmed | OK | A | | |
| C.5.5 | Color | | White/Red | confirmed | OK | A | | |
| C.5.6 | Material: | | Galvanized plate with color-resistible sunlight. | Aluminum sheet 3 mm photo luminescent laminated | OK | A | | |
| C.5.7 | Sample Sign | | to be present by vendor | confirmed | after PO | After PO | | |
| C.6 Toxic Gas | | | | | | | | |
| C.6.1 | Description in English | | Danger Toxic gas | confirmed | OK | A | | |
| C.6.2 | Description in Farsi | | خطر گاز سمی | confirmed | OK | A | | |
| C.6.3 | Model | | Vendor to Advise | confirmed | OK | A | | |
| C.6.4 | Dimensions | | 25x35 | confirmed | OK | A | | |
| C.6.5 | Color | | Yellow | confirmed | OK | A | | |
| C.6.6 | Material: | | Galvanized plate with color-resistible sunlight. | Aluminum sheet 3 mm photo luminescent laminated | OK | A | | |
| C.6.7 | Sample Sign | | to be present by vendor | confirmed | after PO | After PO | | |
| C.6 Fire Exit | | | | | | | | |
| C.6.1 | Description in English | | Exit | confirmed | OK | A | | |
| C.6.2 | Description in Farsi | | خروج | confirmed | OK | A | | |
| C.6.3 | Model | | Vendor to Advise | confirmed | OK | A | | |
| C.6.4 | Dimensions | | 25x35 | confirmed | OK | A | | |
| C.6.5 | Color | | Green | confirmed | OK | A | | |
| C.6.6 | Material: | | Galvanized plate with color-resistible sunlight. | Aluminum sheet 3 mm photo luminescent laminated | OK | A | | |
| C.6.7 | Sample Sign | | to be present by vendor | confirmed | after PO | After PO | | |
| FINAL CONCLUSION | | | | Conditionally Accepted | Accepted | Accepted | | |