





| EXHAUST AIR & DOOR GRILL SCHEDULE |                          |                                               |               |     |      |                 |
|-----------------------------------|--------------------------|-----------------------------------------------|---------------|-----|------|-----------------|
| TAG NUMBER                        | LOCATION                 | TYPE                                          | SIZE L*W (MM) |     | QTY. | FLOW (L/S)-EACH |
| E.G.-01                           | BATTERY ROOM (EXTENSION) | SQUARE EXHAUST AIR GRILL CEILING MOUNTED TYPE | 450           | 450 | 1    | 520             |
| E.G.-02                           | STORE (EXTENSION)        | SQUARE EXHAUST AIR GRILL CEILING MOUNTED TYPE | 225           | 225 | 1    | 115             |
| E.G.-03                           | PRAYER ROOM (EXTENSION)  | SQUARE EXHAUST AIR GRILL CEILING MOUNTED TYPE | 300           | 300 | 1    | 190             |
| E.G.-04                           | LOCKER (EXTENSION)       | SQUARE EXHAUST AIR GRILL CEILING MOUNTED TYPE | 225           | 225 | 1    | 115             |
| E.G.-05                           | PANTRY (EXISTING)        | SQUARE EXHAUST AIR GRILL CEILING MOUNTED TYPE | 375           | 375 | 1    | 305             |
| E.G.-06                           | DINING ROOM (EXISTING)   | SQUARE EXHAUST AIR GRILL CEILING MOUNTED TYPE | 225           | 225 | 1    | 115             |
| E.G.-07                           | BATTERY ROOM (EXISTING)  | SQUARE EXHAUST AIR GRILL CEILING MOUNTED TYPE | 225           | 225 | 1    | 90              |
| E.G.-08                           | SHOWER                   | SQUARE EXHAUST AIR GRILL CEILING MOUNTED TYPE | 150           | 150 | 2    | 50              |
| E.G.-09                           | LAVATORY                 | SQUARE EXHAUST AIR GRILL CEILING MOUNTED TYPE | 150           | 150 | 2    | 50              |
| E.G.-10                           | LAVATORY                 | SQUARE EXHAUST AIR GRILL CEILING MOUNTED TYPE | 150           | 150 | 1    | 30              |
| E.G.-11                           | LAVATORY                 | SQUARE EXHAUST AIR GRILL CEILING MOUNTED TYPE | 150           | 150 | 1    | 40              |
| E.G.-12                           | LOCKER ROOM (EXISTING)   | SQUARE EXHAUST AIR GRILL CEILING MOUNTED TYPE | 225           | 150 | 1    | 65              |
| D.G.-01                           | SHOWER                   | SQUARE TRANSFER AIR GRILL DOOR MOUNTED TYPE   | 400           | 350 | 1    | 100             |
| D.G.-02                           | LAVATORY                 | SQUARE TRANSFER AIR GRILL DOOR MOUNTED TYPE   | 500           | 450 | 1    | 170             |
| D.G.-03                           | MANAGEMENT               | SQUARE TRANSFER AIR GRILL DOOR MOUNTED TYPE   | 400           | 250 | 1    | 60              |
| D.G.-04                           | CORRIDOR (EXTENSION)     | SQUARE TRANSFER AIR GRILL DOOR MOUNTED TYPE   | 400           | 300 | 1    | 75              |
| D.G.-05                           | STORE (EXTENSION)        | SQUARE TRANSFER AIR GRILL DOOR MOUNTED TYPE   | 400           | 250 | 1    | 115             |

| BLAST PROTECTION & FUSE FIRE DAMPER SCHEDULE |                        |                          |               |     |      |                 |
|----------------------------------------------|------------------------|--------------------------|---------------|-----|------|-----------------|
| TAG NUMBER                                   | LOCATION               | TYPE                     | SIZE L*W (MM) |     | QTY. | FLOW (L/S)-EACH |
| B.P.V.-01                                    | ROOF                   | BLAST PROTECTION DAMPER  | 450           | 250 | 1    | 420             |
| B.P.V.-02                                    | ROOF                   | BLAST PROTECTION DAMPER  | 450           | 250 | 1    | 420             |
| B.P.V.-03                                    | ROOF                   | BLAST PROTECTION DAMPER  | 400           | 350 | 1    | 520             |
| B.P.V.-04                                    | ROOF                   | BLAST PROTECTION DAMPER  | 250           | 150 | 1    | 90              |
| B.P.V.-05                                    | LAVATORY EXTERNAL WALL | BLAST PROTECTION DAMPER  | ø=300         |     | 1    | 335             |
| F.F.D.-01                                    | ROOF                   | FUSIBLE LINK FIRE DAMPER | 450           | 250 | 1    | 420             |
| F.F.D.-02                                    | ROOF                   | FUSIBLE LINK FIRE DAMPER | 450           | 250 | 1    | 420             |
| F.F.D.-03                                    | ROOF                   | FUSIBLE LINK FIRE DAMPER | 400           | 350 | 1    | 520             |
| F.F.D.-04                                    | ROOF                   | FUSIBLE LINK FIRE DAMPER | 250           | 150 | 1    | 90              |


KEY PLAN

THIS AREA

[illegible]



| BLAST PROTECTION & FUSE FIRE DAMPER SCHEDULE |                        |                          |               |     |      |                 |
|----------------------------------------------|------------------------|--------------------------|---------------|-----|------|-----------------|
| TAG NUMBER                                   | LOCATION               | TYPE                     | SIZE L*W (MM) |     | QTY. | FLOW (L/S)-EACH |
| B.P.V.-01                                    | ROOF                   | BLAST PROTECTION DAMPER  | 450           | 250 | 1    | 420             |
| B.P.V.-02                                    | ROOF                   | BLAST PROTECTION DAMPER  | 450           | 250 | 1    | 420             |
| B.P.V.-03                                    | ROOF                   | BLAST PROTECTION DAMPER  | 400           | 350 | 1    | 520             |
| B.P.V.-04                                    | ROOF                   | BLAST PROTECTION DAMPER  | 250           | 150 | 1    | 90              |
| B.P.V.-05                                    | LAVATORY EXTERNAL WALL | BLAST PROTECTION DAMPER  | Ø=300         |     | 1    | 335             |
| F.F.D.-01                                    | ROOF                   | FUSIBLE LINK FIRE DAMPER | 450           | 250 | 1    | 420             |
| F.F.D.-02                                    | ROOF                   | FUSIBLE LINK FIRE DAMPER | 450           | 250 | 1    | 420             |
| F.F.D.-03                                    | ROOF                   | FUSIBLE LINK FIRE DAMPER | 400           | 350 | 1    | 520             |
| F.F.D.-04                                    | ROOF                   | FUSIBLE LINK FIRE DAMPER | 250           | 150 | 1    | 90              |



| GENERAL NOTES:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1- DIMENSIONS ARE IN "mm" AND ELEVATIONS IN "m" UNLESS SPECIFIED.<br>2- ALL DIMENSIONS AND ELEVATIONS SHALL BE CHECKED BY THE CONTRACTOR PRIOR TO CONSTRUCTION.<br>3- CONTRACTOR SHALL COMPARE ALL ARCHITECTURAL, MECHANICAL, ELECTRICAL, PIPING AND STRUCTURAL DRAWINGS AND IN CASE OF ANY CONFLICTS OR DISCREPANCY, INFORM THE ENGINEER.<br>4- ALL HVAC WORK SHALL BE DONE IN LINE WITH TECHNICAL SPECIFICATIONS.<br>5- REFRIGERANT PIPE (GAS & LIQUID) SIZE SHOULD BE SPECIFIED BY VENDOR.                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| LEGEND                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|  UTILITY EXHAUST FAN EQUIPPED BY MOTORIZED DAMPER & EXHAUST AIR LOUVER<br> INLINE AXIAL EXHAUST FAN.<br> EXHAUST AIR GRILL<br> RETRN AIR GRILL<br> SUPPLY AIR DIFFUSER<br> MANUAL VOLUME DAMPER<br> MOTORIZED FIRE DAMPER |  DOOR GRILL<br> EXHAUST AIR RISER<br> SUPPLY AIR RISER<br> RETURN AIR RISER<br>B.P.V. BLAST PROOF VALVE<br>F.F.D. FUSE FIRE DAMPER<br>B.O. ... BOTTOM OF ...<br>T.O. ... TOP OF ... |
| REFERENCE DRAWING                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | DRG. No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| HVAC & Plumbing Design Criteria                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | BK-GNRL-PEDCO-000-HV-DC-0001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Specification For HVAC Equipment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | BK-GNRL-PEDCO-000-HV-SP-0001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Specification For Duct Work & Pipe Work                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | BK-GNRL-PEDCO-000-HV-SP-0002                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Standard Drawing For HVAC & Plumbing                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | BK-GNRL-PEDCO-000-HV-DW-0001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Symbol & Legend For HVAC & Plumbing                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | BK-GNRL-PEDCO-000-HV-DW-0002                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| HVAC Calculation Note For Extension of Existing Control Building                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | BK-GCS-PEDCO-120-HV-CN-0004                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Plumbing & Sewage Piping Layout For Extension of Existing Control Building                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | BK-GCS-PEDCO-120-HV-PY-0015                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Data Sheets For Main HVAC Equipment of Extension of Existing Control Building                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | BK-GCS-PEDCO-120-HV-DT-0003                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Site Sewerage System Layout & Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | BK-GCS-PEDCO-120-CY-PY-0001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Unit Plot Plan Drawing                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | BK-PPL-PEDCO-120-PI-PY-0001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

[illegible]