


 NISOC	نگهداشت و افزایش تولید میدان نفتی بینک سطح الارض احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک																									
شماره پیمان: ۰۵۳ - ۰۷۳ - ۹۱۸۴	<table><tr><th colspan="8">CALCULATION NOTE FOR PUMPS</th></tr><tr><th>پروژه</th><th>بسته کاری</th><th>صادر کننده</th><th>تسهیلات</th><th>رشته</th><th>نوع مدرک</th><th>سریال</th><th>نسخه</th></tr><tr><td>BK</td><td>GCS</td><td>PEDCO</td><td>120</td><td>PR</td><td>CN</td><td>0001</td><td>D08</td></tr></table>	CALCULATION NOTE FOR PUMPS								پروژه	بسته کاری	صادر کننده	تسهیلات	رشته	نوع مدرک	سریال	نسخه	BK	GCS	PEDCO	120	PR	CN	0001	D08	شماره صفحه : ۱ از ۶
CALCULATION NOTE FOR PUMPS																										
پروژه	بسته کاری	صادر کننده	تسهیلات	رشته	نوع مدرک	سریال	نسخه																			
BK	GCS	PEDCO	120	PR	CN	0001	D08																			



CALCULATION NOTE FOR PUMPS

نگهداشت و افزایش تولید میدان نفتی بینک

D08	NOV.2024	AFD	M.Aryafar	M.Fakharian	M.Sadeghian	
D07	JUL.2024	AFD	M.Aryafar	M.Fakharian	M.Sadeghian	
D06	FEB.2023	AFD	M.Aryafar	M.Fakharian	M.Mehrshad	
D05	DEC.2022	IFA	M.Aryafar	M.Fakharian	M.Mehrshad	
D04	AUG.2022	IFA	M.Aryafar	M.Fakharian	M.Mehrshad	
D03	JUL.2022	IFA	M.Aryafar	M.Fakharian	M.Mehrshad	
D02	MAR.2022	IFA	M.Aryafar	M.Fakharian	M.Mehrshad	
D01	JAN. 2022	IFA	M.Aryafar	M.Fakharian	M.Mehrshad	
D00	DEC. 2021	IFC	M.Aryafar	M.Fakharian	M.Mehrshad	
Rev.	Date	Purpose of Issue/Status	Prepared by:	Checked by:	Approved by:	CLIENT Approval

Class: 2	CLIENT Doc. Number: F0Z-708739
Status: IDC: Inter-Discipline Check IFC: Issued For Comment IFA: Issued For Approval AFD: Approved For Design AFC: Approved For Construction AFP: Approved For Purchase AFQ: Approved For Quotation IFI: Issued For Information AB-R: As-Built for CLIENT Review AB-A: As-Built –Approved	

 NISOC	نگهداشت و افزایش تولید میدان نفتی بینک سطح الارض احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک																									
شماره پیمان: ۰۵۳ - ۰۷۳ - ۹۱۸۴	<table><tr><th colspan="8">CALCULATION NOTE FOR PUMPS</th></tr><tr><th>نسخه</th><th>سریال</th><th>نوع مدرک</th><th>رشته</th><th>تسهیلات</th><th>صادر کننده</th><th>بسته کاری</th><th>پروژه</th></tr><tr><td>D08</td><td>0001</td><td>CN</td><td>PR</td><td>120</td><td>PEDCO</td><td>GCS</td><td>BK</td></tr></table>	CALCULATION NOTE FOR PUMPS								نسخه	سریال	نوع مدرک	رشته	تسهیلات	صادر کننده	بسته کاری	پروژه	D08	0001	CN	PR	120	PEDCO	GCS	BK	شماره صفحه : ۳ از ۶
CALCULATION NOTE FOR PUMPS																										
نسخه	سریال	نوع مدرک	رشته	تسهیلات	صادر کننده	بسته کاری	پروژه																			
D08	0001	CN	PR	120	PEDCO	GCS	BK																			

CONTENTS

1.0	INTRODUCTION	4
2.0	SCOPE	5
2.1	THE PROJECT DOCUMENTS.....	5
2.2	ENVIRONMENTAL DATA	5
2.3	ORDER OF PRECEDENCE.....	5
3.0	LIST OF PUMPS	5
4.0	CALCULATION REPORT	6

 NISOC	نگهداشت و افزایش تولید میدان نفتی بینک سطح الارض احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک																									
شماره پیمان: ۰۵۳ - ۰۷۳ - ۹۱۸۴	<table><tr><th colspan="8">CALCULATION NOTE FOR PUMPS</th></tr><tr><th>پروژه</th><th>بسته کاری</th><th>صادرکننده</th><th>تسهیلات</th><th>رشته</th><th>نوع مدرک</th><th>سریال</th><th>نسخه</th></tr><tr><td>BK</td><td>GCS</td><td>PEDCO</td><td>120</td><td>PR</td><td>CN</td><td>0001</td><td>D08</td></tr></table>	CALCULATION NOTE FOR PUMPS								پروژه	بسته کاری	صادرکننده	تسهیلات	رشته	نوع مدرک	سریال	نسخه	BK	GCS	PEDCO	120	PR	CN	0001	D08	شماره صفحه : ۴ از ۶
CALCULATION NOTE FOR PUMPS																										
پروژه	بسته کاری	صادرکننده	تسهیلات	رشته	نوع مدرک	سریال	نسخه																			
BK	GCS	PEDCO	120	PR	CN	0001	D08																			

1.0 INTRODUCTION

Binak oilfield in Bushehr province is a part of the southern oilfields of Iran, is located 20 km northwest of Genaveh city.

With the aim of increasing production of oil from Binak oilfield, an EPC/EPD Project has been defined by NIOC/NISOC and awarded to Petro Iran Development Company (PEDCO). Also PEDCO (as General Contractor) has assigned the EPC-packages of the Project to "Hirgan Energy - Design and Inspection" JV.

As a part of the Project, a New Gas Compressor Station (adjacent to existing Binak GCS) shall be constructed to gather of 15 MMSCFD (approx.) associated gases and compress & transfer them to Siahmakan GIS.

GENERAL DEFINITION

The following terms shall be used in this document.

CLIENT:	National Iranian South Oilfields Company (NISOC)
PROJECT:	Binak Oilfield Development – Surface Facilities; New Gas Compressor Station
EPD/EPC CONTRACTOR (GC):	Petro Iran Development Company (PEDCO)
EPC CONTRACTOR:	Joint Venture of : Hirgan Energy – Design & Inspection (D&I) Companies
VENDOR:	The firm or person who will fabricate the equipment or material.
EXECUTOR:	Executor is the party which carries out all or part of construction and/or commissioning for the project.
THIRD PARTY INSPECTOR (TPI):	The firm appointed by EPD/EPC CONTRACTOR (GC) and approved by CLIENT (in writing) for the inspection of goods.
SHALL:	Is used where a provision is mandatory.
SHOULD:	Is used where a provision is advisory only.
WILL:	Is normally used in connection with the action by CLIENT rather than by an EPC/EPD CONTRACTOR, supplier or VENDOR.
MAY:	Is used where a provision is completely discretionary.

 NISOC	نگهداشت و افزایش تولید میدان نفتی بینک سطح الارض احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک																									
شماره پیمان: ۰۵۳ - ۰۷۳ - ۹۱۸۴	<table><tr><th colspan="8">CALCULATION NOTE FOR PUMPS</th></tr><tr><th>پروژه</th><th>بسته کاری</th><th>صادر کننده</th><th>تسهیلات</th><th>رشته</th><th>نوع مدرک</th><th>سریال</th><th>نسخه</th></tr><tr><td>BK</td><td>GCS</td><td>PEDCO</td><td>120</td><td>PR</td><td>CN</td><td>0001</td><td>D08</td></tr></table>	CALCULATION NOTE FOR PUMPS								پروژه	بسته کاری	صادر کننده	تسهیلات	رشته	نوع مدرک	سریال	نسخه	BK	GCS	PEDCO	120	PR	CN	0001	D08	شماره صفحه : ۵ از ۶
CALCULATION NOTE FOR PUMPS																										
پروژه	بسته کاری	صادر کننده	تسهیلات	رشته	نوع مدرک	سریال	نسخه																			
BK	GCS	PEDCO	120	PR	CN	0001	D08																			

2.0 SCOPE

This document provides the pump hydraulic calculation for BINAK Gas Compressor Station.

NORMATIVE REFERENCES

2.1 THE PROJECT DOCUMENTS

- BK-GNRAL-PEDCO-000-PR-DB-0001 Process Basis of Design
- BK-GNRAL-PEDCO-000-PR-DC-0001 Process Design Criteria

2.2 ENVIRONMENTAL DATA

Refer to "Process Basis of Design; Doc. No. BK-GNRAL-PEDCO-000-PR-DB-0001".

2.3 ORDER OF PRECEDENCE

In case of any conflict between the contents of this document or any discrepancy between this document and other project documents or reference standards, this issue must be reported to the CLIENT. The final decision in this situation will be made by CLIENT.

3.0 LIST OF PUMPS

List of pumps are summarized in below table and details of calculations are presented as follow.

<i>Equipment Tag Number</i>	<i>Equipment Description</i>	<i>P&ID No.</i>
P-2203A/B	Sump Pumps	BK-GCS-PEDCO-120-PR-PI-0017
P-2202 A/B	Closed Drain Pumps	BK-GCS-PEDCO-120-PR-PI-0017
P-2101A/B	Slug Pumps	BK-GCS-PEDCO-120-PR-PI-0004
P-2209	Potable Water Pumps	BK-GCS-PEDCO-120-PR-PI-0024
P-2206	Diesel oil Pumps	BK-GCS-PEDCO-120-PR-PI-0023
P-2201A/B	LP Flare K.O .Drum Pumps	BK-GCS-PEDCO-120-PR-PI-0020
P-2102	Glycol Manual Pump	BK-GCS-PEDCO-120-PR-PI-0014
P-2103 A/B	Glycol Transfer Pumps	BK-GCS-PEDCO-120-PR-PI-0014
P-2104	Glycol Drain Pumps	BK-GCS-PEDCO-120-PR-PI-0025

 NISOC	نگهداشت و افزایش تولید میدان نفتی بینک سطح الارض احداث ردیف تراکم گاز در ایستگاه جمع آوری بینک																									
شماره پیمان: ۰۵۳ - ۰۷۳ - ۹۱۸۴	<table><tr><th colspan="8">CALCULATION NOTE FOR PUMPS</th></tr><tr><th>پروژه</th><th>بسته کاری</th><th>صادر کننده</th><th>تسهیلات</th><th>رشته</th><th>نوع مدرک</th><th>سریال</th><th>نسخه</th></tr><tr><td>BK</td><td>GCS</td><td>PEDCO</td><td>120</td><td>PR</td><td>CN</td><td>0001</td><td>D08</td></tr></table>	CALCULATION NOTE FOR PUMPS								پروژه	بسته کاری	صادر کننده	تسهیلات	رشته	نوع مدرک	سریال	نسخه	BK	GCS	PEDCO	120	PR	CN	0001	D08	شماره صفحه : ۶ از ۶
CALCULATION NOTE FOR PUMPS																										
پروژه	بسته کاری	صادر کننده	تسهیلات	رشته	نوع مدرک	سریال	نسخه																			
BK	GCS	PEDCO	120	PR	CN	0001	D08																			

4.0 CALCULATION REPORT

<i>Equipment Tag Number</i>	<i>Equipment Description</i>	<i>PUMP ΔP bar</i>	<i>Hydraulic Power Consumption kw</i>	<i>Normal Flow Rate m3/hr</i>
P-2203A/B	Sump Pumps	2	0.3	5
P-2202 A/B	Closed Drain Pumps	7	0.6	3
P-2101A/B	Slug Pumps	14	4.3	10
P-2209	Potable Water Pumps	3	0.5	5
P-2206 A/B	Diesel oil Pumps	2	0.3	5
P-2201A/B	LP Flare K.O .Drum Pumps	1.5	0.1	2
P-2102	Glycol Manual Pump	1.5	0.1	3
P-2103 A/B	Glycol Transfer Pumps	2	0.3	5
P-2104	Glycol Drain Pumps	2	0.2	3

Detail of pump calculation are given in the attached file: **Attachment 1**

Calculation for the Sump Pumps, closed drain drum pumps and LP flare K.O. drum pumps is updated.

Note: It should be noted that calculation of close drain pumps and flare K.O.drum pumps are presented for two different destinations to select the worst case basis.

